








730C
165348-01

728B
165348-02





728B
165348-02




2 USE IN PLACE OF KIT SUPPLIED BOLT.


1 REQUIRES ENTRANCE DOOR RETAINER EYE 127960-01-CHT AND RETAINER ROD 127647-03-CHT. LOCATE ABOVE FEATURE STRIP.

NOTES:


AWNING INSTL 700-SERIES
165348




SECTION AA-AA




VIEW AB-AB



SECTION AK-AK




VIEW AC-AC
VIEW AH-AH (SIMILAR)



SECTION AD-AD (SHOWN)
SECTION AE-AE (OPPOSITE)

09 700-SERIES



27A EXT FULL BODY PAINT PKG #1
92A EXT FULL BODY PAINT PKG #2

FIRST USED		
09 700-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
BODY INSTL-SECTIONS		
SHEET 2	PART NO	REV
	165352	

8		7		6		5		4		3		2		1	
DWG NO		SHEET													
167495-01		1													
167495-02		2													
		16C		16Y		28N									
		16C		16Y		28X									

MIRROR ASM-FORD 96 RH
133908-14-CHT

MIRROR ASM-FORD 96 LH
133908-15-CHT

28X	MIRRORS-EXTERIOR W/DEFROST
28N	MIRRORS-EXTERIOR
16Y	FORD CHASSIS 14,500 LB.GVWR
16C	FORD CHASSIS 11,500 LB.GVWR

COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DTFR	ORIG. DATE
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	
DSNR	FIRST USED
09 700-SERIES	
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X) : 3	
ONE-PLACE (X.X) : 1.5	
TWO-PLACE (X.XX) : 0.50	
ANGLE : 1°	
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE:	
MIRROR INSTL-EXTERIOR	
SHEET 1 OF 2	
PART NO 167495	
REV	

MIRROR ASM-FORD 96 RH H/RMT
167450-05-CHT

MIRROR INSTL-ELECT
167487-01-000
SWITCH-PLATE,DRIVERS DOOR
167450-07-CHT

MIRROR ASM-FORD 96 LH H/RMT
167450-06-CHT

FIRST USED		
09 700-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
MIRROR INSTL-EXTERIOR		
SHEET 2	PART NO 167495	REV

133908-05, 133908-06, 133908-10, 133908-11, 133908-14, 133908-15, -01A/02A

KEY	PART NUMBER	U/M	DESCRIPTION	VENDOR NO.
	117051-01-700	EA	MIRROR-CONVEX	723068-4
	120269-01-700	EA	GLASS KIT W/BEZEL RH/LH	709407-8
	133908-03-700	EA	CAP - RECT/BLACK-W/O LIGHT	709577
	133908-04-700	EA	CAP-MIRROR/ROUND - W/O LIGHT	7095470

167450-01-02A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	167450-01-702	EA MIRROR HEAD - RIGHT - CHROME	715998
	167450-01-706	EA FLAT GLASS KIT-HEATED/RIGHT	716104
	167450-01-707	EA CONVEX GLASS KIT - RIGHT	716106
	167450-01-710	EA MOTOR - W/WIRE HARNESS	747832
	167450-01-711	EA GASKETS(2)-BASE MOUNT-FORD	709743
	167450-01-715	EA ARM CVR KIT-102" RH & LH-BLK	716113

167450-01-03A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	167450-01-704	EA MIRROR HEAD - RIGHT - BLACK	715990
	167450-01-706	EA FLAT GLASS KIT-HEATED/RIGHT	716104
	167450-01-707	EA CONVEX GLASS KIT - RIGHT	716106
	167450-01-710	EA MOTOR - W/WIRE HARNESS	747832
	167450-01-711	EA GASKETS(2)-BASE MOUNT-FORD	709743
	167450-01-715	EA ARM CVR KIT-102" RH & LH-BLK	716113

167450-02-02A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	167450-01-703	EA MIRROR HEAD - LEFT - CHROME	715997
	167450-01-708	EA FLAT GLASS KIT - HEATED/LEFT	716103
	167450-01-709	EA CONVEX GLASS KIT - LEFT	716105
	167450-01-710	EA MOTOR - W/WIRE HARNESS	747832
	167450-01-711	EA GASKETS(2)-BASE MOUNT-FORD	709743
	167450-01-715	EA ARM CVR KIT-102" RH & LH-BLK	716113

167450-02-03A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	167450-01-705	EA MIRROR HEAD - LEFT - BLACK	715989
	167450-01-708	EA FLAT GLASS KIT - HEATED/LEFT	716103
	167450-01-709	EA CONVEX GLASS KIT - LEFT	716105
	167450-01-710	EA MOTOR - W/WIRE HARNESS	747832
	167450-01-711	EA GASKETS(2)-BASE MOUNT-FORD	709743
	167450-01-715	EA ARM CVR KIT-102" RH & LH-BLK	716113

167450-05-02A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	167450-01-702	EA MIRROR HEAD - RIGHT - CHROME	715998
	167450-01-706	EA FLAT GLASS KIT-HEATED/RIGHT	716104
	167450-01-707	EA CONVEX GLASS KIT - RIGHT	716106
	167450-01-710	EA MOTOR - W/WIRE HARNESS	747832
	167450-01-711	EA GASKETS(2)-BASE MOUNT-FORD	709743
	167450-01-713	EA ARM CVR KIT-96" RH & LH-BLK	716107


167450-05-03A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	167450-01-704	EA MIRROR HEAD - RIGHT - BLACK	715990
	167450-01-706	EA FLAT GLASS KIT-HEATED/RIGHT	716104
	167450-01-707	EA CONVEX GLASS KIT - RIGHT	716106
	167450-01-710	EA MOTOR - W/WIRE HARNESS	747832
	167450-01-711	EA GASKETS(2)-BASE MOUNT-FORD	709743
	167450-01-713	EA ARM CVR KIT-96" RH & LH-BLK	716107

167450-06-02A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	167450-01-703	EA MIRROR HEAD - LEFT - CHROME	715997
	167450-01-708	EA FLAT GLASS KIT - HEATED/LEFT	716103
	167450-01-709	EA CONVEX GLASS KIT - LEFT	716105
	167450-01-710	EA MOTOR - W/WIRE HARNESS	747832
	167450-01-711	EA GASKETS(2)-BASE MOUNT-FORD	709743
	167450-01-713	EA ARM CVR KIT-96" RH & LH-BLK	716107

167450-06-03A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	167450-01-705	EA MIRROR HEAD - LEFT - BLACK	715989
	167450-01-708	EA FLAT GLASS KIT - HEATED/LEFT	716103
	167450-01-709	EA CONVEX GLASS KIT - LEFT	716105
	167450-01-710	EA MOTOR - W/WIRE HARNESS	747832
	167450-01-711	EA GASKETS(2)-BASE MOUNT-FORD	709743
	167450-01-713	EA ARM CVR KIT-96" RH & LH-BLK	716107

8		7
DRAWING NO.	SWITCH PLATE	CHASSIS
167487-01	167450-07	FORD
167487-02	167450-09	N/A


RELEASE		REV	DATE	DWG NO	167487
REV	ZONE	REVISION RECORD		DATE	DFT-ORIG



WINNEBAGO® INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.			
DFT-OR		ORIG. DATE			
CHK-OR		ALL DIMENSIONS ARE IN MILLIMETERS			
P.E.					
M.E.		FIRST USED			
DSNR		09 C-BODIES			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:			
WHOLE DIM (X) ± 3					
ONE-PLACE (X.X) ± 1.5					
TWO-PLACE (X.XX) ± 0.50					
ANGLE ± 1°					
THIRD ANGLE PROJECTION					
DO NOT SCALE DRAWING					
TITLE: MIRROR INSTL-ELECTRIC					
SHEET 1 OF 2		PART NO	167487		
REF:		1	REV		
		10/27/2009			


FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000




VIEW A
(ONLY SEAL SHOWN)

SPACER
168308-01-01A (BRT WHT)(730C)
168308-01-02A (BLACK)(730C)
SCREW
000G13-08-10S



SECTION C-C

2 TRIM-REAR, CAP TO SDW
092041-17-01A (BRT WHT)
092041-17-02A (BLACK)
MOLDING-TRIM
091985-01-07A (2310) (BRT WHT)
091985-01-09A (2310) (BLACK)
SCREW
000G13-07-12B (15))
SCREW
000G55-08-16S (2) (O/WHITE)
000G55-08-16T (2) (BLACK)



SCREW-PAN,HEAD
000G39-10-08B (22)


2 TRIM-REAR, CAP TO SDW
092041-17-01A (BRT WHT)(728B)
092041-17-02A (BLACK)(728B)
092041-18-01A (BRT WHT)(730C)
092041-18-02A (BLACK)(730C)
MOLDING-TRIM
091985-01-07A (2310) (BRT WHT)
091985-01-09A (2310) (BLACK)
SCREW
000G13-07-12B (15)
SCREW
000G55-08-16S (2) (O/WHITE)
000G55-08-16T (2) (BLACK)

PANEL-CLOSEOUT,FLOOR
165853-01-02B (2)
SCREW-PAN,HEAD
000G39-10-08B (10)

2 CLEAN AND APPLY ADHESIVE PROMOTER 087211-01-000
TO BOTH SURFACES AND BOND WITH TAPE 076322 ALONG
ENTIRE LENGTH.

NOTES:

09 700-SERIES



8

7

6

5

4

3

2

1

DWG NO

UNIT

PAINT MASK KIT

SHEET

171567-01

728B

170853-01-01A

1,2

171567-02

730C

170853-02-01A

1,2

RELEASE

REV

DATE

DWG NO

171567

REV

ZONE

REVISION RECORD

DATE

DFTR-ORIG

KEY

PART NUMBER (26F)

PART NUMBER (26H)

DESCRIPTION

1

120702-03-33A

DECAL-LOGO WINNEBAGO

2

150102-01-01A

DECAL-LOGO ASPECT LG

3

150102-02-01A

DECAL-LOGO ASPECT SML

4

151687-01-01A

DECAL/BEZEL DOMED NAMEPLATE WINNEBAGO

5

132664-02-01A

DECAL-LOGO DOMED WINNEBAGO

6

166690-01-01A

166690-01-02A

DECAL-FRONT & BACK

7

166691-01-01A

DECAL-SWEEP #1 RH

8

166691-02-01A

DECAL-SWEEP #1 LH

9

166692-01-01A

166692-01-02A

DECAL-SWEEP #2 RH

10

166692-02-01A

166692-02-02A

DECAL-SWEEP #2 LH

11

166693-01-01A

166693-01-02A

DECAL-SWEEP #3 RH

12

166693-02-01A

166693-02-02A

DECAL-SWEEP #3 LH

13

166694-01-01A

166694-01-02A

DECAL-ZIG RH

14

166694-02-01A

166694-02-02A

DECAL-ZIG LH

15

166695-01-01A

166695-01-02A

DECAL-SWEEP CAB RH

16

166695-02-01A

166695-02-02A

DECAL-SWEEP CAB LH

17

141599-74-000

141599-95-000

PAINT

18

141599-88-000

141599-41-000

PAINT

10

BODY COLOR.

9

CENTER ON SURFACE.

8

LOCATE DECAL 240mm LEFT OF HOOD EDGE AND 190mm UP FROM FRONT EDGE OF HOOD.

7

VINYL DECAL WILL BE APPLIED WHERE EVER GRAPHIC DESIGN PATTERN IS POSITIONED OVER SLIDEROOM EXTRUSION, BUT WILL NOT BE APPLIED TO VINYL SCREW COVER INSERTS.

6

PAINT AREA IS TO BE BELOW FEATURE STRIP FOR OPTIONAL PAINTED MODELS AND CONTINUES ON CAB DOORS TO WHEEL WELL, INCLUDING RUNNING BOARD.

5

NO VINYL OR PAINT ON SLIDEOUT ROOM END PANELS.

4

ALL LOGOS ARE TO BE +/- 1mm ON A HORIZONTAL PLANE (END TO END).

3

CLEAR COAT 141599-27-000 TO BE APPLIED ON ALL PAINTED AREAS.

2

APPLY FILM-URETHANE PROTECTANT 109506-01-000 AT BOTTOM OF ENTRANCE DOOR TO PREVENT SCUFFMARKS.

1

APPLY PROTECTOR 116424-01-000 TO WATER HEATER DOOR LATCH.

NOTES:

SEE CHART

FOR COLOR VARIATIONS OF THIS PART

26H

EXT GRAPHIC/PAINT-DLX PKG 2

26F

EXT GRAPHIC/PAINT DLX PKG 1

WINNEBAGO INDUSTRIES

COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.

DFTR

ORIG. DATE

CHRR

ALL DIMENSIONS ARE IN MILLIMETERS

P.E.

M.E.

FIRST USED

DSNR

10 700 SER (ASPECT)

UNSPECIFIED TOLERANCES ARE:

MATERIAL:

WHOLE DIM (X)

:

3

ONE-PLACE (X.X)

:

1.5

TWO-PLACE (X.XX)

:

0.50

ANGLE

:

1°

THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING

TITLE:

GRAPHICS INSTALLATION

SHEET

1 of 2





PART NO

171567

REV

REF:

1



FIRST USED		
10 728B (ASPECT)		
DO NOT SCALE DRAWING		
TITLE:		
GRAPHICS INSTALLATION		
SHEET 2	PART NO	REV
	171567	

8

7

6

5

4

3

2

1

DWG NO

UNIT

PAINT MASK KIT

SHEET

171568-01

728B

171119-01-01A

1,2

171568-02

730C

171119-02-01A

1,2

RELEASE

REV

DATE

DWG NO

171568

REV

ZONE

REVISION RECORD

DATE

DFTR-ORIG

KEY

PART NUMBER (26F)

PART NUMBER (26H)

DESCRIPTION

1

124806-01-67A

124806-01-68A

DECAL-ITASCA W/ICON

2

132664-02-01A

DECAL-LOGO DOMED WINNEBAGO

3

144587-03-27A

144587-03-28A

DECAL-ITASCA

4

150103-01-01A

DECAL-LOGO CAMBRIA LG

5

151687-02-01A

DECAL/BEZEL DOMED NAMEPLATE ITASCA

6

166716-01-01A

166716-01-02A

DECAL-FRONT & REAR

7

166717-01-01A

166717-01-02A

DECAL-SWEEP #1 RH

8

166717-02-01A

166717-02-02A

DECAL-SWEEP #1 LH

9

166718-01-01A

166718-01-02A

DECAL-SWEEP #2 RH

10

166718-02-01A

166718-02-02A

DECAL-SWEEP #2 LH

11

166719-01-01A

166719-01-02A

DECAL-EDGE #1 RH

12

166719-02-01A

166719-02-02A

DECAL-EDGE #1 LH

13

166720-01-01A

166720-01-02A

DECAL-EDGE #2 RH

14

166720-02-01A

166720-02-02A

DECAL-EDGE #2 LH

15

166721-01-01A

166721-01-02A

DECAL-EDGE #3 RH

16

166721-02-01A

166721-02-02A

DECAL-EDGE #3 LH

17

166722-01-01A

166722-01-02A

DECAL-CAB RH

18

166722-02-01A

166722-02-02A

DECAL-CAB LH

19

141599-88-000

141599-B0-000

PAINT

20

141599-B8-000

141599-41-000

PAINT

10

USE EDGE OF TRIM TO HORIZONTALLY ALIGN DECAL.

9

CENTER ON SURFACE.

8. ALIGN WINGWALL FILM WITH CAB & SIDEWALL DECALS.

7. VINYL DECAL WILL BE APPLIED WHERE EVER GRAPHIC DESIGN PATTERN IS POSITIONED OVER SLIDEROOM EXTRUSION, BUT WILL NOT BE APPLIED TO VINYL SCREW COVER INSERTS.

6. PAINT AREA IS TO BE BELOW FEATURE STRIP FOR OPTIONAL PAINTED MODELS AND CONTINUES ON CAB DOORS TO WHEEL WELL, INCLUDING RUNNING BOARD.

5. NO VINYL OR PAINT ON SLIDEOUT ROOM END PANELS.

4. ALL LOGOS ARE TO BE +/- 1mm ON A HORIZONTAL PLANE (END TO END).

3. CLEAR COAT 141599-27-000 TO BE APPLIED ON ALL PAINTED AREAS.

2. APPLY FILM-URETHANE PROTECTANT 109506-01-000 AT BOTTOM OF ENTRANCE DOOR TO PREVENT SCUFFMARKS.

1. APPLY PROTECTOR 116424-01-000 TO WATER HEATER DOOR LATCH.

SEE CHART

FOR COLOR VARIATIONS OF THIS PART

26H

EXT GRAPHIC/PAINT-DLX PKG 2

26F

EXT GRAPHIC/PAINT DLX PKG 1

WINNEBAGO INDUSTRIES

COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.

DFTR

ORIG. DATE

CHKR

ALL DIMENSIONS ARE IN MILLIMETERS

P.E.

M.E.

FIRST USED

DSNR

10 700 SER (CAMBRIA)

UNSPECIFIED TOLERANCES ARE:

MATERIAL:

WHOLE DIM (X) : 3

ONE-PLACE (X.X) : 1.5

TWO-PLACE (X.XX) : 0.50

ANGLE : 1°

THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING

TITLE:

GRAPHICS INSTALLATION





SHEET 1 of 2

PART NO 171568

REV

REF:

1



FIRST USED		
10 728B (CAMBRIA)		
DO NOT SCALE DRAWING		
TITLE: GRAPHICS INSTALLATION		
SHEET 2	PART NO 171568	REV

8		7				6			
DWG NO	UNIT	A	B	C	D	E	F	G	H
171737-01	728B	820	735	1650	2150	32	165	175	200
171737-02	730C	775	780	2045	2146	130	130	180	180

1		1	
RELEASE	REV DATE	DWG NO	171737
REV	ZONE	REVISION RECORD	DATE



DECAL-LOGO ASPECT LG
150102-01-01A

DECAL-LOGO ASPECT SML
150102-02-01A

DECAL/BEZEL DOMED NAMEPLATE WINNEBAGO
151687-01-01A

DECAL-LOGO ASPECT LG
150102-01-01A (2)

A (PASSENGER SIDE)
B (DRIVER SIDE)

C (PASSENGER SIDE)
D (DRIVER SIDE)

DECAL-LOGO DOMED WINNEBAGO
132664-02-01A (2)

G (PASSENGER SIDE)
H (DRIVER SIDE)

E (PASSENGER SIDE)
F (DRIVER SIDE)

10 CENTER ON SURFACE.

9 LOCATE DECAL 120MM RIGHT OF HOOD EMBLEM AND 70MM UP FROM GRILLE.

8. PASSENGER SIDE OF UNIT SHOWN, DRIVER'S SIDE OPPOSITE.

7. END PANELS OF SLIDEOUT ROOMS WILL BE PAINTED WITH BASECOAT AND CLEAR COAT ONLY. THERE WILL BE NO COLORED DESIGN GRAPHIC ELEMENTS PAINTED ON THE END PANELS.

6. APPLY SEALER BODY SEAM CLEAR 94401-04-000 TO HELP SECURE EDGES.

5. USE 145487-02-000 (100 FT) TO COVER UNSEALED ROOF SEAMS.

4. CLEAR COAT TO BE APPLIED ON ENTIRE UNIT TO PROTECT PAINT.

3. TOLERANCE FOR DIMENSIONS IS +/-20mm.
LOGO IS TO BE +/- 1mm ON A HORIZONTAL PLANE (END TO END).

2. APPLY FILM-URETHANE PROTECTANT 109506-01-000 AT BOTTOM OF ENTRANCE DOOR TO PREVENT SCUFFMARKS.

1. APPLY PROTECTOR 116424-01-000 TO WATER HEATER DOOR LATCH.

NOTES:

		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.																																																			
<table border="1"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></table>																																																				ORIG. DATE: 10/21/08	
FIRST USED: 10 700 SER (ASPECT)																																																					
MATERIAL:																																																					
SPECIFICATION PRINT DO NOT SCALE																																																					
TITLE:																																																					
GRAPHICS INSTL - FBP																																																					
SHEET 1 OF 2		PART NO 171737																																																			
		REV																																																			

(27A) 27A EXT FULL BODY PAINT PKG #1
(92A) 92A EXT FULL BODY PAINT PKG #2
(24C) 24C EXT FULL BODY PAINT PKG #3
(24B) 24C EXT FULL BODY PAINT PKG #4

06/19/09

8

7

6

5

4

3

2

1

DWG
NO 171737



BLACK MIST MET
#75377



IRON GRAY MET
#42839

BRIGHT PLATINUM MET
#48823

FORD SILVER MET
#43638

(27A) GRAPHICS INST - 2010 ASPECT FBP
"CHARCOAL"



MED MALCHITE MET
#42023



SANDSTONE BEIGE MET
#43482-3

BLACK MIST MET
#75377

FORD SILVER MET
#43638

(92A) GRAPHICS INST - 2010 ASPECT FBP
"MALCHITE"



MED. GARNET RED MET
#35894-7



LT. GREY MET
#45729

BLACK MIST MET
#75377

FORD SILVER MET
#43638

(24C) GRAPHICS INST - 2010 ASPECT FBP
"GARNET"



CITRUS GOLD MET
#58303-1



SILVER MET
#52583

IRON GRAY MET
#75401

FORD SILVER MET
#43638

(24B) GRAPHICS INST - 2010 ASPECT FBP
"CITRUS GOLD"

FIRST USED		
2010 700 SERIES (ASPECT)		
SPECIFICATION PRINT DO NOT SCALE		
TITLE:		
GRAPHICS INSTL - FBP		
SHEET	PART NO	REV
2	171737	

8

7

6


5

4

3

2

1





SANDSTONE BEIGE MET
#43482-3



ANTIQUE SAGE PRL MET
#54757

DK. GRAY MET
#64255

FORD SILVER MET
#43638

(27A) GRAPHICS INST - 2010 CAMBRIA FBP
"SANDSTONE"



SAILFIN BLUE MET
#60454-4



DK. GRAY MICA MET
#59271-4

HARVEST GOLD MET
57343

FORD SILVER MET
#43638

(92A) GRAPHICS INST - 2010 CAMBRIA FBP
"DEEP POOL"



SILVER SKY MET
#62444



SILVER MET
#48459

HARVEST GOLD MET
#57343

FORD SILVER MET
#43638

(24C) GRAPHICS INST - 2010 CAMBRIA FBP
"HARVEST FROST"



BLACK GARNET MET
#64010-1



VINTAGE RED MET
#75393

VERMILLION
#39068

FORD SILVER MET
#43638

(24B) GRAPHICS INST - 2010 CAMBRIA FBP
"HOT RED"

FIRST USED		
2010 700 SERIES (CAMBRIA)		
SPECIFICATION PRINT DO NOT SCALE		
TITLE:		
GRAPHICS INSTL - FBP		
SHEET 2	PART NO 171738	REV

8

7

6

5

4

3

2

1

DWG
NO **167048**


RAIL-LADDER,RH
161113-14-CHT
SEAL-BRACKET
129375-02-000 (6)


RIVET
118626-01-CHT(8)

RIVET
113133-03-CHT(16)

FIRST USED			09 700 SERIES		
			DO NOT SCALE DRAWING		
TITLE:			LADDER INSTL		
SHEET 1	PART NO	167048	REV		

10/1/2009





140923-01
331C
500-SERIES
(524A PASSENGER)
(524K PASSENGER)
700-SERIES
D-SERIES
E-SERIES
H SERIES
J SERIES

4	000C260512U	BOLT	4
3	000D390500U	NUT	4
2	14092201CHT	PLATE-MUDFLAP	1
1	01751601000	MUD FLAP-BLACK	1
ITEM	PART NUMBER	DESCRIPTION	QTY

COPYRIGHT 2010
WINNEBAGO
INDUSTRIES, INC.

DFTR	ORIG. DATE
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	02 MOTORHOMES
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	:
ONE-PLACE (X.X)	:
TWO-PLACE (X.XX)	:
ANGLE	:
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: MUD FLAP COMPL	
SHEET 1 OF 5	PART NO 140923 REV

REF: 1 2/16/2010




LEFT SIDE



RIGHT SIDE

DRILL 9mm HOLE
CENTER ON CHANNEL
DOWN FROM TOP 150
ADD TEC SCREW



FRONT OF
VEHICLE

RIVET
113133-03-CHT (3)

LEFT SIDE SHOWN, RIGHT SIDE OPPOSITE

SEE
TAB {
RUNNING BOARD-GLASS
(SEE TAB)
MUDFLAP
149604-14-CHT (RH)
149604-15-CHT (LH)
FLAIR
149604-12-CHT (RH)
149604-13-CHT (LH)
MAT-ANTI SLIP
146515-03-CHT (RH)
146515-04-CHT (LH)
HARDWARE KIT
149604-16-CHT

FIRST USED			07 300 & 700 SERIES		
			SPECIFICATION PRINT		
			DO NOT SCALE		
TITLE:			RUNNING BOARD INSTL		
SHEET	2	PART NO	151642	REV	

D

C

B





A

D


C

B

A



WINDOW DETAIL BC-BC




WINDOW DETAIL BD-BD

- NOTES:
1. PANEL SHOWN FROM EXTERIOR SIDE.
 2. CAP SEAL TRIM WITH SEALANT 72889-20-000.
 3. TOLERANCE FOR CUTOUT ±1.5, WIRING ±2.5, WIRE DROPS +150.0/-0.0.
 4. ALL WIRES SHOWN DENOTE ROUTED PATH.
 5. THRU FOAM AND EXTERIOR SKIN.
 6. ALL RAI 9.5 UNLESS OTHERWISE SPECIFIED.
 7. THRU FOAM AND INNER PANEL.
 8. THRU EXTERIOR SKIN ONLY.

NOTICE
CHANGES TO THIS SHEET
MAY AFFECT OTHERS


- 13Y WINDOWS-COACH-DUAL PANE
- 65G WINDOW COACH-SINGLE PANE

FIRST USED			09 730C
DO NOT SCALE DRAWING			
TITLE:			BACKWALL ASM
SHEET 2	PART NO	165366	REV




NOTICE
CHANGES TO THIS SHEET
MAY AFFECT OTHERS

FIRST USED		
10 728B		
DO NOT SCALE DRAWING		
TITLE:		
SIDEWALL ASM-RIGHT		
SHEET 8	PART NO	REV
	171760	





SECTION FA-FA



FIRST USED			10 728B					
DO NOT SCALE DRAWING								
TITLE:								
SIDEWALL ASM-LEFT								
SHEET 8		PART NO		REV				
		171761						

8			7			6		5		4		3		2		1				
DWG NO	SHEET	CHASSIS	SERIES	WHEEL	RUNNING BOARD (RH)	RUNNING BOARD (LH)	↓										RELEASE	REV	DATE	DWG NO
173679-01	1	FORD	300	FLAIR	173458-01-CHT	173458-02-CHT											A	04--27--09	173679	
173679-02	1	FORD	700	FLAIR	173458-03-CHT	173458-04-CHT														



RUNNING BOARD-GLASS
(SEE TAB)
MAT-ANTI SLIP
146515-05-CHT (RH)
146515-06-CHT (LH)
HARDWARE KIT
173458-05-000 (UP TO 07-07-09)
149604-09-000 (QTY 0.50) (AFTER 07-08-09)


--->
FRONT OF
VEHICLE

STRAIGHTEN CAB FLANGE ENOUGH TO FASTEN SCREW AT GIVEN DIMENSION.

1. LEFT SIDE SHOWN, RIGHT SIDE IS OPPOSITE.

NOTES:


WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
ORIG. DATE		04/27/09	
FIRST USED		10 300 SERIES	
MATERIAL:			
SPECIFICATION PRINT DO NOT SCALE			
TITLE: RUNNING BOARD INSTL			
SHEET	1 OF 1	PART NO	173679





DWG NO	PANEL ASM
166963-01	165754-03
166963-02	165754-04

1H4 1A5
1H4 74B

RELEASE		REV DATE	DWG NO 166963	
REV	ZONE	REVISION RECORD		DATE
B	B-7	SHORTENED TRIM CALLOUT BY 50.00 MM		12/07/07


WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFT#R		ORIG. DATE	
CHK#R		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR#R		09 700 SERIES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3		-	
ONE-PLACE (X.X) ± 1.5		-	
TWO-PLACE (X.XX) ± 0.50		-	
ANGLE ± 1°		-	
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
TITLE:			
REAR CAP-INSTL			
SHEET 1 OF 1		PART NO 166963	REV











- 094 WINDOWS - SE-GI
- 13Y WINDOWS-COACH-DUAL PANE
- 65G WINDOW COACH-SINGLE PANE
- 64T SIDEWALLS-HIGH GLOSS
- 64V SIDEWALL-PREMIUM HIGH GLOSS

15. SCREWS CAN NOT BE REUSED. ANYTIME A SCREW IS REMOVED IT MUST BE DISCARDED AND REPLACED WITH A NEW SCREW TO INSURE THE THREADS SEAL.
14. TORQUE TO 17±3 Nm (13±2 FT-lb).
13. SECURE ONE OF THE SLIDEOUT ROOM ACTIVATION KEYS TO THE ROD-LOCK STRAP. KEYS ARE INCLUDED WITH SWITCH ASSEMBLY P/N 163097(REF).
12. ANTI BILLOW BRACKET TO BE INSTALLED ON REAR SIDE OF SLIDEROOM AT 11:00 POSTITION. THE SIDEWALL IS NOT USED.
11. TO CYCLE ROOM MANUALY TURN SHAFT USING A 3/8" WRENCH OR SOCKET.
10. USE SCREW 000G39-10-12T TO HOLD PANEL EDGES.
9. FILL ALL NAIL HOLES PER ES0068.
8. USE POLY-CLEAR 047034-07-000 AND ATTACH IT USING WASHER 047533-01-000 TO PROTECT THE SLIDEOUT FLOOR.
7. SEE SEALANT MANUAL.
6. TORQUE TO 68 Nm (50 FT-lb).
5. USE SCREW 000G39-08-08U TO HOLD EACH END OF TRIM.
4. ADJUST BOLT UP OR DOWN TO CENTER ROOM, AFTER ALL ADJUSTMENTS ARE COMPLETE, TIGHTEN THE JAM NUTS.
3. LOOSEN BOLTS TO ALLOW ROOM TO MOVE SIDE TO SIDE IN THE SLOTS ON THE MOUNTING BRACKETS UNTIL IT IS CENTERED IN THE OPENING.
2. TORQUE TO 42 Nm (31 FT-lb).
1. FOR ADDITIONAL INFORMATION SEE THE WIRE INSTALLATION FRONT END.


NOTES:






10 728B

SLIDEOUT COMPL-FRT,LH




10 728B

SLIDEOUT COMPL-FRT,LH



10 728B

SLIDEOUT COMPL-FRT,LH



DWG NO	ROOM ASM-SLIDEOUT
171181-01	NOT USED
171181-02	171181-12-XXX
171181-03	NOT USED
171181-04	171181-14-XXX
171181-05	NOT USED
171181-06	171181-16-XXX

64V

64V 65G 094

64V 13Y 094

RELEASE	REV DATE	DWG NO	171181
REV ZONE	REVISION RECORD	DATE	DTFR-ORIG

12. TORQUE ALL BOLTS PER ES0018 UNLESS OTHERWISE SPECIFIED.
(SEE TABLE BELOW)


SIZE	TORQUE VALUE (FT-LBS)
1/4 - 20 (.250)	76 (IN-LBS)
5/16 - 18 (.3125)	13 (FT-LBS)
3/8 - 16 (.375)	23 (FT-LBS)
7/16 - 14 (.4375)	37 (FT-LBS)
1/2 - 13 (.500)	57 (FT-LBS)

11. USE POLY-CLEAR 047034-07-000 AND ATTACH IT USING WASHER 044533-01-000 TO PROTECT THE SLIDEOUT FLOOR.

- POSITION SEAL FLUSH WITH LOWER TRIM AND TIGHT AGAINST INNER TRIM.
- SCREWS CANNOT BE REUSED. ANY TIME A SCREW IS REMOVED IT MUST BE DISCARDED AND REPLACED WITH A NEW SCREW TO INSURE THE THREADS SEAL.
- USE SCREW 000G39-08-08S TO HOLD EACH END OF TRIM.
- SEE SEALANT MANUAL.
- LOOSEN BOLTS TO ALLOW ROOM TO MOVE SIDE TO SIDE ON THE MOUNTING BRACKETS UNTIL IT IS CENTERED IN THE OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.
- ADJUST BOLT TO MOVE ROOM UP OR DOWN TO BE CENTERED IN THE SIDEWALL OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.
- THIS IS A NOMINAL DIMENSION; THE PARTS SHOULD BE ADJUSTED AS REQUIRED FROM THERE.
- THE RETRACTED LENGTH IS ADJUSTED UNTIL THE OUTSIDE TRIM OF THE ROOM SEALS AGAINST THE OUTSIDE OF THE SIDEWALL.
- THE EXTENDED LENGTH IS ADJUSTED UNTIL THE INSIDE TRIM OF THE ROOM SEALS AGAINST THE INSIDE OF THE SIDEWALL.

1. FOR ADDITIONAL INFORMATION SEE WIRE INSTALLATION FRONT END AND THE LEVELING JACK INSTALLATION DRAWINGS.

NOTES:



- 65G WINDOW COACH-SINGLE PANE
- 13Y WINDOWS-COACH-DUAL PANE
- 094 WINDOWS - SE-GI
- 64T SIDEWALLS-HIGH GLOSS
- 64V SIDEWALL-PREMIUM HIGH GLOSS

COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DTFR	ORIG. DATE
CHRR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	FIRST USED
M.E.	10 728B
DSNR	
UNSPECIFIED TOLERANCES ARE:	MATERIAL:
WHOLE DIM (X) ± 3	
ONE-PLACE (X.X) ±	
TWO-PLACE (X.XX) ±	
ANGLE ±	
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: SLIDEOUT COMPL-REAR,LH	
SHEET 1 OF 4	PART NO 171181
REF:	1

TRIM-SEAL,INNER
139624-76-CHT
SCREW
000G62-08-12B (8)

ROOF ASM-SLIDEOUT
165636-01-XXX
SCREW
000G62-08-12B (20)

TRIM-FEATURE,UPPER
158375-04-CHT (2)
SCREW
154938-02-CHT (10)

TRIM-KIT EXTERIOR
160677-02-XXX
SCREW
154938-02-CHT (32)
INSERT
105312-01-CHT (7262)
SCREW
154938-04-CHT (24)

AWNING ASM
122977-14-CHT

AWNING BRACKET (2)
(VENDOR SUPPLIED)
SCREW
OG3910-24-170 (10)

SLUG ASM-SLIDEOUT
171761-14-XXX (64V)

COVER-CORNER
156151-01-CHT (3)
KEY-CORNER
160421-01-CHT (3)

TRIM
146606-63-CHT

KEY-CORNER
149691-03-CHT

TRIM
168916-01-CHT
168917-01-CHT
RETAINER
142718-64-CHT

COVER-CORNER
169585-01-CHT

TRIM-FEATURE
167908-01-CHT
SCREW
154938-02-CHT (4)

FLOOR ASM-SLIDEOUT
167574-02-XXX

FLOOR ASM-SLIDEOUT
167574-01-XXX

PANEL ASM-SLIDEOUT
167680-02-XXX
167680-04-XXX
167680-06-XXX
SCREW
000G62-08-12B (20)

TRIM-SEAL,INNER
139624-83-CHT
SCREW
000G62-08-12B (6)

BRACKET-SEAL,SLIDEOUT
168903-01-CHT
SCREW
000G39-10-68U (4)

FRAME ASM-STEP
167573-02-XXX
SCREW
000G39-10-10T (6)

TRIM-FEATURE,LOWER
168938-01-CHT
SCREW
154938-02-CHT (5)

PANEL ASM-SLIDEOUT
166468-04-XXX
166468-06-XXX
166468-08-XXX
SCREW
000G62-08-12B (20)









TRIM-SEAL,INNER
139624-78-CHT
SCREW
000G62-08-12B (8)

TRIM-FEATURE,LOWER
163020-08-CHT
SCREW
154938-02-CHT (4)


65G WINDOW COACH-SINGLE PANE
13Y WINDOWS-COACH-DUAL PANE
094 WINDOWS - SE-GI
64T SIDEWALLS-HIGH GLOSS
64V SIDEWALL-PREMIUM HIGH GLOSS

ROOM ASM-SLIDEOUT
(SEE TAB)

FIRST USED		
10 728B		
DO NOT SCALE DRAWING		
TITLE: SLIDEOUT COMPL-REAR,LH		
SHEET 2	PART NO 171181	REV



FIRST USED			10 728B
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-REAR,LH			
SHEET 3	PART NO	171181	REV






DWG NO 171181

FIRST USED		
10 728B		
DO NOT SCALE DRAWING		
TITLE: SLIDEOUT COMPL-REAR,LH		
SHEET 4	PART NO 171181	REV



10/5/2009

KEY	PART NUMBER	U/M	DESCRIPTION	150661-01-000
				VENDOR NO.
	150661-01-700	EA	SHAFT - SLAVE	29042
	150661-01-701	EA	SHAFT - ROUND DRIVE - 30"	29038
	150661-01-702	EA	POWER HEAD W/WORM DRIVE	29020
	150661-01-703	EA	CRANK TUBE	29022
	150661-01-704	EA	CAM FOLLOWER & NUT	28701
	150661-01-705	EA	FLANGE BEARING - .63" X .5"L	645-0028
	150661-01-706	EA	SPROCKET	28706
	150661-01-707	EA	SET SCREW - 1/4"-20	608-6005
	150661-01-708	EA	CLEVIS PIN	643-0030
	150661-01-709	EA	COTTOR PIN	625-0017
	150661-01-710	EA	CLEVIS PIN	643-0003
	150661-01-711	EA	COTTER PIN	625-0016
	150661-01-712	EA	SHAFT - ROUND DRIVE - 7.4"	29040
	150661-01-713	EA	ADAPTER - ADJUSTABLE SHAFT	28395
	150661-01-714	EA	RETAINING RING	634-0007
	150661-01-715	EA	DRIVE ASM. (MOTOR W/GEAR BOX)	29449
	150661-01-716	EA	MOTOR ONLY	16263
	150661-01-717	EA	PIN/SPRING - 5/16" X 1 1/4"	624-0014



FABWELL SDW

TRIM ASM-SLIDEOUT, TOP





VIEW B

FABWELL SDW


TRIM ASM-SLIDEOUT,SIDE

1 2 151763

4/27/2010




VIEW C




FABWELL SDW

TRIM ASM-SLIDEOUT,SIDE



SEAT BELT
160167-01-CHT 2 X 102" BLACK
160167-02-CHT 2 X 90" BLACK

FIRST USED		
07 MOTORHOMES		
DO NOT SCALE DRAWING		
TITLE:		
SEAT BELT INSTL		
SHEET 1	PART NO 159417	REV



DWG NO	SHEET
160677-01	1
160677-02	2

RELEASE		REV A	DATE	DWG NO	160677	
REV	ZONE	REVISION RECORD			DATE	DFTR-ORIG


STANDARD TRIM KIT
(VIEWED FROM THE EXTERIOR
OF THE SLIDEOUT ROOM)


SECTION A-A

- NOTES:
1. TRIM VIEWED FROM THE OUTSIDE OF THE SLIDEOUT ROOM UNLESS NOTED.
 2. DO NOT APPLY SEAL TO THIS PIECE OF TRIM




COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DTFR	ORIG. DATE
CHRR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	07 MOTORHOMES
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	: 3
ONE-PLACE (X.X)	: 1.5
TWO-PLACE (X.XX)	: 0.50
ANGLE	: 1°
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: TRIM KIT-EXTERIOR,SLIDEOUT	
SHEET 1 OF 2	PART NO 160677 REV
REF:	1



STANDARD TRIM KIT
(VIEWED FROM THE EXTERIOR
OF THE SLIDEOUT ROOM)


SEAL
158297-01-000
(7643 TOTAL LENGTH)



SECTION E-E



TRIM-SEAL, W/MITERED ENDS
162052-22-CHT

FIRST USED		07 MOTORHOMES	
TITLE:		DO NOT SCALE DRAWING	
SHEET 2		PART NO 160677	
		REV	



2007 MOTORHOMES

TRIM KIT-EXTERIOR,SLIDEOUT



2007 MOTORHOMES

TRIM KIT-EXTERIOR,SLIDEOUT

162834-01-000			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	131281-01-702	EA PIN/CLEVIS-1/4" PLATED	1213190
	131281-01-704	EA HAIRPIN/COTTER - 3/8" SPRING	1213460
	138173-01-701	EA POP RIVET - SS 3/16"X1/4"	1214630
	138173-01-707	EA WEAR PUCK - PLASTIC F/DRIVE	1612523
	148875-01-700	EA PIN/COTTER - 3/32" X 1/2"	1213520
	148875-01-703	EA NUT - PLASTIC - 1"	1612548
	148875-01-705	EA MOTOR/LINEAR - SLIDE ROOM	1820111
	149165-01-700	EA BEARING - 5/8" ID	1102015
	149165-01-701	EA PIN/CLEVIS - 1/4" X 2 7/8"	1213204
	149165-01-703	EA SEAL/RUBBER - INNER FRAME	1612007
	149165-01-704	EA SEAL/LOWER ROOM - "Z"	1612009
	149165-01-705	EA DRIVE/WORM SCREW - 30"	1820400