




REV		DATE	DWG NO	170592
A				
REVISION RECORD			DATE	DFT:ORIG



		COPY RIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFT# _____ CHR# _____ P.E. _____ M.E. _____ DSN# _____		ORIG. DATE _____ ALL DIMENSIONS ARE IN MILLIMETERS FIRST USED _____ 10 700 SERIES	
UNSPECIFIED TOLERANCES ARE: WHOLE DIM (X) ± 1 ONE-PLACE (X.X) ± 1.5 TWO-PLACE (X.XX) ± 0.50 ANGLE ± 1°		MATERIAL: _____	
THIRD ANGLE PROJECTION 			
DO NOT SCALE DRAWING			
TITLE: _____ SOFTGOODS INSTL - FRONT			
SHEET 1 of 2		PART NO 170592 REV _____	



65D 086
CURTAIN BLACKOUT,47x80"
168243-01-XXX


CHASSIS SUPPLIED
SEAT-CAB,FORD, PASSENGER
172025-02-XXX 091
COVER, BACK
172025-10-XXX
COVER, SEAT
172025-12-XXX
COVER, ARMREST
172025-14-XXX


086
MAT-FLOOR,PASSENGER-FORD
163089-02-XXX

CHASSIS SUPPLIED
SEAT-CAB,FORD, DRIVER
172025-01-XXX 091
COVER, BACK
172025-10-XXX
COVER, SEAT
172025-11-XXX
COVER, ARMREST
172025-13-XXX


086
MAT-FLOOR,DRIVER,FORD
163089-01-XXX

FIRST USED		
10 700 SERIES		
DO NOT SCALE DRAWING		
TITLE: SOFTGOODS INSTL - FRONT		
SHEET 2	PART NO 170592	REV






VIEW A



VIEW C



VIEW D

FIRST USED		
10 700 SERIES		
DO NOT SCALE DRAWING		
TITLE:		
INTERIOR INSTL-FRONT		
SHEET 2	PART NO 171180	REV

DWG NO	SHEET
166201-01	1
166201-02	2

DOOR ASM
167584-02-XXX (2)
PIN
154385-01-CHT(8)
PAD
002330-01-000(8)
SCREW
000G11-07-08U(24)
LOCK ASM-TWIST
100710-01-CHT (2)
HINGE-DOOR, GLASS
100711-01-CHT (2)
DOOR-GLASS, CURVED
167290-02-CHT (2)

PANEL ASM-ENTERTAINMENT CTR
166271-01-XXX

CABINET ASM-FRONT END, LH
166216-02-XXX (48R)
166216-04-XXX (48Q) OR (78C)

DOOR ASM
167584-01-XXX
PIN
154385-01-CHT(4)
PAD
002330-01-000(4)
SCREW
000G11-07-08U(12)
LOCK ASM-TWIST
100710-01-CHT
HINGE-DOOR, GLASS
100711-01-CHT
DOOR-GLASS, CURVED
167290-01-CHT

BRACKET ASM-TV, 26" JENSEN
166678-01-CHT

CABINET ASM-FRAME, TV
149407-09-XXX

CABINET ASM-FRONT END, RH
166216-05-XXX
166216-07-XXX
166216-08-XXX
166216-09-XXX

DOOR ASM
167584-01-XXX
PIN
154385-01-CHT(4)
PAD
002330-01-000(4)
SCREW
000G11-07-08U(12)
LOCK ASM-TWIST
100710-01-CHT
HINGE-DOOR, GLASS
100711-01-CHT
DOOR-GLASS, CURVED
167290-01-CHT

MOLDING-TRIM
Y00436-00-506(2)
STAPLE
5418-01-000(6)

PANEL-SUPPORT, TV
166283-01-CHT
SCREW
G67-10-10U(8)

PANEL-SUPPORT, TV
166283-01-CHT
SCREW
G67-10-10U(8)

FRAME ASM
149407-08-XXX
REF

8. 2010 UNITS AFTER 6-01-09.

7. 2009 UNITS ONLY.

6. NOT USED WITH (70C).

5. USE SUPPORT 74493-02-000 (2).

4. CATCH 93586-06-000, SCREW G11-07-08B(4),
STRIKE 93586-05-000 REQUIRED PER CABT DOOR.

3. PAD-FELT-3/8" DIA. 23320-01-000 REQUIRED PER
CABT DOOR.


2. SEE DWG. 81512-01-000 FOR OVHD CABT DOOR INSTL.

1. "X" DENOTES HINGE LOCATION.

NOTES:

RELEASE	REV	DATE	DWG NO	166201
	A			
REV	ZONE	REVISION RECORD	DATE	DFTR. ORIG

(70C)	RADIO - SATELLITE
(61E)	TV(FRONT)-26" COLOR STEREO
(78C)	SATELLITE SYSTEM READY
(48Q)	SATELLITE TV SYSTEM MANUAL
(48R)	SAT TV SYSTEM IN-MOTION
(1JM)	HOME THEATER SOUND SYSTEM

WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTR		ORIG. DATE	
CHRR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		09 700-SERIES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 1			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE:			
ENTERTAINMENT CENTER COMPL			
SHEET 1 of 2		PART NO	REV
		166201	

D

D

C


C

B


B

A

A



FIRST USED		
09 700-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
ENTERTAINMENT CENTER COMPL		
SHEET 2	PART NO 166201	REV



RELEASE		REV	DATE	DWG NO	169850
REV	ZONE	REVISION RECORD		DATE	DFT-ORIG

- 1H4 REARVIEW MONITOR-WIRE PREP
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265



COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DFT-ORIG	ORIG. DATE
CHGR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	10 C-BODIES
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	± 3
ONE-PLACE (X.X)	± 1.5
TWO-PLACE (X.XX)	± 0.50
ANGLE	± 1°
THIRD ANGLE PROJECTION	

DO NOT SCALE DRAWING


TITLE:		MONITOR INSTL	
SHEET 1 OF 4	PART NO	169850	REV

REF: 1


- NOTES:
- 4 ROUTE CABLE TO DASH RADIO. (AFTER 08-17-09)
 - 3 SEE SHEET 4 FOR MORE INFORMATION.
 - 2 WIRE ROUTED IN RECESSED AREA BETWEEN SIDEWALL AND BACKWALL.
 - 1 REAR MONITOR CAMERA CABLE IS PART OF WIRE ASM-CHASSIS AND RUNS ALONG LEFT FRAME RAIL.

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000


FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000



VIEW BA
(200, 300, & 700 SERIES)
74J 16C 16Y




VIEW BB
(700 SERIES)
74J 16C 16Y



(UP TO 08-16-09)

- 11 200 & 300 SERIES.
10 SNAP MONITOR ONTO MOUNTING BRACKET.
9 MOUNT MONITOR AS CLOSE TO BOTTOM OF BUNK BOARD AS POSSIBLE.
8 ASSEMBLE MOUNTING BRACKET TO HEADLINER PRIOR TO HEADLINER INSTALLATION. PLACE LUMBER ON BACK SIDE OF HEADLINER AND PLACE MOUNTING BRACKET ON FRONT SIDE OF HEADLINER. SCREW THROUGH HEADLINER INTO LUMBER.
7 700-SERIES.
6 INSTALL MOUNTING BRACKET 20MM FROM EDGE OF HEADLINER ON 300-SER.
5 REAR MONITOR CABLE IS PART OF THE WIRE ASM-CHASSIS AND IS TO END BETWEEN SUNVISORS.
4 MONITOR BRACKET MOUNTING SCREWS TO BE SCREWED INTO FORD INNER WINDSHIELD HEADER AS FAR TO THE PASSENGER SIDE AS ALLOWED BY THE HOLE IN THE HEADER TRIM PANEL.
3 PLUG 3-PIN POWER HARNESS AND REAR MONITOR CABLE INTO REAR MONITOR ASSEMBLY.
2 SCREW INTO PLACE AFTER HEADLINER INSTALLATION.
1 END CABLE IN THIS AREA WITH 1A5

NOTES:



SECTION BC-BC
16C 16Y


FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000


- 74J REARVIEW MONITOR SYS W/AUDIO
16Y FORD CHASSIS - 14,500#_GVWR
16C FORD CHASSIS 11,500 LB.GVWR
1H4 REARVIEW MONITOR-WIRE PREP
1A5 REARVIEW MONITOR SYSTEM W/O
265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

1B1 265

FIRST USED 10 C-BODIES		
DO NOT SCALE DRAWING		
TITLE: MONITOR INSTL		
SHEET 2	PART NO 169850	REV




VIEW CA
(700 SERIES)




SECTION CB-CB

74J (UP TO 08-16-09)
19R (AFTER 08-17-09)



VIEW CA
(300 SERIES)



SECTION CC-CC

74J (UP TO 08-16-09)
19R (AFTER 08-17-09)

- 3 DRILL Ø 19MM HOLE THRU DIMPLE ON TRIM-BACKWALL, UPPER, LEFT AND INSTALL GROMMET WITH 74J OR 19R.
- 2 REAR MONITOR CABLE IS PART OF THE WIRE ASM-CHASSIS.
- 1 END CABLE IN THIS AREA WITH 1A5

NOTES:

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

- 19R RADIO/REARVIEW MONITOR SYS (AFTER 08-17-09)
- 74J REARVIEW MONITOR SYS W/AUDIO (UP TO 08-16-09)
- 1A5 REARVIEW MONITOR SYSTEM W/O
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FIRST USED		
10 C-BODIES		
DO NOT SCALE DRAWING		
TITLE: MONITOR INSTL		
SHEET 3	PART NO 169850	REV