


8			7			6			5			4			3			2			1		




11. USE SMOOTH PLUMBERS PUTTY 167459-01-000 TO SEAL STRAINER (0.2 PER STRAINER).
10. ATTACH TANK BRACKET TO RISER.
9. APPLY PRIMER 126427-02-000 AND CEMENT 126427-01-000 BETWEEN ELBOW AND FLEX PIPE.
8. SECURE DRAINAGE PIPES TO CABINET USING WIRE TIE 108046-02-000, AND SCREW 000G67-10-12B AT INTERVALS OF NOT OF NOT MORE THAN 4 FEET APART.
7. SECURE VENT PIPE TO FLOOR WITH CLAMP 062401-02-000 (2), SCREW 000G67-10-12B (2), BRACKET 136878-01-CHT (2).
6. VENT PIPE MUST PROJECT 51 MIN AND 64 MAX ABOVE ROOF FOR PROPER FIT AND FUNCTION.
5. SEAL AROUND SHOWER WITH SILICONE.
4. GLUE FITTING AFTER CABINET IS INSTALLED.
3. ALL PIPE AND FITTINGS TO BE ASSEMBLED WITH SOLVENT 004020-01-000 (USA), 004020-02-000 (CAN)
2. SLOPE OF TRAP ARM MUST BE 6 PER 305 mm.
1. SLOPE OF HORIZONTAL PIPING TO BE MINIMUM OF 3 PER 305 mm.

NOTES:

		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE		
CHGR	ALL DIMENSIONS ARE IN MILLIMETERS		
P.E.			
M.E.	FIRST USED		
DSNR	10 D31E		
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ±			
TWO-PLACE (X.XX) ±			
ANGLE ±			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
TITLE: DRAINAGE SYSTEM INSTL			
SHEET 1 OF 4		PART NO 172870	REV

	FOR DRAINAGE CALLOUTS SEE DWG NO 116229-01-000



VIEW A

VIEW E

DETAIL C (SHOWN W/OUT CABINETS AND FLOOR)

FIRST USED		
10 D31E		
DO NOT SCALE DRAWING		
TITLE: DRAINAGE SYSTEM INSTL		
SHEET 2	PART NO 172870	REV


PIPE-BLK-
PLAS 1 1/2-U.S.
010195-01-000

ELBOW-90 DEG LONG,
1 1/2 BLK
034250-01-000

PIPE-BLK-
PLAS 1 1/2-U.S.
010195-01-000

SINK-SMC,DBL L/S BASIN
163942-02-02A (US/CAN)
STRAINER
092303-01-000 (2) 11
BRACKET & SCREW
(SUPPLIED WITH TANK) (8)
SEAL
(A/R)

WASTE-CONTINUOUS-DOUBLE SINK
011091-02-000



DETAIL D
(SHOWN W/OUT CABINETS)

1B1 P TRAP-PLAS 1 1/4 W/EXT ARM
107538-02-000

265 011071-01-000

1B1 CONNECTOR 1 1/2"
152146-01-000

DETAIL D

GROMMET-HOLDING TANK
061607-01-000

1 1/2 PLASTIC COUPLING
010115-01-000

VENT- MECHANICAL,
TRAP ARM
079968-01-000


1 1/2" PLASTIC TEE
010071-01-000

ELBOW-ST-PLAS
1 1/2 X 90 DEG.
033761-01-000


VIEW B

PIPE-BLK-PLAS 1 1/2-U.S.
010195-01-000


FIRST USED			10 D31E
DO NOT SCALE DRAWING			
TITLE: DRAINAGE SYSTEM INSTL			
SHEET 3	PART NO	172870	REV




SHOWING TANKS AND DRAINS



VIEW F



FIRST USED		
10 D31E		
DO NOT SCALE DRAWING		
TITLE: DRAINAGE SYSTEM INSTL		
SHEET 4	PART NO 172870	REV



147421-01-01A, 147421-02-01A
VENDOR NO.



KEY	PART NUMBER	U/M	DESCRIPTION
1	147421-01-700	EA	SEAT & COVER ASSEMBLY(WHT)
2	147421-01-701	EA	WATER MODULE ASSEMBLY
3	147421-01-702	EA	NOZZLE ASSEMBLY
4	147421-01-703	EA	LINK - WATER MODULE
5	147421-01-704	EA	PEDAL - WHITE
6	147421-01-705	EA	FOOT CABLE
7	063740-01-706	EA	BOLT PACKAGE-FLOOR FLANGE
8	147421-01-708	EA	HAND SPRAY KIT - WHITE HEAD
	147421-01-706	EA	SEAL - BLADE
	147421-01-707	EA	CAP (UNIVERSAL BOLT) - WHITE

147421-03-01A
VENDOR NO.

KEY	PART NUMBER	U/M	DESCRIPTION
1	147421-01-700	EA	SEAT & COVER ASSEMBLY(WHT)
2	147421-01-701	EA	WATER MODULE ASSEMBLY
3	147421-01-702	EA	NOZZLE ASSEMBLY
4	147421-01-703	EA	LINK - WATER MODULE
5	147421-01-704	EA	PEDAL - WHITE
6	147421-01-705	EA	FOOT CABLE
7	063740-01-706	EA	BOLT PACKAGE-FLOOR FLANGE
	147421-01-706	EA	SEAL - BLADE
	147421-01-707	EA	CAP (UNIVERSAL BOLT) - WHITE

CONTACT WINNEBAGO PART SALES FOR UNLISTED COMPONENT(S)

SCREW
000G11-08-12B(6)(AFTER 02-23-10)
COVER-SCREW
166569-01-CHT(6)(AFTER 02-23-10)



6
PLASTIC-ABS
034073-27-016 (8)

2
SCREW
000G11-08-12B (4)
(FOR ATTACHING
SHOWER PAN)


SECTION E-E

RETAINER-SCREW
149753-01-02A (8)
CAP-RETAINER
149753-02-02A (8)
SCREW
000G11-08-12B (8)

SECTION G-G


RETAINER-SHELF,SHOWER
113714-02-02A (2)(UP TO 03-28-09 ON 730C)
113714-02-41A (2)(AFTER 03-29-09 ON 730C)
113714-02-41A (2)(231N,D31E,P39N)
SCREW
000G11-08-12B (4)
COVER
166569-01-CHT (4)

53 (2)



G

F




SURROUND-SHOWER
165346-01-01A (UP TO 03-28-09 ON 730C)
165346-01-03A (AFTER 03-29-09 ON 730C)
165346-01-03A (231N & D31E)
165346-03-03A (P39N)

1

SHOWER PAN
M02630-23-Y37 (UP TO 03-28-09 ON 730C)
M02630-23-Y01 (AFTER 03-29-09,
UP TO 01-10-10 ON 730C)
M02673-31-A43 (AFTER 01-11-10 ON 730C)
M02630-23-Y01 (231N)
M02673-22-A79 (D31E)
M02673-25-AP0 (P39N)

5

COVER-SHOWER PAN,ABS
166574-02-02A (UP TO 03-28-09 ON 730C)
166574-02-03A (AFTER 03-29-09 ON 730C)
166574-02-03A (231N,D31E,P39N)
SCREW
0G6710-12-170 (2)



VIEW D

STEEL-22 GA
033390-54-005
TAPE
076322-05-000(2)
(100)

22


60

9. CENTER ABS-STRIP BETWEEN TILES.
8. DRILL ϕ 14.0 HOLE THRU SURROUND AND ABS STRIP USING HOLES IN ABS STRIP FOR PILOT HOLES.
7. DO NOT PLACE TAPE ON RADIUS OR ANY RAISED FEATURES.
6. USE ABS CEMENT TO ATTACH.
5. PRE-DRILL 2MM HOLES DURING ASSEMBLY.
4. CLEAN AND APPLY ADHESIVE PROMOTER 087211-01-000 TO BOTH SURFACES AND BOND WITH TAPE.
3. VERTICALLY CENTERED (1 ± 100) BETWEEN END/CORNER TAPE STRIPS.
2. DO NOT SCREW THRU SHOWER SURROUND.
1. SHOWER PAN NOT TO BE SUPPORTED BY SCREWS.


NOTES:

SEE CHART
FOR COLOR VARIATIONS
OF THIS PART

WINNEBAGO INDUSTRIES		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFTF	ORIG. DATE	ALL DIMENSIONS ARE IN MILLIMETERS	
CHRR			
P.E.			
M.E.	FIRST USED		
DSNR	09 700-SERIES		
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 3			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
TITLE: SHOWER INSTL-ENCLOSURE			
SHEET 1 OF 2		PART NO 168115	REV
REF:		1	



[illegible]



- 145 REFR-EXTRA CAP W/ICEMAKER
- 64R EXTERIOR WASH STATION
- IJ4 EXTERIOR WASH STATION W/O
- 53Z WTR HTR-6GAL/110/LP/MTR/AUTO
- 53F WATER HEATER-ELEC. IGNITION
- 086 INTERIOR UPGRADE
- 08P W/O INTERIOR UPGRADE

- 8 TAPE FITTING TO TUBE BEFORE CABINET SET TO PREVENT FITTING FROM MOVING.
- 7 ADD PIPE WRAP (LADDER SCRAP 110157-02-000) INSULATION.
- 6 ADD TEFLON TAPE 10405-03-000.
- 5 ADD TEFLON TAPE 10405-02-000.
- 4 ADD TEFLON TAPE 10405-01-000.
3. ALL TUBING TO BE SECURED AT 1200 INTERVALS MAXIMUM WITH CLAMP 10495-01-000 AND SCREW G67-10-12B OR EQUIVALENT.
2. TUBING TO BE INSTALLED WITH SUFFICIENT SLOPE TO PROVIDE DRAINAGE TO NEAREST VALVE.
1. PLASTIC FITTINGS TO BE SEALED WITH SEALANT 84456-01-000.


WINNEBAGO
INDUSTRIES


COPYRIGHT 2010
WINNEBAGO
INDUSTRIES, INC.

DFT-ORIG	ORIG. DATE
CHGR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	09 D31E
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	± 3
ONE-PLACE (X.X)	±
TWO-PLACE (X.XX)	±
ANGLE	±
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES
TITLE: WATER SYSTEM INSTL	
SHEET 1 OF 5	PART NO 165975
REF:	1


X-X

FOR WATER
CALLOUTS
SEE DWG NO
116230-01-000






FIRST USED		
09 D31E		
DO NOT SCALE DRAWING		
TITLE:		
WATER SYSTEM INSTL		
SHEET 3	PART NO	REV
	165975	




FIRST USED		
09 D31E		
DO NOT SCALE DRAWING		
TITLE:		
WATER SYSTEM INSTL		
SHEET 4	PART NO 165975	REV



VIEW J

VIEW K
(FLOOR NOT SHOWN)


FIRST USED		09 D31E	
DO NOT SCALE DRAWING			
TITLE:			
WATER SYSTEM INSTL			
SHEET 5		PART NO 165975	REV



051391-03-000

KEY	PART NUMBER	U/M	DESCRIPTION	VENDOR NO.
3	051393-01-701	EA	SWITCH - REMOTE - W/LIGHT	91959
4	051391-01-704	EA	VALVE-RELIEF, 1/2" FITTING	91604
4	051391-03-701	EA	VALVE-RELIEF - 3/4" FITTING	90028
5	051391-01-705	EA	FASTENER-CAMLOCK	92609
6	051391-04-701	EA	THERMOSTAT 12V DC-120 PRESET	91470
7	051393-01-721	EA	THERMOSTAT W/ECO, 140 FRT MT	91447
9	051391-04-707	EA	KIT-EXHAUST, (FLUE & GASKET)	90960
10	051391-01-710	EA	ORIFICE-MAIN BURNER	92742
12	051391-04-703	EA	BURNER-MAIN/ELECTRONIC IG	91638
13	051391-01-714	EA	FITTING-ELBOW 45,3/8F X 3/8	MPT 1044
14	051391-03-700	EA	HOLDER-ORIFICE	91563
16	051391-01-715	EA	PLUG-DRAIN, 1 EA = 2 PER PKG	91857
17	051391-01-700	EA	HINGE KIT, (PIN & CLIP)	92568&92559
18	051391-04-706	EA	TANK-G6A-4E/6E/7E/8E-FRT.MT	91641 - INNER
	051391-01-717	EA	GRILLE-WATER HEATER DOOR	92640
	051393-01-723	EA	SWITCH - THERMAL CUTOUT 2/PK	93866 WAS 93853
	051393-01-724	EA	BOARD-CIRCUIT,SPADE TERMINAL	93865
	051393-01-725	EA	ELECTRODE-SGL SPADE CONNECT.	93868
	051393-01-726	EA	VALVE/SOLENOID - W/O BRACKET	93870
	111129-01-711	EA	BRACKET-CORNER, SET OF FOUR	91928
			CONTACT WINNEBAGO PARTS SALES FOR UNLISTED COMPONENT(S)	

KEY	PART NUMBER	U/M	DESCRIPTION	VENDOR NO.
	051391-01-705	EA	FASTENER - CAMLOCK	92609



145541-02-000

KEY	PART NUMBER	U/M	DESCRIPTION	VENDOR NO.
1	145541-02-700	EA	TANK/SERVICE KIT PCS- 6 GAL	91053
2	051391-04-707	EA	KIT-EXHAUST, (FLUE & GASKET)	90960
3	051391-01-715	EA	PLUG-DRAIN, 1 EA = 2 PER PKG	91857
4	051391-01-704	EA	VALVE-RELIEF, 1/2" FITTING	91604
4	051391-03-701	EA	VALVE-RELIEF - 3/4" FITTING	90028
9	051393-01-726	EA	VALVE-SOLENOID - W/O BRACKET	93870
11	051393-01-701	EA	SWITCH - REMOTE - W/LIGHT	91959
11	145541-01-701	EA	SWITCH - ON/OFF - WHITE	91859
12	145541-01-702	EA	CIRCUIT BOARD	91226
15	145541-01-703	EA	SWITCH - THERMAL CUT OFF	93866
16	051393-01-725	EA	ELECTRODE-SGL SPADE CONNECT.	93868
17	051393-01-721	EA	THERMOSTAT W/ECO, 140 FRT MT	91447
	051391-05-706	EA	ELEMENT-HEATING 1500 WATT	92249 W/GASKET
	145541-01-704	EA	RELAY	90061
	145541-02-701	EA	JUNCTION BOX(PLASTIC) 6 GAL	91222
			CONTACT WINNEBAGO PARTS SALES FOR UNLISTED COMPONENT(S)	

KEY	PART NUMBER	U/M DESCRIPTION
	075240-05-700	EA CARTRIDGE - WASHERLESS

148886-01-01A, 148886-02-02A
 VENDOR NO.
 9-P42

KEY	PART NUMBER	U/M DESCRIPTION
	140117-02-700	EA CARTRIDGE
	140117-03-700	EA HANDLE-LEVER (BLUE)
	140117-03-701	EA HANDLE-LEVER-(RED)

148886-03-01A
 VENDOR NO.
 9-40-5-ORLH(PAIR)
 T44-9C-1C
 T44-9C-1H

149164-01-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	149164-01-700	EA HANDLE	MO-146781
	149164-01-701	EA CARTRIDGE	MO-1255
	149164-01-702	EA NUT-CARTRIDGE	MO-144266
	149164-01-703	EA SPOUT ASM	MO-146786
	149164-01-704	EA SPRAY HEAD & HOSE ASM	MO-136103

KEY	PART NUMBER	U/M	DESCRIPTION
	165730-02-700	EA	CARTRIDGE

165730-01-01A, 165730-02-01A
VENDOR NO.
CFG-40002