



DWG NO	MODEL	ROLLER ASM	LENGTH	A	SHEET
165257-01	D35J	161748-07-CHT	14'	590	1
165257-02	NOT USED	NOT USED	N/A	N/A	N/A
165257-03	D31E	161748-11-CHT	18'	660	2
165257-04	D37L (REAR)	161748-10-CHT	17'	---	3
165257-05	D37L (FRONT)	153692-11-CHT	11.5'	576	4
165257-06	D33C	153692-04-CHT	19'	590	4

RELEASE	REV A	DATE	DWG NO 165257
REV ZONE	REVISION RECORD		DATE DFT-ORIG




DOMETIC A&E
AWNINGS

52F 52Z



SECTION B-B




SECTION A-A

- FRONT AXLE
- 52F AWNING-PATIO,MANUAL
 - 52Z AWNING-PATIO,ACRYLIC
 - 63R AWNING-2ND,MANUAL
 - 63A AWNING-2ND,ACRYLIC

COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFT-ORIG	ORIG. DATE
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	FIRST USED
M.E.	09 D35J
DSNR	
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	± 3
ONE-PLACE (X.X)	± 1.5
TWO-PLACE (X.XX)	± 0.50
ANGLE	± 1°
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: AWNING INSTL-09 D-SERIES	
SHEET 1 OF 4	REF: 1

- NOTES:
- USE IN PLACE OF KIT SUPPLIED BOLT.
 - USE RIVETS TO ATTACH SPACER TO SIDEWALL USING HOLES PROVIDED.
 - DRILL TWO 5 MM HOLES 12 MM UP FROM BOTTOM OF EACH HARDWARE BACK CHANNEL, USE SELF DRILLING SCREWS TO ATTACH BACK CHANNEL TO SPACERS.



D33C
166257-06
D37L FRONT
166257-05

52F 52Z

UPPER AWNING BRACKET
(SUPPLIED WITH HARDWARE KIT)

BRACKET-AWNING
146457-02-CHT (2)
SCREW
G42-04-16U (10)

BOLT
C26-04-14B (8)
NUT
D29-04-00B (8)
WASHER
E13-11-00B (8)

SECTION E-E


SPACER KIT
143181-11-CHT
SCREW
G39-10-32D (8)

SCREW 3
G39-10-32B (4)


RIVET 2
118626-01-CHT (4)

SECTION F-F


FIRST USED		09 D37L	
DO NOT SCALE DRAWING			
TITLE: AWINING INSTL D SERIES			
SHEET 4	PART NO	165257	REV




SECTION AA-AA




SECTION AB-AB




SECTION AC-AC




SECTION AD-AD



SECTION AE-AE










VIEW AK-AK




SECTION AH-AH

- NOTES:
1. DRILL A 4.88-4.98 DIA HOLE USING THE HOLES LOCATED EITHER SIDE OF THE TOOLING HOLES AS A TEMPLATE INSTALL RIVET 142980-01-CHT AS REQUIRED
 2. SEE ES0061 FOR CARPET ATTACHMENT AT BACKWALL.
 3. SCREW MUST BE LOCATED WITHIN 50MM OF RAIL-AWNING SPLICE. DRILL ADDITIONAL HOLES AND ADD SCREWS AS REQUIRED.


WINNEBAGO INDUSTRIES		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFTF	ORIG. DATE	ALL DIMENSIONS ARE IN MILLIMETERS	
CHRR			
P.E.			
M.E.	FIRST USED	10 D-SERIES	
DSNR			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 1			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: BODY INSTL-SECTIONS			
SHEET 1 OF 2	PART NO 172200	REV	
REF: 1		1/19/2010	




DETAIL AG
26F 26H
D31E, D33C & D35J ONLY



DETAIL AG
26F 26H
D37L ONLY



DETAIL AG
24C 27A 92A 24B
D31E, D33C & D35J ONLY




DETAIL AG
24C 27A 92A 24B
D37L ONLY

FIRST USED		
10 D-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
BODY INSTL-SECTIONS		
SHEET 2	PART NO	REV
	172200	


DWG NO	
172403-01	WIN
172403-02	ITA


RELEASE	REV DATE	DWG NO	172403
REV ZONE	REVISION RECORD	DATE	DTFR-ORIG



2. HOLE PATTERN OF MESH GRILLE SHOULD BE STRAIGHT FROM LEFT TO RIGHT

1. KEY 102328-01-000 (1) TO BE INSTALLED ON KEY RING IN MOTORHOME PLANT.

WINNEBAGO® INDUSTRIES		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DTFR		ORIG. DATE	
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		10 D-SERIES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 1.5			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE:		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
BODY PANEL INSTL-FRONT			
SHEET 1 OF 4		PART NO	REV
		172403	



FIRST USED		
10 D-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
BODY PANEL INSTL-FRONT		
SHEET	2	PART NO 172403
		REV

LATCH-SINGLE ROTOR

ANGLE-LATCH

SECTION CA-CA

HOOD COMPL-FRONT

BOLT-HOOD ADJUSTING
058786-01-000
NUT
000D39-05-00U

FRONT END-CHASSIS
SUPPORT-FRONT (REF)

TRIM ASM-A PILLAR

SECTION CB-CB
(4 PLACES)

SIDEWALL ASM

TRIM ASM-A PILLAR

SECTION CC-CC


BOLT
000C12-04-08T
WASHER
000E13-14-00T

HOOD COMPL-FRONT


TRIM ASM-A PILLAR

SECTION CD-CD
(BOTH SIDES)

FIRST USED		10 D-SERIES	
DO NOT SCALE DRAWING			
TITLE:			
BODY PANEL INSTL-FRONT			
SHEET	3	PART NO	172403
			REV




FIRST USED		
10 D-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
BODY PANEL INSTL-FRONT		
SHEET 4	PART NO 172403	REV



DETAIL EA

(WIN)



(ITA)

FIRST USED		
10 D-SERIES		
DO NOT SCALE DRAWING		
TITLE: BODY PANEL INSTL-FRONT		
SHEET 5	PART NO 172403	REV

BOLT
000C12-08-16U (2)
WASHER
E13-22-00U (2)
NUT
000D39-08-00U (2)

BOLT
000C12-06-16U (2)
NUT
000D39-06-00U (2)

SUPPORT-HINGE
162971-06-01B

BOLT
000C12-06-16U (2)
NUT
000D39-06-00U (2)

BOLT
000C12-08-16U (2)
WASHER
000E13-22-00U (2)
NUT
000D39-08-00U (2)

BOLT
000C26-05-16U

SUPPORT-HINGE
162971-03-01B

BOLT
000C26-05-16U

LATCH-SINGLE ROTOR,MINI,LH
149359-03-01A

ANGLE-LATCH,LH
158033-02-02B
BOLT
000C12-04-12T (4)
NUT
000D39-04-00T (2)

LATCH-SINGLE ROTOR,MINI,RH
149359-02-01A

DETAIL FA

ANGLE-LATCH,RH
158033-01-02B
BOLT
000C12-04-12T (4)
NUT
000D39-04-00T (2)

DETAIL FB

FIRST USED		10 D-SERIES	
DO NOT SCALE DRAWING			
TITLE: BODY PANEL INSTL-FRONT			
SHEET	6	PART NO	172403
		REV	

8		7	
DWG NO	-----	SHEET	
164369-01	N/A	1	
164369-02	PANEL ASM-HOOD,OUTER	2 & 3	




1	
RELEASE	REV DATE
A	
DWG NO	164369
REV	ZONE
REVISION RECORD	
DATE	OFTR-ORIG

D

C

B

A



8. MOLDED FEATURE TOLERANCE $\pm 0.5\%$ WITH MAXIMUM TOLERANCE OF ± 3.5 UNLESS OTHERWISE SPECIFIED. TRIM DIMENSION TOLERANCE ± 1.5 . ASSEMBLY TOLERANCE ± 1.5 .

7. 15.4 SQ FT OF FINISHED SURFACE.

6. ANY UNDEFINED TRIM DIMENSIONS TO BE DETERMINED BY THE UG MODEL.

5. MAXIMUM DRAFT ANGLE 2° .

4. USE CAB-O-CILL AS FILLER ON RADII OF 5MM OR LESS.

3. ALL RADII 3.2 UNLESS OTHERWISE SPECIFIED.

2. WALL THICKNESS 5.0 ± 1.5 UNLESS OTHERWISE SPECIFIED.

1. REMOVE ALL BURRS AND SHARP EDGES.

14. FOR TWO COLOR PARTS, FEATURE LINE DEFINES BOUNDARY BETWEEN COLORS.

13. TRIM EDGE IN THIS AREA TO BE $6.0 +2.0/-1.0$ FROM OUTER SURFACE.

12. TO BE IMBEDDED IN FIBERGLASS

11. TOOLED SURFACE, DEFINED BY THE MODEL, TO BE SET DURING LAYUP.

10. CORE TO BE MADE FROM 2-4 LBS. DENSITY POLYLSOSYANATE FOAM 38mm THICK.

SEE CHART
FOR COLOR VARIATIONS
OF THIS PART


WINNEBAGO® INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
D/FTR		ORIG. DATE	
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		10 D-SERIES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3		FIBERGLASS	
ONE-PLACE (X.X) ± 1.5		ES0020	
TWO-PLACE (X.XX) ± 0.50			
FIRST USED			
THIRD ANGLE PROJECTION		10 D-SERIES	
DO NOT SCALE DRAWING			
TITLE:			
PANEL-HOOD, OUTER			
SHEET 1 OF 3		PART NO	164369
REV			

D


C

B


A




SECTION C-C




FIRST USED		
10 D-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
PANEL-HOOD,OUTER		
SHEET 2	PART NO 164369	REV




NOTES:




VIEW D



SECTION A-A
(BOTH SIDES)



SECTION B-B
(2 PLCS)



SECTION C-C
(6 PLCS)

FIRST USED		
10 D-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
HOOD COMPL-FRONT		
SHEET 2	PART NO 164372	REV

8

7

6

5

4

3

2

1

DWG NO

UNIT

SHEET

172170-01

D35J

1,2

172170-02

D33C

1,2

172170-03

D37L

1,2

172170-04

D31E

1,2

RELEASE

REV

DATE

172170

REV

ZONE

REVISION RECORD

DATE

DFTR-016

KEY	PART NUMBER (26F)	PART NUMBER (26H)	DESCRIPTION
1	124806-01-73A	124806-01-74A	DECAL-ITASCA W/ICON
2	129922-02-01A (16K)(16L) CHASSIS SUPPLIED (1PE)(1PU)(1PR)(1PS)		DECAL-EMBLEM TRITON V10 DECAL-EMBLEM
3	132664-02-01A		DECAL-LOGO DOMED WINNEBAGO
4	144587-02-47A	144587-02-48A	DECAL-ITASCA
5	135452-07-01A		DECAL-SUNOVA, LG
6	135452-08-01A		DECAL-SUNOVA, SML
7	151687-02-01A		DECAL/BEZEL-DOMED NAMEPLATE
8	172181-01-01A	172181-01-02A	DECAL-SWEEP HOOD/BACKWALL
9	172182-01-01A	172182-01-02A	DECAL-SWEEP #1, RH
10	172182-02-01A	172182-02-02A	DECAL-SWEEP #1, LH
11	172183-01-01A	172183-01-02A	DECAL-SWEEP #2, RH
12	172183-02-01A	172183-02-02A	DECAL-SWEEP #2, LH
13	172184-01-01A	172184-01-02A	DECAL-SWEEP #3, RH
14	172184-02-01A	172184-02-02A	DECAL-SWEEP #3, LH
15	172185-01-01A	172185-01-02A	DECAL-SWEEP #4, RH
16	172185-02-01A	172185-02-02A	DECAL-SWEEP #4, LH
17	172380-01-01A		PAINT MASK-UPPER BACKWALL
18	172381-01-01A		PAINT MASK-LOWER BACKWALL
19	172382-01-01A		PAINT MASK-UPPER MID SDWL, RH
20	172382-02-01A		PAINT MASK-UPPER MID SDWL, LH
21	172383-01-01A		PAINT MASK-LOWER REAR SDWL, RH
22	172383-02-01A		PAINT MASK-LOWER REAR SDWL, LH
23	172384-01-01A		PAINT MASK-UPPER REAR SDWL, RH
24	172384-02-01A		PAINT MASK-UPPER REAR SDWL, LH
25	172385-01-01A		PAINT MASK-FRONT SDWL, RH
26	172385-02-01A		PAINT MASK-FRONT SDWL, LH
27	141599-71-000	141599-95-000	PAINT
28	141599-74-000	141599-41-000	PAINT
29	165266-01-01A		PAINT MASK-REFRIG VENT

UP TO 06-03-09

7

PARTS BELOW FEATURE LINE WILL BE COLORED PRIOR TO ASSEMBLY.
METALLIC GOLD (26F) AND FORD SILVER MET (26H).

6

CENTER ON SURFACE.

5.

VINYL DECAL WILL BE APPLIED WHERE EVER GRAPHIC DESIGN PATTERN IS POSITIONED OVER
SLIDEROOM EXTRUSION, BUT WILL NOT BE APPLIED TO VINYL SCREW COVER INSERT.

4.

ALL LOGOS ARE TO BE +/- 1mm ON A HORIZONTAL PLANE (END TO END).

3.

CLEAR COAT 141599-27-000 TO BE APPLIED ON ALL PAINTED AREAS.

2.

APPLY FILM-URETHANE PROTECTANT 109506-01-000 AT BOTTOM OF ENTRANCE DOOR
TO PREVENT SCUFFMARKS.

1.

APPLY PROTECTOR 116424-01-000 TO WATER HEATER DOOR LATCH.

NOTES:

8

7

6

5

4

3

2

1

DWG NO

UNIT

SHEET

172170-01

D35J

1,2

172170-02

D33C

1,2

172170-03

D37L

1,2

172170-04

D31E

1,2

Winnebago

0 0 0 0 0 0 0 0 0 0

COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DFTR

ORIG. DATE

CHKR

ALL DIMENSIONS ARE
IN MILLIMETERS

P.E.

IN MILLIMETERS

M.E.

FIRST USED
10 D-SER
(SUNOVA)

DSNR

UNSPECIFIED TOLERANCES ARE:

MATERIAL:

WHOLE DIM (X)

:

3

ONE-PLACE (X,X)

:

1.5

TWO-PLACE (X,XX)

:

0.50

ANGLE

:

1°

THIRD ANGLE
PROJECTION

DO NOT SCALE DRAWING

TITLE:

GRAPHICS INSTALLATION

SHEET 1A

OF 2

PART NO

172170

REV

REF:

6/15/2009

SEE CHART

FOR COLOR VARIATIONS
OF THIS PART

8

7

6

5

4

3

2

1

DWG NO	UNIT	SHEET
172170-01	D35J	1,2
172170-02	D33C	1,2
172170-03	D37L	1,2
172170-04	D31E	1,2

KEY	PART NUMBER (26F)	PART NUMBER (26H)	DESCRIPTION
1	124806-01-73A	124806-01-74A	DECAL-ITASCA W/ICON
2	129922-02-01A (16K)(16L) CHASSIS SUPPLIED (1PE)(1PU)(1PR)(1PS)		DECAL-EMBLEM TRITON V10 DECAL-EMBLEM
3	132664-02-01A		DECAL-LOGO DOMED WINNEBAGO
4	144587-02-47A	144587-02-48A	DECAL-ITASCA
5	135452-07-01A		DECAL-SUNOVA, LG
6	135452-08-01A		DECAL-SUNOVA, SML
7	151687-02-01A		DECAL/BEZEL-DOMED NAMEPLATE
8	172181-01-01A	172181-01-02A	DECAL-SWEEP HOOD/BACKWALL
9	172182-01-01A	172182-01-02A	DECAL-SWEEP #1, RH
10	172182-02-01A	172182-02-02A	DECAL-SWEEP #1, LH
11	172183-01-01A	172183-01-02A	DECAL-SWEEP #2, RH
12	172183-02-01A	172183-02-02A	DECAL-SWEEP #2, LH
13	172184-01-01A	172184-01-02A	DECAL-SWEEP #3, RH
14	172184-02-01A	172184-02-02A	DECAL-SWEEP #3, LH
15	172185-01-01A	172185-01-02A	DECAL-SWEEP #4, RH
16	172185-02-01A	172185-02-02A	DECAL-SWEEP #4, LH
17	172380-01-01A		PAINT MASK-UPPER BACKWALL
18	172381-01-01A		PAINT MASK-LOWER BACKWALL
19	172382-01-01A		PAINT MASK-UPPER MID SDWL, RH
20	172382-02-01A		PAINT MASK-UPPER MID SDWL, LH
21	172383-01-01A		PAINT MASK-LOWER REAR SDWL, RH
22	172383-02-01A		PAINT MASK-LOWER REAR SDWL, LH
23	172384-01-01A		PAINT MASK-UPPER REAR SDWL, RH
24	172384-02-01A		PAINT MASK-UPPER REAR SDWL, LH
25	172385-01-01A		PAINT MASK-FRONT SDWL, RH
26	172385-02-01A		PAINT MASK-FRONT SDWL, LH
27	141599-B5-000	141599-95-000	PAINT
28	141599-74-000	141599-41-000	PAINT
29	165266-01-01A		PAINT MASK-REFRIG VENT

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5

4

3

2

1

7

6

5





4

3

2

1

7



FIRST USED		
10 D35J (SUNOVA)		
DO NOT SCALE DRAWING		
TITLE: GRAPHICS INSTALLATION		
SHEET 2	PART NO 172170	REV

8		7			
DWG NO	UNIT	A	B	C	D
172359-01	D35J	1160	1150	3000	3160
172359-02	D33C	.	.	.	.
172359-03	D37L	.	.	.	.
172359-04	D31E	.	.	.	.


RELEASE		REV	DATE	DWG NO	
A		12--30--08	172359		
REV	ZONE	REVISION RECORD		DATE	DIFF-ORG

D

C

B

A



6. APPLY SEALER BODY SEAM CLEAR 94401-04-000 TO HELP SECURE EDGES.
5. USE 174664-01-000 (100 FT) TO COVER UNSEALED ROOF SEAMS.
4. CLEAR COAT TO BE APPLIED ON ENTIRE UNIT TO PROTECT PAINT.
3. TOLERANCE FOR DIMENSIONS IS +/-20mm.
LOGO IS TO BE +/- 1mm ON A HORIZONTAL PLANE (END TO END).
2. APPLY FILM-URETHANE PROTECTANT 109506-01-000 AT BOTTOM OF ENTRANCE DOOR TO PREVENT SCUFFMARKS.
1. APPLY PROTECTOR 116424-01-000 TO WATER HEATER DOOR LATCH.

NOTES:

10. BLACK PLASTIC ABS WINDSHIELD WIPER PANEL IS TO BE PAINTED THE CORRESPONDING COLOR IN THE PAINT SCHEME.
9. DIE CUT ACRYLIC FILM TO PROTECT UNIT (KIT-PAINT PROTECTION 167522-01-000)
8. PASSENGER SIDE OF UNIT SHOWN, DRIVER'S SIDE OPPOSITE.
7. END PANELS OF SLIDEOUT ROOMS WILL BE PAINTED WITH BASECOAT AND CLEAR COAT ONLY. THERE WILL BE NO COLORED DESIGN GRAPHIC ELEMENTS PAINTED ON THE END PANELS.

- (24P) MASK FRT END PROTECTIVE
(1PU) WKHRSE 22K 230HP DSL 22.5TIR
(1PS) WORKHORSE 22,000#-22.5 TIRE
(1PE) WORKHORSE 20,500 DSL 230HP
(1PR) WORKHORSE 22,000#-19.5 TIRE
(16L) FORD 22,000#-22.5 AL WH
(16K) FORD CHASSIS 22,000
(27A) EXT FULL BODY PAINT PKG #1
(92A) EXT FULL BODY PAINT PKG #2
(24C) EXT FULL BODY PAINT PKG #3
(24B) EXT FULL BODY PAINT PKG #4

		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
□ □			

D

C

B

A

DECAL-SUNOVA, LG (3)
135452-07-CHT
135452-07-01A



DECAL-SUNOVA, SML
135452-08-CHT
135452-08-01A



SEDONA MET
SW#63814

LT. PEARLSTONE MET
SW# 75248



BLACK MET
SW# 75377

GRAPHICS INST - 2010 SUNOVA F.B.P.
SEDONA (27A)

DECAL-SUNOVA, LG (3)
135452-07-CHT
135452-07-01A



DECAL-SUNOVA, SML
135452-08-CHT
135452-08-01A



BLACK MET
SW# 75377

BRILLIANT SILVER MET
SW# 45696-4



LT. GREY MET
SW#45729

GRAPHICS INST - 2010 SUNOVA F.B.P.
SILVER CLOUD (92A)

DECAL-SUNOVA, LG (3)
135452-07-CHT
135452-07-01A



DECAL-SUNOVA, SML
135452-08-CHT
135452-08-01A



PEWTER MET
SW# 76573

MINERAL GRAY MET
SW# 60588



DESERT SAND MICA MET
SW#60451-3

GRAPHICS INST - 2010 SUNOVA F.B.P.
PEWTER (24C)

DECAL-SUNOVA, LG (3)
135452-07-CHT
135452-07-01A



DECAL-SUNOVA, SML
135452-08-CHT
135452-08-01A



DK GRAY MICA MET
SW# 59271-4

DK BRONZEMIST MET
SW# 57074-1



SILVER PLUM MET
SW#54940-1

GRAPHICS INST - 2010 SUNOVA F.B.P.
SILVER PLUM (24B)

FIRST USED		
2010 D-SERIES (SUNOVA)		
SPECIFICATION PRINT DO NOT SCALE		
TITLE:		
GRAPHICS INSTL - FBP		
SHEET 2	PART NO 172359	REV

8

7

6

5

4

3

2

1

RELEASE

REV
A

DATE

DWG
NO

172169

REV

ZONE

REVISION RECORD

DATE

DFTR.Orig

D

C

B

A

8

7

6

5

4

3

2

1

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

KEY

PART NUMBER (26F)

PART NUMBER (26H)

DESCRIPTION

1

120702-03-33A

DECAL-LOGO WINNEBAGO

2

129922-02-01A (16K)(16L)
CHASSIS SUPPLIED (1PR)(1PE)(1PS)(1PU)

DECAL-EMBLEM TRITON V10
DECAL-EMBLEM

3

132664-02-01A

DECAL-LOGO DOMED WINNEBAGO

4

135381-02-16A

135381-02-07A

DECAL-W

5

135453-03-07A

DECAL-SIGHTSEER LG

6

135453-04-07A

DECAL-SIGHTSEER SML

7

151687-01-01A

DECAL/BEZEL-DOMED NAMEPLATE

8

172137-01-01A

172137-01-02A

DECAL-HOOD SLASH

9

172138-01-01A

172138-01-02A

DECAL-HOOK, FRT #1, RH

10

172138-02-01A

172138-02-02A

DECAL-HOOK, FRT #1, LH

11

172139-01-01A

172139-01-02A

DECAL-HOOK, FRT #2, RH

12

172139-02-01A

172139-02-02A

DECAL-HOOK, FRT #2, LH

13

172141-01-01A

172141-01-02A

DECAL-SLASH, FRT, RH

14

172141-02-01A

172141-02-02A

DECAL-SLASH, FRT, LH

15

172142-01-01A

172142-01-02A

DECAL-SLASH, MID, RH

16

172142-02-01A

172142-02-02A

DECAL-SLASH, MID, LH

17

172143-01-01A

172143-01-02A

DECAL-HOOK, RR #1, RH

18

172143-02-01A

172143-02-02A

DECAL-HOOK, RR #1, LH

19

172144-01-01A

172144-01-02A

DECAL-HOOK, RR #2, RH

20

172144-02-01A

172144-02-02A

DECAL-HOOK, RR #2, LH

21

172145-01-01A

172145-01-02A

DECAL-SLASH, RR, RH

22

172145-02-01A

172145-02-02A

DECAL-SLASH, RR, LH

23

172146-01-01A

172146-01-02A

DECAL-BACKWALL

24

172375-01-01A

PAINT MASK-UPPER FRONT SIDEWALL, RH

25

172375-02-01A

PAINT MASK-UPPER FRONT SIDEWALL, LH

26

172376-01-01A

PAINT MASK-LOWER FRONT SDWL, RH

27

172376-02-01A

PAINT MASK-LOWER FRONT SDWL, LH

28

172377-01-01A

PAINT MASK-LOWER MID SDWL, RH

29

172377-02-01A

PAINT MASK-LOWER MID SDWL, LH

30

172378-01-01A

PAINT MASK-UPPER REAR SIDEWALL, RH

31

172378-02-01A

PAINT MASK-UPPER REAR SIDEWALL, LH

32

141599-70-000

141599-72-000

PAINT

33

141599-41-000

141599-68-000

PAINT

34

172374-01-01A

PAINT MASK-LOWER BACKWALL

35

165266-01-01A

PAINT MASK-REFRIG VENT

36

174807-01-01A

PAINT MASK-UPPER BACKWALL

141599-A3-000 (UP TO 08-09-09)
(AFTER 08-10-09)

7

PARTS BELOW FEATURE LINE WILL BE COLORED PRIOR TO ASSEMBLY.
FORD SILVER MET (26F) AND SANDSTONE BEIGE MET (26H)

6

CENTER ON SURFACE.

5

VINYL DECAL WILL BE APPLIED WHERE EVER GRAPHIC DESIGN PATTERN IS POSITIONED OVER
SLIDEROOM EXTRUSION, BUT WILL NOT BE APPLIED TO VINYL SCREW COVER INSERT.

4

ALL LOGOS ARE TO BE +/- 1mm ON A HORIZONTAL PLANE (END TO END).

3

CLEAR COAT 141599-C2-000 TO BE APPLIED ON ALL PAINTED AREAS.

2

APPLY FILM-URETHANE PROTECTANT 109506-01-000 AT BOTTOM OF ENTRANCE DOOR
TO PREVENT SCUFFMARKS.

1

APPLY PROTECTOR 116424-01-000 TO WATER HEATER DOOR LATCH.

NOTES:

SEE CHART

FOR COLOR VARIATIONS
OF THIS PART

1PU

WKHRSE 22K 230HP DSL 22.5TIR

1PS

WORKHORSE 22,000#-22.5 TIRE

1PE

WORKHORSE 20,500 DSL 230HP

1PR

WORKHORSE 22,000#-19.5 TIRE

16L

FORD 22,000#-22.5 AL WHL

16K

FORD CHASSIS 22,000

26H

EXT GRAPHIC/PAINT-DLX PKG 2

26F

EXT GRAPHIC/PAINT DLX PKG 1

Winnebago Industries

COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DFTR

ORIG. DATE

CHRR

ALL DIMENSIONS ARE
IN MILLIMETERS

P.E.

M.E.

FIRST USED

DSNR

10 D-SER
(SIGHTSEER)

UNSPECIFIED TOLERANCES ARE:

MATERIAL:

WHOLE DIM (X)

:

20

ONE-PLACE (X.X)

:

10

TWO-PLACE (X.XX)

:

-

ANGLE

:

-

THIRD ANGLE
PROJECTION

DO NOT SCALE DRAWING

TITLE:

GRAPHICS INSTALLATION

SHEET1 OF 2





PART NO

172169


REV

REF:

1



FIRST USED		10 D35J (SIGHTSEER)	
TITLE:		DO NOT SCALE DRAWING	
SHEET 2		PART NO 172169	
		REV	



DECAL-SIGHTSEER, LG (3)
135453-03-CHT
135453-03-07A

DECAL-SIGHTSEER, SML
135453-04-CHT
135453-04-07A

ANTIQUE SAGE PEARL MET
SW#54757

MED. GARNET RED MET
SW# 35894-7

PEARL SILVER MET
SW# 77977

(27A)
GRAPHICS INST - 2010 SIGHTSEER F.B.P.
GARNET

DECAL-SIGHTSEER, LG (3)
135453-03-CHT
135453-03-07A

DECAL-SIGHTSEER, SML
135453-04-CHT
135453-04-07A

HAZELNUT MET
SW# 78161

GOLD MET
SW# 78167

DESERT SAND MICA MET
SW#60451-2

(92A)
GRAPHICS INST - 2010 SIGHTSEER F.B.P.
DESERT SAND

DECAL-SIGHTSEER, LG (3)
135453-03-CHT
135453-03-07A

DECAL-SIGHTSEER, SML
135453-04-CHT
135453-04-07A

BLACK MIST MET
SW# 75377

AUTUMNWOOD MET
SW# 48507-1

DK GRAY MET
SW#64255

(24C)
GRAPHICS INST - 2010 SIGHTSEER F.B.P.
IRON GRAY

DECAL-SIGHTSEER, LG (3)
135453-03-CHT
135453-03-07A

DECAL-SIGHTSEER, SML
135453-04-CHT
135453-04-07A


BRIGHT PLATINUM MET
SW# 48823-3

MED STELLAR BLUE MET
SW# 51837-2


BLACK MIST MET
SW#75377


(24B)
GRAPHICS INST - 2010 SIGHTSEER F.B.P.
STELLAR BLUE
REV. D

FIRST USED		
2010 D-SERIES (SIGHTSEER)		
SPECIFICATION PRINT DO NOT SCALE		
TITLE:		
GRAPHICS INSTL - FBP		
SHEET	PART NO	REV
2	172358	



RELEASE		REV	DATE	DWG NO	171389
REV	ZONE	REVISION RECORD			DATE
					DFTR.Orig

WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTR		ORIG. DATE	
CHGR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.		FIRST USED	
M.E.		10 E-SERIES	
DSNR			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ±			
ONE-PLACE (X.X) ±			
TWO-PLACE (X.XX) ±			
ANGLE ±			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE:			
LADDER INSTL			
SHEET OF		PART NO	REV
		171389	
REF:		1	




106015-12-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-12-700	EA MIRROR-FLAT-W/W/O HEAT	709448
	106015-12-701	EA MIRROR-CONVEX - W/W/O HEAT	709449
	106015-12-702	EA CAP/SCREW - (PKG OF 4) - BLK	748329 RND
	106015-12-703	EA CONVEX GLASS/HANDSET/HOUSING	7095892
	106015-19-701	EA GLASS/FLAT-W/BEZEL/HEAT/ANTI	709644
	119774-09-700	EA PLATE-INNER SUPT/MIRROR HEAD	709418-7RH
	131431-01-701	EA MOTOR	7475400

106015-13-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-12-700	EA MIRROR-FLAT-W/W/O HEAT	709448
	106015-12-701	EA MIRROR-CONVEX - W/W/O HEAT	709449
	106015-12-702	EA CAP/SCREW - (PKG OF 4) - BLK	748329 RND
	106015-12-703	EA CONVEX GLASS/HANDSET/HOUSING	7095892
	106015-19-701	EA GLASS/FLAT-W/BEZEL/HEAT/ANTI	709644
	119774-09-701	EA PLATE INNER SUPT/MIRROR HEAD	709419-7LH
	131431-01-701	EA MOTOR	7475400

106015-14-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-12-700	EA MIRROR-FLAT-W/W/O HEAT	709448
	106015-12-701	EA MIRROR-CONVEX - W/W/O HEAT	709449
	106015-12-702	EA CAP/SCREW - (PKG OF 4) - BLK	748329 RND
	106015-12-703	EA CONVEX GLASS/HANDSET/HOUSING	7095892
	106015-19-701	EA GLASS/FLAT-W/BEZEL/HEAT/ANTI	709644
	119774-09-700	EA PLATE-INNER SUPT/MIRROR HEAD	709418-7RH

106015-15-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-12-700	EA MIRROR-FLAT-W/W/O HEAT	709448
	106015-12-701	EA MIRROR-CONVEX - W/W/O HEAT	709449
	106015-12-702	EA CAP/SCREW - (PKG OF 4) - BLK	748329 RND
	106015-12-703	EA CONVEX GLASS/HANDSET/HOUSING	7095892
	106015-19-701	EA GLASS/FLAT-W/BEZEL/HEAT/ANTI	709644
	119774-09-701	EA PLATE INNER SUPT/MIRROR HEAD	709419-7LH

106015-18-01A, 106015-19-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-12-702	EA CAP/SCREW - (PKG OF 4) - BLK	748329 RND
	106015-16-700	EA GLASS-FLAT W/HEAT ELEMENT	709450
	106015-18-700	EA GLASS/CONVEX-KIT W/CLIP	709650
	106015-18-701	EA ACTUATOR - CONVEX GLASS	7475410
	106015-18-702	EA MOTOR - FLAT GLASS	7471180
	106015-18-703	EA CONVEX REBUILT KIT	709651
	106015-19-700	EA VIBRATION KIT - MIRROR GLASS, VELVAC	709645




140923-01
331C
500-SERIES
(524A PASSENGER)
(524K PASSENGER)
700-SERIES
D-SERIES
E-SERIES
H SERIES
J SERIES

4	000C260512U	BOLT	4
3	000D390500U	NUT	4
2	14092201CHT	PLATE-MUDFLAP	1
1	01751601000	MUD FLAP-BLACK	1
ITEM	PART NUMBER	DESCRIPTION	QTY

COPYRIGHT 2010
WINNEBAGO
INDUSTRIES, INC.

DFTR	ORIG. DATE
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	02 MOTORHOMES
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	:
ONE-PLACE (X.X)	:
TWO-PLACE (X.XX)	:
ANGLE	:
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: MUD FLAP COMPL	
SHEET 1 OF 5	PART NO 140923 REV


REF: 1 2/16/2010




DWG
NO 140923

140923-05
D-SERIES
E-SERIES


4	01751608000	MUD FLAP-BL	1
3	000C260512U	BOLT	4
2	000D390500U	NUT	4
1	14092201CHT	PLATE-MUDFL	1
ITEM	PART NUMBER	DESCRIPTION	QTY
FIRST USED			
02 MOTORHOMES			
DO NOT SCALE DRAWING			
TITLE:			
MUD FLAP COMPL			
SHEET 3	PART NO	140923	REV



SECTION BA-BA




SECTION BB-BB




FIRST USED		
10 D SERIES		
DO NOT SCALE DRAWING		
TITLE:		
BACKWALL ASM		
SHEET 1	PART NO 170412	REV

DWG NO	PANEL-REAR CAP	SHT	WEIGHT
171124-01	----	1,2	124.0 LBS
171124-02	171124-01-CHT	3,4	130.0 LBS
171124-03	171124-01-CHT	4,5	128.0 LBS

RELEASE	REV A	DATE	DWG NO	171124
REV	ZONE	REVISION RECORD	DATE	DFTR-ORIG





VIEW A
(5 PLCS)



DETAIL BB

DETAIL BC



- 10 CENTER ON HOLE IN PART.
- 9 TO BE EMBEDDED IN FIBERGLASS.
- 8 USE ADHESIVE-RESIN 112481-03-000 AND ADHESIVE-CURATIVE 112481-04-000 FOR BONDING PARTS.
- 7 MOLDED FEATURE LINE TOLERANCE $\pm 0.5\%$ WITH MAXIMUM TOLERANCE OF ± 3.5 UNLESS OTHERWISE SPECIFIED. TRIM DIMENSION TOLERANCE ± 1.5 . LOCATIONAL TOLERANCE FOR ASM ± 1.5 .
6. TRIMMED EDGE IS DEFINED ON THE MOLD UNLESS OTHERWISE SPECIFIED.
5. TOTAL FINISHED PART SURFACE AREA, 89.7 SQ FT.
4. MAXIMUM DRAFT ANGLE 2° .
3. USE CAB-O-CILL AS FILLER ON RADII 5 MM OR LESS.
2. WALL THICKNESS 5.0 ± 1.5 .
1. REMOVE ALL BURRS AND SHARP EDGES.

NOTES:

74J	REARVIEW MONITOR SYS W/AUDIO
1A5	REARVIEW MONITOR SYSTEM W/O
WINNEBAGO INDUSTRIES	
COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	
DSNR	FIRST USED
10 D-SERIES	
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	±
ONE-PLACE (X.X)	±
TWO-PLACE (X.XX)	±
ANGLE	±
THIRD ANGLE PROJECTION	
MATERIAL: FIBERGLASS ES0020	
DO NOT SCALE DRAWING	
TITLE: PANEL ASM-REAR CAP	
SHEET 1 OF 5	PART NO 171124
REF:	1

SEE CHART
FOR COLOR VARIATIONS
OF THIS PART

8

7

6


5

4

3

2

1

DWG
NO **171124**DETAIL DA
(TYP)

D

C

B

A

FIRST USED		
10 D-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
PANEL ASM-REAR CAP		
SHEET 4	PART NO 171124	REV

8

7

6

5


4

3

2

1

1/9/2010





13	7795501000	CLIP-J,3/8 V	8
12	7722151003	EXTR-BAR	4
11	3339051232	18 GA. STEEL	4
10	17387701CHT	REINFORCEMEN	1
9	17112401CHT	PANEL-REAR C	1
8	15338401CHT	TUBE-HORIZON	2
7	14989601CHT	BACKING-LIGH	5
6	14783102CHT	BRACKET-TAIL	8
5	14753004CHT	PLATE-BACKIN	1
4	14752901CHT	PLATE-BACKIN	2
3	12581707CHT	PLATE-FRONT	6
2	12013515CHT	PANEL-CLOSEC	1
1	11420807000	GROMMET-EDGE	1
ITEM	PART NUMBER	DESCRIPTION	QTY

FIRST USED			
10 D33C			
DO NOT SCALE DRAWING			
TITLE:			
PANEL ASM-REAR CAP			
SHEET 5	PART NO	171124	REV

DWG NO	SHEET
171125-01	1
171125-02	2

RELEASE	REV DATE	DWG NO	171125
REV ZONE	REVISION RECORD	DATE	DFTR.Orig




1. RE-TORQUE BOLTS TO 75 FT-LBS AFTER ATTACHING THE REAR CAP BRACE TO THE REAR CLIP.

NOTES:



COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DFTR	ORIG. DATE
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	
DSNR	
10 E-SERIES	
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	: 3
ONE-PLACE (X.X)	: 1.5
TWO-PLACE (X.XX)	: 0.50
ANGLE	: 1°
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: REAR CAP INSTL	
SHEET 1 OF 2	PART NO 171125

REF: 1

8

7

6


5

4





3

2

1

DWG
NO 171125



FIRST USED			10 D33C
DO NOT SCALE DRAWING			
TITLE:			REAR CAP INSTL
SHEET 2	PART NO	171125	REV




SECTION GF-GF

SECTION GA-GA

SECTION GE-GE



DETAIL GH



SECTION GG-GG

NOTICE

CHANGES TO THIS SHEET
MAY AFFECT OTHERS

- | | |
|-----|------------------------------|
| 086 | INTERIOR UPGRADE PACKAGE |
| 74C | VIDEO CAMERA SYSTEM |
| 1B1 | CODES/STANDARDS USA |
| 1D5 | ENTERTAINMENT CENTR/EXT W/CD |

FIRST USED			
10 D33C			
DO NOT SCALE DRAWING			
TITLE:			
SIDEWALL ASM-RIGHT			
SHEET 1	PART NO	172049	REV

9. SAW CUT THROUGH FIBERGLASS ONLY.
8. INSERT-DOOR, ENTRANCE 136177-03-XXX IS MADE FROM CUTOUT.
7. THRU INNER WALL OF TUBE ONLY.
6. THRU INTERIOR SURFACE AND FOAM.
5. THRU EXTERIOR SURFACE AND FOAM.
4. CUTOUT THRU INNER PANELING ONLY.
3. ALL RADII 9.5 UNLESS OTHERWISE SPECIFIED.
2. PANEL SHOWN FROM INTERIOR SIDE.
1. TOLERANCE FOR CUTOUT ± 1.5 .

NOTES:

8

7

6

5

4

3

2

1

DWG NO	ROOM COMPL-SLIDEOUT	SLUG ASM-SLIDEOUT	PANEL ASM-SLIDEOUT,RH	PANEL ASM-SLIDEOUT,LH	FLOOR ASM-SLIDEOUT
172283-01	172283-11-XXX	172048-11-XXX	162977-01-XXX	162977-03-XXX	153723-11-XXX
172283-02	172283-12-XXX	172048-12-XXX	162977-02-XXX	162977-04-XXX	153723-11-XXX
172283-03	172283-13-XXX	172048-13-XXX	162977-02-XXX	162977-04-XXX	153723-11-XXX
172283-04	172283-14-XXX	172048-14-XXX	162977-02-XXX	162977-04-XXX	153723-11-XXX
172283-05	172283-15-XXX	173579-11-XXX	162977-02-XXX	162977-04-XXX	153723-12-XXX
172283-06	172283-16-XXX	173579-12-XXX	162977-02-XXX	162977-04-XXX	153723-12-XXX
172283-07	172283-17-XXX	173579-13-XXX	162977-02-XXX	162977-04-XXX	153723-12-XXX

64V21W

64V09465G21W

64V09413Y21W

64V14W

64V09465G14W

64V09413Y14W

RELEASE

REVDATEA

DWGNO172283

REVZONE

REVISIONRECORD

DATE

DFTRORIG

13. TORQUE TO 64 FT-LBS

12. ADJUST THIS DIMENSION TO ACHIEVE 8mm ±2 OF FALL AT END OF RAM STROKE.

11. TORQUE ALL BOLTS PER ES0018 UNLESS OTHERWISE SPECIFIED. (SEE TABLE BELOW)

SIZE	TORQUE VALUE (FT-LBS)
1/4 - 20 (.250)	76 (IN-LBS)
5/16 - 18 (.3125)	13 (FT-LBS)
3/8 - 16 (.375)	23 (FT-LBS)
7/16 - 14 (.4375)	37 (FT-LBS)
1/2 - 13 (.500)	57 (FT-LBS)

10. USE POLY-CLEAR 047034-07-000 AND ATTACH IT USING WASHER 044533-01-000 TO PROTECT THE SLIDEOUT FLOOR.

9. SCREWS CANNOT BE REUSED. ANY TIME A SCREW IS REMOVED IT MUST BE DISCARDED AND REPLACED WITH A NEW SCREW TO INSURE THE THREADS SEAL.

8. USE SCREW 000G39-08-08S TO HOLD EACH END OF TRIM.

7. SEE SEALANT MANUAL..

6. LOOSEN BOLTS TO ALLOW ROOM TO MOVE SIDE TO SIDE ON THE MOUNTING BRACKETS UNTIL IT IS CENTERED IN THE OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.

5. LOOSEN JAM NUTS AND ADJSUT BOLT TO MOVE ROOM UP OR DOWN TO BE CENTERED IN THE SIDEWALL OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.

4. THIS IS A NOMINAL DIMENSION; THE PARTS SHOULD BE ADJUSTED AS REQUIRED FROM THERE.

3. THE RETRACTED LENGTH IS ADJUSTED BY THREADING THE STOP BOLT IN OR OUT UNTIL THE OUTSIDE WALL OF THE ROOM SEALS AGAINST THE SIDEWALL.

2. THE EXTENDED LENGTH IS ADJUSTED BY TURNING THE LOCK NUTS ON THE PISTON RODS IN OR OUT UNTIL THE SLIDEOUT ROOM SEALS AGAINST THE SIDEWALL.

1. FOR ADDITIONAL INFORMATION SEE WIRE INSTALLATION FRONT END AND THE LEVELING JACK INSTALLATION DRAWINGS.

ROOM COMPL-SLIDEOUT (SEE TAB)

SEAT BELT INSTL 14W 159417-06-XXX(UP TO 10-18-09) 159417-47-XXX(AFTER 10-19-09)

SLIDEOUT-ELECTRIC, 20" 162827-01-000(UP TO 08-04-09) SLIDEOUT-ELECTRIC, 20" 174525-01-000(AFTER 08-05-09) SLIDEOUT CRANK 138173-05-000(UP TO 08-04-09)

SLIDEOUT-ELECTRIC, 20" 162827-02-000(UP TO 08-04-09) SLIDEOUT-ELECTRIC, 20" 174525-01-000(AFTER 08-05-09) SLIDEOUT CRANK 138173-05-000(UP TO 08-04-09)

14W DINETTE

21W DINING/BUFFET/TV

65G WINDOW COACH-SINGLE PANE

13Y WINDOWS-COACH-DUAL PANE

094 WINDOWS - SE-GI

64V SIDEWALL-PREMIUM HIGH GLOSS

64T SIDEWALLS-HIGH GLOSS

WINNEBAGO INDUSTRIES

COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.

DFTR

ORIG. DATE

CHGR

ALL DIMENSIONS ARE IN MILLIMETERS

P.E.

M.E.

FIRST USED

DSNR

10 D33C

UNSPECIFIED TOLERANCES ARE:

WHOLE DIM (X) ± 3

ONE-PLACE (X.X) ±

TWO-PLACE (X.XX) ±

ANGLE ±

THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING

TITLE: SLIDEOUT COMPL-FRONT,LH


SHEET 1 OF 5


PART NO 172283



REV

REF: 1

10/28/2009










10 D33C

SLIDEOUT COMPL-FRONT,LH



DETAIL EB

SCREW-PAN,HEAD
000G39-10-08T (8)
(USED IN EACH CORNER
TO LOCK BOTH FRAMES
TOGETHER)



VIEW EA

(PLASTIC COVER NOT SHOWN)

10 D33C

DWG NO	ROOM COMPL-SLIDEOUT	SLUG ASM-SLIDEOUT	PANEL ASM-SLIDEOUT,RH	PANEL ASM-SLIDEOUT,LH
172287-01	172287-11-XXX	172049-11-XXX	162978-01-XXX	162978-03-XXX
172287-02	172287-12-XXX	172049-11-XXX	162978-01-XXX	162978-03-XXX
172287-03	172287-13-XXX	172049-13-XXX	162978-02-XXX	162978-04-XXX
172287-04	172287-14-XXX	172049-13-XXX	162978-02-XXX	162978-04-XXX
172287-05	172287-15-XXX	172049-15-XXX	162978-02-XXX	162978-04-XXX
172287-06	172287-16-XXX	172049-15-XXX	162978-02-XXX	162978-04-XXX
172287-07	172287-17-XXX	172049-17-XXX	162978-02-XXX	162978-04-XXX
172287-08	172287-18-XXX	172049-17-XXX	162978-02-XXX	162978-04-XXX

64T

64T 1G9 513 645

64V

64V 1G9 513 645

64V 094 65G

64V 094 65G 1G9 513 645

64V 094 13Y

64V 094 13Y 1G9 513 645

15. MAXIMUM RUNNING AMPS NOT TO EXCEED 20 AMPS WITHOUT SLIDEROOM COVER AND 25 AMPS WITH COVER AT 65° F.

14. TRIM PLASTIC CORNERS SO THAT THEY ARE HIDDEN UNDER CARPET.

13. LOCATE FOAM OVER DRAIN HOLES IN EXTRUSION.

12. FOR MANUAL RETRACT, DISCONNECT 12V WIRING TO THE MOTOR, RELEASE THE MOTORBRAKE, AND RATCHET USING A 3/4" SOCKET AT THIS LOCATION.

11. TORQUE ALL BOLTS PER ES0018 UNLESS OTHERWISE SPECIFIED. (SEE TABLE BELOW)

SIZE	TORQUE VALUE (FT-LBS)
1/4 - 20 (.250)	76 (IN-LBS)
5/16 - 18 (.3125)	13 (FT-LBS)
3/8 - 16 (.375)	23 (FT-LBS)
7/16 - 14 (.4375)	37 (FT-LBS)
1/2 - 13 (.500)	57 (FT-LBS)

10. USE POLY-CLEAR 047034-07-000 AND ATTACH IT USING WASHER 044533-01-000 TO PROTECT THE SLIDEOUT FLOOR.

9. SCREWS CANNOT BE REUSED. ANY TIME A SCREW IS REMOVED IT MUST BE DISCARDED AND REPLACED WITH A NEW SCREW TO INSURE THE THREADS SEAL.

8. USE SCREW 000G39-08-08S TO HOLD EACH END OF TRIM.

7. SEE SEALANT MANUAL.

6. LOOSEN BOLTS TO ALLOW ROOM TO MOVE SIDE TO SIDE ON THE MOUNTING BRACKETS UNTIL IT IS CENTERED IN THE OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.


5. LOOSEN JAM NUTS AND ADJUST BOLT TO MOVE ROOM UP OR DOWN TO BE CENTERED IN THE SIDEWALL OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.

4. THIS IS A NOMINAL DIMENSION; THE PARTS SHOULD BE ADJUSTED AS REQUIRED FROM THERE.

3. THE RETRACTED LENGTH IS ADJUSTED BY THREADING THE STOP BOLT IN OR OUT UNTIL THE OUTSIDE WALL OF THE ROOM SEALS AGAINST THE SIDEWALL.

2. THE EXTENDED LENGTH IS ADJUSTED BY TURNING THE LOCK NUTS ON THE PISTON RODS IN OR OUT UNTIL THE SLIDEOUT ROOM SEALS AGAINST THE SIDEWALL.


1. FOR ADDITIONAL INFORMATION SEE WIRE INSTALLATION FRONT END AND THE LEVELING JACK INSTALLATION DRAWINGS.



PLUG-OVAL,LARGE 148331-01-01A

PLUG-PLASTIC 061420-12-000(4)

COMPARTMENT COMPL-SLIDEOUT 159486-06-XXX
SEAL TRIM 113452-01-000
EXTR-VINYL,TRIM 126516-01-01A
SUPPORT ASM,SLIDEOUT 152649-10-02B
SEAL PLANE ASM,SLIDEOUT 159485-05-02B








- 65G WINDOW COACH-SINGLE PANE
- 645 RENTAL - CAMPING WORLD
- 13Y WINDOWS-COACH-DUAL PANE
- 094 WINDOWS - SE-GI
- 64T SIDEWALLS-HIGH GLOSS
- 64V SIDEWALL-PREMIUM HIGH GLOSS
- 513 FLOORCOVERING-VINYL-THRU OUT
- 1G9 FLOORCOVERING-VINYL-FRONT

SLIDEOUT COMPL-FRONT,RH

1 5 172287

NOTES:



- 14J LOUNGE CHAIR-EURO ULTRALTHR
- 44H LOUNGE CHAIR HOOP BASE
- 1G9 FLOORCOVERING-VINYL-FRONT
- 513 FLOORCOVERING-VINYL-THRU OUT
- 645 RENTAL - MOTURIS
- 24C EXT FULL BODY PAINT PKG #3
- 92A EXT FULL BODY PAINT PKG #2
- 27A EXT FULL BODY PAINT PKG #1

ROOM COMPL-SLIDEOUT
(SEE TAB)


41V LNG CHR-HOOP, ULTRALEATHER

SLIDEOUT COMPL-FRONT,RH


2

172287

RETAINER
142718-73-01A(UP TO 02-10-10)
169801-08-01A(AFTER 02-11-10)
EXTR-SIDEWALL SLIDE,4877 MM
142113-51-002(AFTER 02-11-10)
SCREW
000G39-10-169 (13)




SECTION CA-CA



TRIM ASM-SLIDEOUT
151763-74-XXX
SCREW
000G39-10-10U (9)
000G11-08-08U (8)(EXT)


SECTION CB-CB



RETAINER
142718-31-01A(UP TO 11-29-09)
142718-01-01A(AFTER 11-30-09)
SCREW
000G39-10-169 (9)

TRIM ASM-SLIDEOUT
151763-75-XXX
SCREW
000G39-10-10U (9)
000G11-08-08U (8)(EXT)


SECTION CC-CC




TRIM-RETAINER

ROOF ASM-SLIDEOUT


SECTION CD-CD



SECTION CE-CE




SECTION CF-CF




14

PLASTIC-ABS, COIL
093743-09-CHT
(2835)

SECTION CG-CG




SECTION CH-CH







SECTION CJ-CJ




SECTION CN-CN




SECTION CK-CK
(ROTATED)




FIRST USED		
DO NOT SCALE DRAWING		
TITLE: SLIDEOUT COMPL-FRONT,RH		
SHEET 4	PART NO 172287	REV



DETAIL EA



VIEW EB
(BOTH ENDS)



SECTION EC-EC

FIRST USED		
DO NOT SCALE DRAWING		
TITLE: SLIDEOUT COMPL-FRONT,RH		
SHEET 5	PART NO 172287	REV

TRIM KIT-INTERIOR,SLIDEOUT
174648-02-XXX
SCREW
000G62-08-12B (25)

ROOF ASM-SLIDEOUT
171733-01-XXX
SCREW
000G62-08-12B (20)




FILM
093681-39-CHT (2)
(1750)
27A 92A 24C

PANEL ASM-SLIDEOUT,LH
(SEE TAB)
SCREW
000G62-08-12B (20)

- 27A EXT FULL BODY PAINT PKG #1
- 92A EXT FULL BODY PAINT PKG #2
- 24C EXT FULL BODY PAINT PKG #3
- 54M FLOOR COVERING CARPET W/PAD
- 513 FLOORCOVERING-VINYL-THRU OUT

ROOM ASM-SLIDEOUT
(SEE TAB)

FIRST USED		
10 E29R		
DO NOT SCALE DRAWING		
TITLE: SLIDEOUT COMPL-REAR,LH		
SHEET 2	PART NO 170511	REV



TRIM FEATURE,UPPER
158375-04-CHT (2)
SCREW
154398-02-CHT (8)

PANEL ASM-SLIDEOUT,RH
(SEE TAB)
SCREW
000G62-08-12B (20)






TRIM FEATURE,LOWER
163020-08-CHT (2)
SCREW
154938-02-CHT (8)

54M RAIL-FLOOR
115325-08-CHT (4)
SCREW
000G39-10-12B (16)
PLYWOOD
000852-51-882 (8)
(76 X 306)
(MAY BE SCRAP)
POLYETHYLENE
115661-01-000
(1224)


513 RAMP ASM
174758-09-XXX (4)
SCREW
000G39-10-32B (24)
(SCREWS MUST BE
COUNTERSUNK 3mm
BELOW SURFACE OF
THE WOOD)
PLYWOOD
000852-51-882 (8)
(MAY BE SCRAP)

FLOOR ASM-SLIDEOUT
171734-02-XXX




FLOOR ASM-SLIDEOUT
171734-01-XXX






EXTR-TRIM SLIDEOUT
157577-51-001
SEAL SLIDEOUT
165260-01-000
SCREW
000G39-10-28U (8)
WASHER
156944-02-CHT (8)





SUPPORT ASM-ROLLER
126313-02-CHT (2)(UP TO 11-15-09)
126313-07-CHT (2)(AFTER 11-16-09)
BEARING PAD
128599-03-000 (2)(UP TO 11-15-09)
134855-01-000 (2)(AFTER 11-16-09)
BOLT
000C26-06-28B (2)



FIRST USED		
10 E29R		
DO NOT SCALE DRAWING		
TITLE: SLIDEOUT COMPL-REAR,LH		
SHEET 3	PART NO 170511	REV



FABWELL SDW






- 4 SEAL TO BE FLUSH WITH OUTER TRIM.
- 3 TOLERANCE ON THE CLIP SPACING IS ± 100.0 MM.
- 2 APPLY SCREWS AT EACH END AND ONE IN THE MIDDLE OF THE OUTER TRIM.
- 1 APPLY SCREW THROUGH SEAL SO THAT IT HOLDS THE SEAL IN PLACE ON THE INNER TRIM.

NOTES:

FABWELL SDW

TRIM ASM-SLIDEOUT, SIDE


1 2 151763



FABWELL SDW

153651-02-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	153651-01-701	EA LIMIT - SWITCH	1812996
	153651-01-702	EA COVER/BOOT - SEAL	1612011
	153651-02-700	EA MOTOR/LH - F/TRAVEL LOCK	1820131
	153651-02-701	EA BRACKET/MOUNTING - MOTOR	1102223

153651-04-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	153651-01-701	EA LIMIT SWITCH	1812996
	153651-02-700	EA MOTOR "R" - F/LH TRAVEL LOCK	1820131
	153651-02-701	EA BRACKET/MOUNTING - MOTOR	1102223
	153651-04-700	EA COVER/BOOT - SEAL	1612012
	153651-04-701	EA BEZEL F/MAIN HOUSING	1612567





SEAT BELT
160167-01-CHT 2 X 102" BLACK
160167-02-CHT 2 X 90" BLACK


FIRST USED		
07 MOTORHOMES		
DO NOT SCALE DRAWING		
TITLE:		
SEAT BELT INSTL		
SHEET 1	PART NO 159417	REV

KEY	PART NUMBER	U/M	DESCRIPTION	162827-01-000, 162827-02-000
				VENDOR NO.
	130294-04-700	EA	SCREW - 5/16"-18 X 1 1/2"	1202060
	131281-01-704	EA	HAIRPIN/COTTER - 3/8" SPRING	1213460
	131682-01-700	EA	ROLLER - (BEARING)	1912040
	138173-01-701	EA	POP RIVET - SS 3/16"X1/4"	1214630
	138173-01-707	EA	WEAR PUCK - PLASTIC F/DRIVE	1612523
	140457-01-701	EA	ROLLER - 1"OD X 1/2"ID	1614006
	140457-01-704	EA	SHAFT/AXLE - REAR ROLLER	7204523
	148875-01-702	EA	PIN/ROLL - 1/4" X 1"	1213701
	148875-01-703	EA	NUT/PLASTIC - 1" F/1/4" PIN	1612548
	148875-01-704	EA	END CARRIER - PLASTIC - 1"	1612549
	148875-01-705	EA	MOTOR/LINEAR - SLIDE ROOM	1820111
	148875-01-707	EA	END GUIDE F/SCREW - 1"	1820450
	148875-01-708	EA	TUBE - OUTER F/SLIDE RAM	7201200
	149165-01-701	EA	PIN/CLEVIS - 1/4" X 2 7/8"	1213204
	151027-01-700	EA	DRIVE SCREW 1" X 20"	1820402
	151027-01-701	EA	ROLL PIN - 3/16" X 1"	1213694
	151027-01-702	EA	CLEVIS PIN - 1/4" X 1 1/4"	1213202
	162827-01-700	EA	TUBE OUT STOP - ADJUSTABLE	7201198
	162832-01-700	EA	CLEVIS PIN - 5/16" X 2 1/4"	1213239
	162832-01-702	EA	NUT - 1" PLASTIC W/5/16" PIN	1612554

162834-01-000			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	131281-01-702	EA PIN/CLEVIS-1/4" PLATED	1213190
	131281-01-704	EA HAIRPIN/COTTER - 3/8" SPRING	1213460
	138173-01-701	EA POP RIVET - SS 3/16"X1/4"	1214630
	138173-01-707	EA WEAR PUCK - PLASTIC F/DRIVE	1612523
	148875-01-700	EA PIN/COTTER - 3/32" X 1/2"	1213520
	148875-01-703	EA NUT - PLASTIC - 1"	1612548
	148875-01-705	EA MOTOR/LINEAR - SLIDE ROOM	1820111
	149165-01-700	EA BEARING - 5/8" ID	1102015
	149165-01-701	EA PIN/CLEVIS - 1/4" X 2 7/8"	1213204
	149165-01-703	EA SEAL/RUBBER - INNER FRAME	1612007
	149165-01-704	EA SEAL/LOWER ROOM - "Z"	1612009
	149165-01-705	EA DRIVE/WORM SCREW - 30"	1820400



DETAIL A
(TOP TRIM)
(VIEWED FROM THE BACKSIDE OF THE TRIM)



DETAIL B
(ALL MITER CUT VERTICAL TRIM)
(VIEWED FROM THE BACKSIDE OF THE TRIM)



VERTICAL RETAINER TRIM

VERTICAL RETAINER TRIM

VERTICAL TRIM



SEAL
(REF)

DETAIL C
(ALL STRAIGHT CUT VERTICAL TRIM)
(VIEWED FROM THE BACKSIDE OF THE TRIM)



DETAIL D
(BOTTOM TRIM)
VIEWED FROM THE BACKSIDE OF THE TRIM

FIRST USED		2010 MOTORHOMES	
DO NOT SCALE DRAWING			
TITLE: TRIM KIT-EXTERIOR,SLIDEOUT			
SHEET 1	PART NO	169233	REV



FIRST USED		
2010 MOTORHOMES		
DO NOT SCALE DRAWING		
TITLE:		
TRIM KIT-EXTERIOR,SLIDEOUT		
SHEET 4	PART NO 169233	REV

D

D

C




C

B

B

A

A



INNER TRIM-SIDEWALL, SLIDEOUT
169763-20-01A WHT
169763-20-02A ALM

VIEW C

- NOTES:
- 6 LENGTHS SHOULD BE IN 150 mm INCREMENTS PER STANDARD SLIDEOUT ROOM LENGTHS DEFINED IN ES0080.
 - 5 OUTER TRIM MUST BE CENTERED ON THE INNER TRIM WITHIN ± 3.0 .
 - 4 TOLERANCE ON THE CLIP SPACING IS ± 100.0 MM.
 - 3 LOCATE CLIPS AT EACH END AND SPACED EQUALLY ALONG THE INNER TRIM.
 - 2 APPLY SCREWS AT EACH END AND ONE IN THE MIDDLE OF THE OUTER TRIM.
 - 1 APPLY SCREW THROUGH SEAL SO THAT IT HOLDS THE SEAL IN PLACE ON THE INNER TRIM.

WINNEBAGO INDUSTRIES		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DTR		ORIG. DATE	
CHRR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.		FIRST USED	
M.E.		10 SLIDEOUTS	
DSNR			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 1.5			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 1.5			
ANGLE : 1.5			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
TITLE: TRIM ASM-SLIDEOUT, TOP, SGL WIPE			
SHEET 1 OF 1		PART NO 171741	
REF:		1	

D

D

C



C

B

B


A

A




VIEW B

- NOTES:
1. APPLY SCREW THROUGH SEAL SO THAT IT HOLDS THE SEAL IN PLACE ON THE INNER TRIM.
 2. APPLY SCREWS AT EACH END AND ONE IN THE MIDDLE OF THE OUTER TRIM.
 3. LOCATE CLIPS AT EACH END AND SPACED EQUALLY ALONG THE INNER TRIM.
 4. TOLERANCE ON THE CLIP SPACING IS ± 100.0 mm.
 5. OUTER TRIM MUST BE CENTERED ON THE INNER TRIM WITHIN ± 3.0 .
 6. CENTER EXTRUSION ACROSS SPLICE IN TOP TRIM, DRILL FOUR 3.28 MM(.129 INCH) HOLES AS REQUIRED AND RIVET TOGETHER.
 7. SIZE RETAINER TO MATCH TRIM-SIDEWALL,SLIDEOUT,TOP DURING INSTALLATION FOR LENGTHS SHORTER THAN 7830.0.




RETAINER-SIDEWALL
142113-51-002 (192")
142113-51-006 (315")

RETAINER (3)
169801-37-01A 7



DETAIL D

DETAIL E

WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFT-OR		ORIG. DATE	
CHK-OR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.			
DSNR		FIRST USED	
		10 MH	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
TITLE:			
TRIM ASM-SLIDEOUT,TOP			
SHEET 1 OF 1		PART NO	REV
		173900	

			174525-01-000
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	161662-01-703	EA ROLLER - 2"	510022
	161662-01-704	EA PAD/WEAR	DN10936
	161662-01-707	EA KEY/WOODRUFF - #606	521336
	161662-01-711	EA ROLLER/PLASTIC - 3/4" X 2.9"	3010000401
	172400-01-702	EA SET SCREW 5/8"-18 X 1/2"	150-1546
	172400-01-703	EA BEARING STEP 3/4" ID	1102005
	172400-01-704	EA GEAR/SPUR 3/4" ID X 2" OD	3010000400
	172400-01-705	EA WEAR PAD - ROUND	320-0056
	172400-01-706	EA COUPLING - HEX 3/4" ID	520223
	172400-01-708	EA PIN - COILED 1/4" X 1 1/4"	18-1007
	172400-01-709	EA MOTOR W/LONG SHAFT	1010001874
	172400-01-710	EA BEARING STEP 1" ID	1102000
	174525-01-700	EA CLIP - HITCH PIN .125"	18-1065
	174525-01-701	EA COTTER PIN	VF11500
	174525-01-702	EA BOLT/SHOULDER - 1/2"OD X .88	15-1378
	174525-01-703	EA NUT/CENTERLOCK - 3/8"-16 N/C	15-1341
	174525-01-704	EA RAIL - INNER W/DRIVE	1010001988