







FIRST USED		
10 D-SERIES		
DO NOT SCALE DRAWING		
TITLE: SOFTGOODS INSTL - FRONT		
SHEET 2	PART NO 170597	REV

8		7		6		5		4		3		2		1	
DWG NO	COVER BACK	COVER SEAT	ARMREST ASM RT	ARMREST ASM LT	ARMREST COVER RT	ARMREST COVER LT	ARMREST RT MOLDED	ARMREST LT MOLDED	3 3 4 4 4 3 D SERIES J SERIES J SERIES J SERIES D SERIES 091 1A6 091 1A6 64Q 64Q						
165195-01	165195-A1	165195-A2	148652-01	148652-02											
165195-02	165195-A3	165195-A4	148652-03	148652-04	P48652-03	P48652-04	130698-03	130698-04							
165195-03	165195-A1	165195-A2	148652-01	148652-02	P48652-01	P48652-02	130698-03	130698-04							
165195-04	165195-A3	165195-A4	148652-03	148652-04	P48652-03	P48652-04	130698-03	130698-04							
165195-05	165195-A5	165195-A6	148652-05	148652-06	P48652-05	P48652-06	130698-03	130698-04							
165195-06	165195-A7	165195-A8	148652-01	148652-02	P48652-01	P48652-02	130698-03	130698-04							

RELEASE

REV A

DATE

DWG NO 165195

REV ZONE

REVISION RECORD

DATE

DFTR-ORIG

- 3

D SERIES

091
- 3

J SERIES

1A6
- 4

J SERIES

091


64Q
- 4

J SERIES

1A6

64Q
- 3

D SERIES



091 SEATS-ULTRALEATHER

4.

USED WHEN ADJUSTABLE LUMBAR IS AVAILABLE
3.

USED WHEN ADJUSTABLE LUMBAR IS NOT AVAILABLE

BACK HEIGHT 813
SEAT DEPTH 559
SEAT WIDTH 597
SEAT WIDTH 736
INCLUDING ARMREST

2. H POINT MUST COMPLY W/ES0056
1. COMPLIANCE W/FMVSS 207 & 302



WINNEBAGO

INDUSTRIES

COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DFTR	ORIG. DATE
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	STITCHCRAFT
UNSPECIFIED TOLERANCES ARE: WHOLE DIM (X) ± 3 ONE-PLACE (X.X) ± 1.5 TWO-PLACE (X.XX) ± 0.50 ANGLE ± 1°	MATERIAL:
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: SEAT-CAB,592	
SHEET 1 OF 1	PART NO 165195
REF:	1

10/21/2009



- 60M BEZEL ASM-INSTR
- 1A4 155698-04-Y51(WORKHORSE)
- 60M 155698-08-Y51(FORD)
- 1A4 155698-06-Y51(WORKHORSE)
- 1A4 155698-10-Y51(FORD)
- SCREW 000G55-08-12U
- SCREW 000G11-10-10U(4)
- NUT-SPEED 040921-03-000(2)
- CLIP-U 101447-01-000(2)
- TAPE-FOAM 076322-22-000
- LENGTH (SEE TAB)

- BEZEL-DASH,CENTER 166546-01-32A
- RETAINER-LOUVER 157043-01-02B
- 157043-02-02B
- SCREW 000G11-10-10U (4)

- POD-INSTRUMENT,PANEL 155700-01-32A
- SCREW-PAN,HEAD 000G55-08-12U(3)

- DASH COMPL 166552-07-A79 (WORKHORSE)
- 166552-08-A79 (FORD)

- POD-DASH,CENTER 156682-01-32A 1A5
- 156682-02-32A(UP TO 12-23-09) 74J
- 156682-01-32A(AFTER 12-24-09) 74J
- SCREW 000G55-08-12U(3)






- POCKET-I/P 111350-02-32A 1A5
- CLIP 101447-01-000 (8) 1A5

- PANEL-BEZEL,CENTER 156051-04-02B(UP TO 02-02-10)
- 176014-01-02B(AFTER 02-03-10)
- SCREW 161158-01-07A (6)


- ANGLE-FORMED,DASH 128692-01-02B
- SCREW 000G11-10-12U(4)

- 1PL WORKHORSE 18,000# GVWR (W18)
- 60M HYDRAULIC LEVEL JACKS-AUTO
- 1A4 LEVELING JACK WITHOUT
- 74J REARVIEW MONITOR SYS W/AUDIO
- 1A5 REARVIEW MONITOR SYSTEM W/O

WINNEBAGO INDUSTRIES		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DTFR	ORIG. DATE	ALL DIMENSIONS ARE IN MILLIMETERS	
CHKR			
P.E.			
M.E.	FIRST USED		
DSNR		09 D-SERIES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 3			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: DASH INSTL			
SHEET 1 OF 2	REF: 1	PART NO 166545	REV



FIRST USED		09 D-SERIES	
DO NOT SCALE DRAWING			
TITLE:			
DASH INSTL			
SHEET 2	PART NO	166545	REV



D

C

B


A

←


DO NOT WRAP CORNER
AND VINYL AROUND EDGE

VINYL
106569-07-15A

VINYL
106569-17-32A




SECTION BB-BB



SCERW
G55-08-12U (3)


SECTION BD-BD



SCERW
G55-08-12U (3)

SECTION BC-BC

SCREW
G11-10-08U
NUT-SPEED
040921-03-000



SECTION BA-BA

FIRST USED		09 D&E-SERIES	
DO NOT SCALE DRAWING			
TITLE:			
DASH COMPL			
SHEET 2	PART NO	166552	REV

↑

→

D

C

B

A

8

7

6

5

4

3

2

1

↓

8

7

6

5

4

3


2

1

DWG NO	SHEET	MODEL
172302-01	1,2,3,4	D37L
172302-02	1,2,3,5	D31E
172302-03	1,2,3,6	D33C,D35J
172302-04	1,2,3,7	D33C,D31E

- 1H5
- 1LK
- 42K
- 21W 1H5

RELEASE	REV DATE	DWG NO	172302
REV ZONE	REVISION RECORD	DATE	DFTR-ORIG



- COVER-STEERING COLUMN,UPPER
155934-01-CHT
SCREW
000G39-10-10U (4)
COVER-STEERING COLUMN,LOWER
155935-01-CHT
MOUNT ASM-STEERING COVER
148806-01-CHT
SCREW
000G55-08-12U (3)
BOLT
000C12-04-40U(2)

- COVER-STEERING COLUMN,UPPER
148815-02-CHT
148815-03-CHT
SEAL-SPONGE
110530-01-000 (300.0)
COVER-STEERING COLUMN,LOWER
125795-01-CHT
SCREW
000G55-08-12U (12)
COVER-STEERING COLUMN
CHASSIS SUPPLIED
TRIM PER DRAWING 112894-03
SUPPORT-COVER,STRG,LWR
160394-01-CHT
SUPPORT-COVER,STRG,LWR
160394-02-CHT

- 8 D33C ONLY.
- 7 2009 FORD CHASSIS.
- 6 PRE 2009 FORD CHASSIS.
- 5 COVER TO DASH GAP 12.0 ± 12.0 WITH
MAXIMUM VARIATION OF 3.0.
- 4 TORQUE TO 25 IN-LBS.
- 3 TV TO BE INSTALLED PER MFG PROCESS INFO.
- 2 TRIM TO FIT UPPER STEERING COLUMN COVER WITH
STEERING WHEEL INSTALL POSITIONS.
- 1 INSTALL WITH STEERING WHEEL IN LOWERED POSITION
AND CENTERED ON STEERING COLUMN.

- 21W DINING TABLE/BUFFET & CHAIRS
- 967 SEAT PEDESTALS
- 64Q SEAT PED-6-WAY POWER DRIVER
- WIN WINNEBAGO ONLY
- ITA ITASCA ONLY
- 1H5 TV, FRONT-WITHOUT
- 1LK TV-19"DC,COLOR,LCD W/REMOTE
- 42K TV-32" COLOR,STEREO W/REMOTE
- 08P INTERIOR UPGRADE - WITHOUT
- 086 INTERIOR UPGRADE PACKAGE
- 48Q SATELLITE DISH & ELEV.SENSOR
- 1PS WORKHORSE 22,000#-22.5 TIRE
- 1PU WKHRSE 22K 230HP DSL 22.5TIR
- 1PE WORKHORSE 20,500 DSL 230HP
- 1PR WORKHORSE CHASSIS 22,000 LB GVWR
- 16L FORD 22,000#-22.5 AL WHL
- 16K FORD CHASSIS 22,000 LB

- 967 PEDESTAL COMPL-SEAT,CAB
133292-15-XXX
- 64Q PEDESTAL COMPL-SEAT,CAB
133292-17-XXX

- INSULATION-CAB RAD CUR 1PE 1PU
174072-03-000

- 967 PEDESTAL COMPL-SEAT,CAB
133292-14-XXX
SEAT BELT COMPL-CAB
147272-04-XXX

COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE
CHRR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	FIRST USED
M.E.	10 D-SERIES
DSNR	
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	± 1.5
ONE-PLACE (X.X)	±
TWO-PLACE (X.XX)	±
ANGLE	±
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: INTERIOR INSTL-FRONT	
SHEET 1 OF 6	PART NO 172302
REF: 165256 G 1	

CURTAIN TRACK,RH
127254-14-CHT

DETAIL BD

CURTAIN TRACK,LH
127254-04-CHT

PLYWOOD
000846-51-241 (A/R)
ADHESIVE-JETWELD
161477-01-000

508(FD&WH)(2)

191(FD&WH)(2)

1118(FD&WH)

711(WH)
508(FD)

330(WH ONLY)

SECTION BB-BB

914(FD&WH)

PANEL ASM-OVHD,FRT,BTM,RH

134146-B1-XXX

134146-B3-XXX

21W 1H5 1LK

42K

DETAIL BC

PANEL ASM-OVHD,FRT,BTM,LH

134146-B2-XXX

134146-B4-XXX

21W 1H5 1LK

42K


SECTION BA-BA

COVER


DETAIL BC

DETAIL BD

FIRST USED		10 D-SERIES	
DO NOT SCALE DRAWING			
TITLE: INTERIOR INSTL-FRONT			
SHEET 2	PART NO 172302	REV	



SECTION CA-CA




SECTION CB-CB

- 1PS 1PU
- 1PE 1PR
- 16L 16K


- (28N) MANUAL MIRRORS
- (28X) REMOTE MIRRORS

FIRST USED		
10 D-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
INTERIOR INSTL-FRONT		
SHEET 3	PART NO 172302	REV




(1H5)
(NO FRONT TV, D37L ONLY)

FIRST USED		
10 D-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
INTERIOR INSTL-FRONT		
SHEET 4	PART NO 172302	REV




FIRST USED		
10 D-SERIES		
DO NOT SCALE DRAWING		
TITLE: INTERIOR INSTL-FRONT		
SHEET 5	PART NO 172302	REV



(42K)
(32" FRONT TV)

FIRST USED		
10 D-SERIES		
DO NOT SCALE DRAWING		
TITLE: INTERIOR INSTL-FRONT		
SHEET 6	PART NO 172302	REV




(14W)
(NO FRONT TV, D33C AND D31E)

FIRST USED		
10 D-SERIES		
DO NOT SCALE DRAWING		
TITLE: INTERIOR INSTL-FRONT		
SHEET 7	PART NO 172302	REV


091990-04-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	091990-01-701	EA EXTENDER 9" FOR A8408 3 PT	I-1331-02
	091990-01-703	EA RECEIVER/FEMALE END-SEATBELT	I-1159-02
	091990-05-700	EA SLEEVE/BUCKLE COVER-PLASTIC	209S-2
	091990-05-701	EA CAP/COVER - BOLT HOLE COVER	209SC-02
	091990-05-702	EA SLEEVE/RETRACTABLE COVER	309C-02
	091990-05-703	EA EXTENDER 12"	I-1442-02

091990-10-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	091990-05-700	EA SLEEVE/BUCKLE COVER-PLASTIC	209SER11.5-02




DETAIL L
MANUAL
(DRIVER'S SIDE ON D & E SERIES)

133292-15 D,E-SERIES DRIVER




DETAIL K
MANUAL
(PASSENGER SIDE D, E, J, K SERIES)

133292-14 D,E,J-SERIES PASSENGER



DETAIL N
6-WAY POWER
(DRIVER'S SIDE D,E SERIES W/64Q)

133292-17 D,E-SERIES DRIVER 64Q



DETAIL M
6-WAY POWER
(PASSENGER SIDE ON P SERIES W/64K, R & S SERIES W/64Q)


133292-16 R-SERIES PASSENGER 64Q P-SERIES PASSENGER 64K

FIRST USED		00 MOTORHOMES	
TITLE:		DO NOT SCALE DRAWING	
SHEET 3		PART NO 133292	
REV		10/22/2009	

DWG NO	COVER ASM
137095-01	137097-01-XXX
137095-02	137097-02-XXX

WORKHORSE
J-SERIES FREIGHTLINER


RELEASE	REV DATE	DWG NO	137095
REV ZONE	REVISION RECORD	DATE	0FTR-0RG




- NOTES:
- 4. ATTACH LOWER CORNERS OF MOTOR COVER TO DOG HOUSE RING USING SCREW, G55-08-20B AND WASHER 77071-01-000.
 - 3. SET BOLT 35mm TOP TRIM RING TO BOTTOM HEAD OF BOLT.
 - 2. DO NOT ATTACH TRIM TO DRIVERS SIDE FLOOR UNTIL AFTER CAB INSTALLATION.
 - 1. SEAL TO BE INSTALLED WITH ENDS AS SHOWN.

SEE CHART
FOR COLOR VARIATIONS
OF THIS PART


WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTF	ORIG. DATE	ALL DIMENSIONS ARE IN MILLIMETERS	
CHRR		02 L-SERIES	
P.E.	FIRST USED		
M.E.			
DSNR			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 1.5			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) :			
ANGLE :			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: MOTOR COVER INSTL			
SHEET 1 OF 2		PART NO 137095	
REF:		1	



FIRST USED		02 L-SERIES	
DO NOT SCALE DRAWING			
TITLE: MOTOR COVER INSTL			
SHEET 2 2		PART NO 137095	REV




D-SERIES E-SERIES 147272-04-XXX





FIRST USED			05 D-SERIES
DO NOT SCALE DRAWING			
TITLE: SEAT BELT COMPL-CAB			
SHEET 1	PART NO	147272	REV

KEY	PART NUMBER	U/M	DESCRIPTION	147767-01-000, 147767-02-000
				VENDOR NO
	147767-01-700	EA	SWITCH PLATE	SHROCK-9PT-SWT-PLTE
	147767-01-701	EA	MOTOR - VERTICAL	SHROCK 9PT-M0-VER-0
	147767-01-702	EA	MOTOR - HORIZONTAL	SHROCK 9PT-M0-HOZ-0



RELEASE		REV	DATE	DWG NO	156020
REV	ZONE	REVISION RECORD			DATE
					DTFR-ORIG

WINNEBAGO® INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.			
DTFR		ORIG. DATE			
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS			
P.E.					
M.E.		FIRST USED			
DSNR		07 F-SERIES			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:			
WHOLE DIM (X) ± 3					
ONE-PLACE (X.X) ± 1.5					
TWO-PLACE (X.XX) ± 0.50					
ANGLE ± 1°					
THIRD ANGLE PROJECTION					
DO NOT SCALE DRAWING					
TITLE:					
TRAY ASM-BEVERAGE,CTR					
SHEET 1 OF 1		PART NO 156020	REV		



DWG NO	COVER ASM
156769-01	156754-01-XXX
156769-02	156754-02-XXX

J-SERIES
D,E-SEREIS


RELEASE	REV	DATE	DWG NO	156769
A				
REV	ZONE	REVISION RECORD	DATE	OFTR-ORIG

- NOTES:
- 3. ATTACH LOWER CORNERS OF MOTOR COVER TO DOG HOUSE RING USING SCREW G55-08-CHT AND WASHER 77071-01-000.
 - 2. SEAL TO BE INSTALLED WITH ENDS AS SHOWN.
 - 1. DO NOT ATTACH TRIM TO DRIVERS SIDE FLOOR UNTIL AFTER CAB INSTALLATION.



WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
OFTR	ORIG. DATE		
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS		
P.E.	FIRST USED		
M.E.	07 FORD F SER		
DSNR	MATERIAL:		
UNSPECIFIED TOLERANCES ARE:			
WHOLE DIM (X) : 3			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: MOTOR COVER INSTL			
SHEET 1 OF 2		PART NO 156769	REV
REF:		1	

DWG NO	INSULATION
156754-01	154928-01-000
156754-02	-----

RELEASE	REV A	DATE	DWG NO 156754
REV ZONE	REVISION RECORD		DATE DFR-ORIG



- RETAINER ASM-LATCH
115850-01-CHT
RIVET
H16-06-08R (4)
- LATCH
116581-01-000
- GROMMET
116293-01-000
- BOLT
C26-01-18B (2)
NUT
D39-04-00B (2)



FOIL-ALUMINUM, REINFORCED
134497-01-000
ADHESIVE
139007-01-000
ACTIVATOR
139007-02-000
(APPLY FOIL TO BOTTOM
SURFACED OF COVER)

- 2. HOLE IN RETAINER ASM TO ALIGN WITH HOLE IN MOTOR COVER.
- 1. INSERT GROMMET INTO STEEL TUBE INSIDE RETAINER ASM PRIOR TO INSTALLING THE LATCH.

WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE		
CHRR	ALL DIMENSIONS ARE IN MILLIMETERS		
P.E.			
M.E.	FIRST USED		
DSNR	07 FORD F SER		
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 3			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: COVER ASM-MOTOR			
SHEET 1 OF 1		PART NO 156754	REV

8

7

6

5


4

3


2

1


RELEASE		REV	DATE	DWG NO	169855	
REV	ZONE	REVISION RECORD			DATE	DFT-ORIG




ROUTE CABLE DOWN
LEFT A-PILLAR




D-SERIES
(REF)




SECTION AB-AB 74J



SECTION AC-AC



E-SERIES
(REF)



SECTION AA-AA 74J

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

CAMERA KIT 144677-14-01A WHT/02A BLK

- 3 END STANDARD CABLE IN THIS AREA ON UNITS
WITHOUT MONITOR 1A5 1H4
- 2 RUN CABLE THRU LEFT-HAND COVE TO REAR OF UNIT.
STANDARD ON ALL UNITS WITH 1A5 1H4 74J
- 1 PARTS SUPPLIED WITH CAMERA KIT 144677-14-01A WHT/02A.BLK

NOTES:

- 74J REARVIEW MONITOR SYSTEM
- 1H4 REARVIEW MONITOR-WIRE PREP
- 1A5 REARVIEW MONITOR SYSTEM W/O
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

- 1B1 265


WINNEBAGO INDUSTRIES		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFT-ORIG		ORIG. DATE	
CHKD		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.		FIRST USED	
M.E.		10 D & E SERIES	
DSNR		MATERIAL:	
UNSPECIFIED TOLERANCES ARE:		THIRD ANGLE PROJECTION	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			

DO NOT SCALE DRAWING


TITLE: MONITOR INSTL			
SHEET 1 OF 2	PART NO	169855	REV

REF: 1 3/25/2010


UP TO 11-01-09



DETAIL BB 74J ONLY




DETAIL BB 74C & 74J



DETAIL BA

- 7 CONNECT CAMERA THRU HOLE IN SIDEWALL, PUSH CONNECTOR BACK THRU SIDEWALL, AND SEAL HOLE.
- 6 MARK LEFT CABLE WITH YELLOW TAPE 900000-07-000 NEXT TO CONNECTOR.
- 5 MARK RIGHT CABLE WITH WHITE TAPE 900000-08-000 NEXT TO CONNECTOR.
- 4 PARTS SUPPLIED WITH MONITOR P/N74C & .
- 3 END CABLE IN THIS AREA ON UNITS W/O MONITOR. .
- 2 PARTS SUPPLIED WITH MONITOR P/N ONLY. .
- 1 SEE REARVIEW MONITOR KIT INSTALLATION INSTRUCTIONS FOR MORE DETAILS.


NOTES:



- 74C VIDEO CAMERA SYSTEM
- 74J REARVIEW MONITOR SYSTEM
- 1H4 REARVIEW MONITOR-WIRE PREP
- 1A5 REARVIEW MONITOR SYSTEM W/O

FIRST USED		
10 D & E SERIES		
DO NOT SCALE DRAWING		
TITLE: MONITOR INSTL		
SHEET 2 A	PART NO 169855	REV

AFTER 11-02-09 UP TO 12-22-09




- 6 MARK LEFT CABLE WITH YELLOW TAPE 900000-07-000 NEXT TO CONNECTOR.
- 5 MARK RIGHT CABLE WITH WHITE TAPE 900000-08-000 NEXT TO CONNECTOR.
- 4 CONNECT CAMERA THRU HOLE IN SIDEWALL, PUSH CONNECTOR BACK THRU SIDEWALL, AND SEAL HOLE.
- 3 END CABLE IN THIS AREA ON UNITS W/O MONITOR. 1A5 1H4
- 2
- 1 SEE REARVIEW MONITOR KIT INSTALLATION INSTRUCTIONS FOR MORE DETAILS.

NOTES:


- 74C VIDEO CAMERA SYSTEM
- 74J REARVIEW MONITOR SYSTEM
- 1H4 REARVIEW MONITOR-WIRE PREP
- 1A5 REARVIEW MONITOR SYSTEM W/O

FIRST USED		
10 D & E SERIES		
DO NOT SCALE DRAWING		
TITLE:		
MONITOR INSTL		
SHEET 2 B	PART NO 169855	REV

(AFTER 12-23-09)




DETAIL BB



DETAIL BA

SPEAKER
098819-01-000(UP TO 12-22-09)
GRILLE
093214-01-07A(UP TO 12-22-09)
SCREW
000G13-07-12B(4)(UP TO 12-22-09)



74C
CAMERA-SIDE,RIGHT
144677-10-01A WHT/02A BLK
CABLE-MONITOR/CAMERA
144677-12-000(UP TO 11-01-09)
144677-15-000(AFTER 11-02-09)
SCREW
154938-01-01A WHT/02A BLK (4)
SEAL

74C
CAMERA-SIDE,LEFT
144677-11-01A WHT/02A BLK
CABLE-MONITOR/CAMERA
144677-12-000(UP TO 11-01-09)
144677-15-000(AFTER 11-02-09)
SCREW
154938-01-01A WHT/02A BLK (4)
SEAL

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

- 74C VIDEO CAMERA SYSTEM
- 74J REARVIEW MONITOR SYSTEM
- 1H4 REARVIEW MONITOR-WIRE PREP
- 1A5 REARVIEW MONITOR SYSTEM W/O
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FIRST USED		
10 D & E SERIES		
DO NOT SCALE DRAWING		
TITLE: MONITOR INSTL		
SHEET 2C	PART NO 169855	REV

- 8 E-SERIES
- 7 D-SERIES
- 6 MARK LEFT CABLE WITH YELLOW TAPE 900000-07-000 NEXT TO CONNECTOR.
- 5 MARK RIGHT CABLE WITH WHITE TAPE 900000-08-000 NEXT TO CONNECTOR.
- 4 CONNECT CAMERA THRU HOLE IN SIDEWALL, PUSH CONNECTOR BACK THRU SIDEWALL, AND SEAL HOLE.
- 3 END CABLE IN THIS AREA ON UNITS W/O MONITOR. 1A5 1H4
- 2 USE SUPPLIED SCREWS TO MOUNT MONITOR TO ADAPTER.
- 1 ROUTE UP A-POST AND MAKE CONNECTION BEHIND OVHD CABT.

NOTES:

			144677-10-01A
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	144677-10-700	EA HOUSING/CAMERA-RT/LT-WHITE	SIDHSGWHT
	144677-10-702	EA SERVICE PACK-SCREW COVER	PSVCSIDHSGWHT
	144677-10-703	EA SERVICE PACK-SCREW COVER	PSVCSIDHSGGPR

			144677-10-02A, 144677-11-02A
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	144677-10-701	EA HOUSING/CAMERA-RT/LT-PRIMED	SIDHSGGTR

			144677-11-01A
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	144677-10-700	EA HOUSING/CAMERA-RT/LT-WHITE	SIDHSGWHT