


DWG NO	MODEL	ROLLER ASM	LENGTH	A	SHEET
165257-01	D35J	161748-07-CHT	14'	590	1
165257-02	NOT USED	NOT USED	N/A	N/A	N/A
165257-03	D31E	161748-11-CHT	18'	660	2
165257-04	D37L (REAR)	161748-10-CHT	17'	---	3
165257-05	D37L (FRONT)	153692-11-CHT	11.5'	576	4
165257-06	D33C	153692-04-CHT	19'	590	4



RELEASE	REV DATE	DWG NO	165257
REV ZONE	REVISION RECORD	DATE	DTFR-ORIG



D35J
165257-01

DOMETIC A&E
AWNINGS








52F 52Z













- FRONT AXLE
- 52F AWNING-PATIO,MANUAL
 - 52Z AWNING-PATIO,ACRYLIC
 - 63R AWNING-2ND,MANUAL
 - 63A AWNING-2ND,ACRYLIC

COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DTFR	ORIG. DATE
CHRR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	FIRST USED
M.E.	09 D35J
DSNR	
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	± 3
ONE-PLACE (X.X)	± 1.5
TWO-PLACE (X.XX)	± 0.50
ANGLE	± 1°
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: AWNING INSTL-09 D-SERIES	
SHEET 1 OF 4	PART NO 165257

- NOTES:
- USE IN PLACE OF KIT SUPPLIED BOLT.
 - USE RIVETS TO ATTACH SPACER TO SIDEWALL USING HOLES PROVIDED.
 - DRILL TWO 5 MM HOLES 12 MM UP FROM BOTTOM OF EACH HARDWARE BACK CHANNEL, USE SELF DRILLING SCREWS TO ATTACH BACK CHANNEL TO SPACERS.




- NOTES:
1. DRILL A 4.88-4.98 DIA HOLE USING THE HOLES LOCATED EITHER SIDE OF THE TOOLING HOLES AS A TEMPLATE INSTALL RIVET 142980-01-CHT AS REQUIRED
 2. SEE ES0061 FOR CARPET ATTACHMENT AT BACKWALL.
 3. SCREW MUST BE LOCATED WITHIN 50MM OF RAIL-AWNING SPLICE. DRILL ADDITIONAL HOLES AND ADD SCREWS AS REQUIRED.



FIRST USED		
10 D-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
BODY INSTL-SECTIONS		
SHEET 2	PART NO	REV
	172200	


DWG NO	
172403-01	WIN
172403-02	ITA


RELEASE	REV DATE	DWG NO	172403
REV ZONE	REVISION RECORD	DATE	DTFR-ORIG



2. HOLE PATTERN OF MESH GRILLE SHOULD BE STRAIGHT FROM LEFT TO RIGHT

1. KEY 102328-01-000 (1) TO BE INSTALLED ON KEY RING IN MOTORHOME PLANT.

WINNEBAGO® INDUSTRIES		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DTFR		ORIG. DATE	
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.			
DSNR			
		FIRST USED	
		10 D-SERIES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 1.5			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
TITLE:			
BODY PANEL INSTL-FRONT			
SHEET 1 OF 4		PART NO	REV
		172403	



FIRST USED		
10 D-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
BODY PANEL INSTL-FRONT		
SHEET	2	PART NO
		172403
		REV

LATCH-SINGLE ROTOR

ANGLE-LATCH

SECTION CA-CA

HOOD COMPL-FRONT

BOLT-HOOD ADJUSTING
058786-01-000
NUT
000D39-05-00U

FRONT END-CHASSIS
SUPPORT-FRONT (REF)

SECTION CB-CB
(4 PLACES)

TRIM ASM-A PILLAR

SIDEWALL ASM

TRIM ASM-A PILLAR

SECTION CC-CC


BOLT
000C12-04-08T
WASHER
000E13-14-00T

HOOD COMPL-FRONT

TRIM ASM-A PILLAR


SECTION CD-CD
(BOTH SIDES)

FIRST USED		10 D-SERIES	
DO NOT SCALE DRAWING			
TITLE:			
BODY PANEL INSTL-FRONT			
SHEET	3	PART NO	172403
			REV




DWG NO 172403

FIRST USED		
10 D-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
BODY PANEL INSTL-FRONT		
SHEET 4	PART NO 172403	REV



DETAIL EA
(WIN)



FIRST USED		
10 D-SERIES		
DO NOT SCALE DRAWING		
TITLE: BODY PANEL INSTL-FRONT		
SHEET 5	PART NO 172403	REV

BOLT
000C12-08-16U (2)
WASHER
E13-22-00U (2)
NUT
000D39-08-00U (2)

BOLT
000C12-06-16U (2)
NUT
000D39-06-00U (2)

SUPPORT-HINGE
162971-06-01B

BOLT
000C12-06-16U (2)
NUT
000D39-06-00U (2)

BOLT
000C12-08-16U (2)
WASHER
000E13-22-00U (2)
NUT
000D39-08-00U (2)

BOLT
000C26-05-16U

SUPPORT-HINGE
162971-03-01B

BOLT
000C26-05-16U

LATCH-SINGLE ROTOR,MINI,LH
149359-03-01A

ANGLE-LATCH,LH
158033-02-02B
BOLT
000C12-04-12T (4)
NUT
000D39-04-00T (2)


LATCH-SINGLE ROTOR,MINI,RH
149359-02-01A

DETAIL FA

ANGLE-LATCH,RH
158033-01-02B
BOLT
000C12-04-12T (4)
NUT
000D39-04-00T (2)

DETAIL FB

FIRST USED		10 D-SERIES	
DO NOT SCALE DRAWING			
TITLE: BODY PANEL INSTL-FRONT			
SHEET	6	PART NO	172403
		REV	



FIRST USED			
10 D-SERIES			
DO NOT SCALE DRAWING			
TITLE: BODY PANEL INSTL-FRONT			
SHEET 2	PART NO	172403	REV

LATCH-SINGLE ROTOR

ANGLE-LATCH

SECTION CA-CA

HOOD COMPL-FRONT

BOLT-HOOD ADJUSTING
058786-01-000
NUT
000D39-05-00U

FRONT END-CHASSIS
BRACKET (REF)

TRIM ASM-A PILLAR

SECTION CB-CB
(4 PLACES)

SIDEWALL ASM

TRIM ASM-A PILLAR

SECTION CC-CC


BOLT
000C12-04-08T
WASHER
000E13-14-00T

HOOD COMPL-FRONT


TRIM ASM-A PILLAR

SECTION CD-CD
(BOTH SIDES)


FIRST USED		
10 D-SERIES		
DO NOT SCALE DRAWING		
TITLE: BODY PANEL INSTL-FRONT		
SHEET 3	PART NO 172403	REV




NOTES:




VIEW D



SECTION A-A
(BOTH SIDES)





SECTION B-B
(2 PLCS)




SECTION C-C
(6 PLCS)

FIRST USED		
10 D-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
HOOD COMPL-FRONT		
SHEET 2	PART NO	REV
	164372	








SECTION C-C



FIRST USED		
10 D-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
PANEL-HOOD,OUTER		
SHEET 2	PART NO 164369	REV



FOAM CUTOUT/FLAT PATTERN



FIRST USED		
10 D-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
PANEL-HOOD, OUTER		
SHEET 3	PART NO 164369	REV

DWG NO	UNIT	SHEET
172170-01	D35J	1,2
172170-02	D33C	1,3
172170-03	D37L	1,4
172170-04	D31E	1,5

KEY	PART NUMBER (26F)	PART NUMBER (26H)	DESCRIPTION
1	124806-01-73A	124806-01-74A	DECAL-ITASCA W/ICON
2	129922-02-01A (16K)(16L) CHASSIS SUPPLIED (1PE)(1PU)(1PR)(1PS)		DECAL-EMBLEM TRITON V10 DECAL-EMBLEM
3	132664-02-01A		DECAL-LOGO DOMED WINNEBAGO
4	144587-02-47A	144587-02-48A	DECAL-ITASCA
5	135452-07-01A		DECAL-SUNOVA, LG
6	135452-08-01A		DECAL-SUNOVA, SML
7	151687-02-01A		DECAL/BEZEL-DOMED NAMEPLATE
8	172181-01-01A	172181-01-02A	DECAL-SWEEP HOOD/BACKWALL
9	172182-01-01A	172182-01-02A	DECAL-SWEEP #1, RH
10	172182-02-01A	172182-02-02A	DECAL-SWEEP #1, LH
11	172183-01-01A	172183-01-02A	DECAL-SWEEP #2, RH
12	172183-02-01A	172183-02-02A	DECAL-SWEEP #2, LH
13	172184-01-01A	172184-01-02A	DECAL-SWEEP #3, RH
14	172184-02-01A	172184-02-02A	DECAL-SWEEP #3, LH
15	172185-01-01A	172185-01-02A	DECAL-SWEEP #4, RH
16	172185-02-01A	172185-02-02A	DECAL-SWEEP #4, LH
17	172380-01-01A		PAINT MASK-UPPER BACKWALL
18	172381-01-01A		PAINT MASK-LOWER BACKWALL
19	172382-01-01A		PAINT MASK-UPPER MID SDWL, RH
20	172382-02-01A		PAINT MASK-UPPER MID SDWL, LH
21	172383-01-01A		PAINT MASK-LOWER REAR SDWL, RH
22	172383-02-01A		PAINT MASK-LOWER REAR SDWL, LH
23	172384-01-01A		PAINT MASK-UPPER REAR SDWL, RH
24	172384-02-01A		PAINT MASK-UPPER REAR SDWL, LH
25	172385-01-01A		PAINT MASK-FRONT SDWL, RH
26	172385-02-01A		PAINT MASK-FRONT SDWL, LH
27	141599-B5-000	141599-95-000	PAINT
28	141599-74-000	141599-41-000	PAINT
29	165266-01-01A		PAINT MASK-REFRIG VENT

(AFTER 06-04-09)

- 1PS

WORKHORSE 22,000#-22.5 TIRE
- 1PR

WORKHORSE 22,000#-19.5 TIRE
- 1PU

WKHRSE 22K 230HP DSL 22.5TIR
- 1PE

WORKHORSE 20,500 DSL 230HP
- 16L

FORD 22,000#-22.5 AL WHL
- 16K

FORD CHASSIS 22,000
- 26H

EXT GRAPHIC/PAINT-DLX PKG 2
- 26F

EXT GRAPHIC/PAINT DLX PKG 1

10 D-SER
(SUNOVA)

3
1.5
0.50
1"

SEE CHART
FOR COLOR VARIATIONS
OF THIS PART





GRAPHICS INSTALLATION
1 5 172170

- 7

PARTS BELOW FEATURE LINE WILL BE COLORED PRIOR TO ASSEMBLY.
METALLIC GOLD (26F) AND FORD SILVER MET (26H).
- 6

CENTER ON SURFACE.
5. VINYL DECAL WILL BE APPLIED WHERE EVER GRAPHIC DESIGN PATTERN IS POSITIONED OVER
SLIDEROOM EXTRUSION, BUT WILL NOT BE APPLIED TO VINYL SCREW COVER INSERT.
4. ALL LOGOS ARE TO BE +/- 1mm ON A HORIZONTAL PLANE (END TO END).
3. CLEAR COAT 141599-27-000 TO BE APPLIED ON ALL PAINTED AREAS.
2. APPLY FILM-URETHANE PROTECTANT 109506-01-000 AT BOTTOM OF ENTRANCE DOOR
TO PREVENT SCUFFMARKS.
1. APPLY PROTECTOR 116424-01-000 TO WATER HEATER DOOR LATCH.

NOTES:



10 D35J (SUNOVA)

8		7			
DWG NO	UNIT	A	B	C	D
172359-01	D35J	1160	1150	3000	3160
172359-02	D33C	.	.	.	.
172359-03	D37L	.	.	.	.
172359-04	D31E	.	.	.	.


RELEASE		REV	DATE	DWG NO	
A			12--30--08	172359	
REV	ZONE	REVISION RECORD			DATE
					DATE

D

C


B

A




DECAL-SUNOVA, SML
135452-08-01A

DECAL/BEZEL DOMED
151687-02-01A



DECAL-SUNOVA, LG
135452-07-01A (2)

A (PASSENGER SIDE)
B (DRIVER SIDE)



DECAL-LOGO DOMED
132664-02-01A (2)

C (PASSENGER SIDE)
D (DRIVER SIDE)

EMBLEM-TRITON V10
129922-02-01A (16K)(16L)
DECAL-EMBLEM
(CHASSIS SUPPLIED) (1PR)(1PE)(1PS)(1PU)

- (24P) MASK FRT END PROTECTIVE (1PU) WKHRSE 22K 230HP DSL 22.5TIR
- (1PS) WORKHORSE 22,000#-22.5 TIRE
- (1PE) WORKHORSE 20,500 DSL 230HP
- (1PR) WORKHORSE 22,000#-19.5 TIRE
- (16L) FORD 22,000#-22.5 AL WH
- (16K) FORD CHASSIS 22,000
- (27A) EXT FULL BODY PAINT PKG #1
- (92A) EXT FULL BODY PAINT PKG #2
- (24C) EXT FULL BODY PAINT PKG #3
- (24B) EXT FULL BODY PAINT PKG #4

6. APPLY SEALER BODY SEAM CLEAR 94401-04-000 TO HELP SECURE EDGES.

5. USE 174664-01-000 (100 FT) TO COVER UNSEALED ROOF SEAMS.

4. CLEAR COAT TO BE APPLIED ON ENTIRE UNIT TO PROTECT PAINT.

3. TOLERANCE FOR DIMENSIONS IS +/-20mm.
LOGO IS TO BE +/- 1mm ON A HORIZONTAL PLANE (END TO END).

2. APPLY FILM-URETHANE PROTECTANT 109506-01-000 AT BOTTOM OF
ENTRANCE DOOR TO PREVENT SCUFFMARKS.

1. APPLY PROTECTOR 116424-01-000 TO WATER HEATER DOOR LATCH.

NOTES:

10. BLACK PLASTIC ABS WINDSHIELD WIPER PANEL IS TO BE PAINTED THE
CORRESPONDING COLOR IN THE PAINT SCHEME.

9. DIE CUT ACRYLIC FILM TO PROTECT UNIT (KIT-PAINT PROTECTION 167522-01-000)

8. PASSENGER SIDE OF UNIT SHOWN, DRIVER'S SIDE OPPOSITE.

7. END PANELS OF SLIDEOUT ROOMS WILL BE PAINTED WITH BASECOAT
AND CLEAR COAT ONLY. THERE WILL BE NO COLORED DESIGN GRAPHIC
ELEMENTS PAINTED ON THE END PANELS.

WINNEBAGO		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
		ORIG DATE	12/18/08
		FIRST USED	10 D SERIES SUNOVA
		MATERIAL:	
SPECIFICATION PRINT DO NOT SCALE			
TITLE: GRAPHICS INSTL - FBP			
SHEET	1 OF 2	PART NO	172359
		REV	

08/26/09

DECAL-SUNOVA, LG (3)
135452-07-CHT
135452-07-01A



DECAL-SUNOVA, SML
135452-08-CHT
135452-08-01A



SEDONA MET
SW#63814

LT. PEARLSTONE MET
SW# 75248



BLACK MET
SW# 75377

GRAPHICS INST - 2010 SUNOVA F.B.P.
SEDONA (27A)

DECAL-SUNOVA, LG (3)
135452-07-CHT
135452-07-01A



DECAL-SUNOVA, SML
135452-08-CHT
135452-08-01A



BLACK MET
SW# 75377

BRILLIANT SILVER MET
SW# 45696-4



LT. GREY MET
SW#45729

GRAPHICS INST - 2010 SUNOVA F.B.P.
SILVER CLOUD (92A)

DECAL-SUNOVA, LG (3)
135452-07-CHT
135452-07-01A



DECAL-SUNOVA, SML
135452-08-CHT
135452-08-01A



PEWTER MET
SW# 76573

MINERAL GRAY MET
SW# 60588



DESERT SAND MICA MET
SW#60451-3

GRAPHICS INST - 2010 SUNOVA F.B.P.
PEWTER (24C)

DECAL-SUNOVA, LG (3)
135452-07-CHT
135452-07-01A



DECAL-SUNOVA, SML
135452-08-CHT
135452-08-01A



DK GRAY MICA MET
SW# 59271-4

DK BRONZEMIST MET
SW# 57074-1



SILVER PLUM MET
SW#54940-1

GRAPHICS INST - 2010 SUNOVA F.B.P.
SILVER PLUM (24B)

FIRST USED		
2010 D-SERIES (SUNOVA)		
SPECIFICATION PRINT DO NOT SCALE		
TITLE:		
GRAPHICS INSTL - FBP		
SHEET	PART NO	REV
2	172359	

8

7

6

5

4

3

2

1

RELEASE

REV
A

DATE

DWG
NO

172169

REV

ZONE

REVISION RECORD

DATE

DFTR.Orig

D

C

B

A

8

7

6

5

4

3

2

1

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

KEY

PART NUMBER (26F)

PART NUMBER (26H)

DESCRIPTION

1

120702-03-33A

DECAL-LOGO WINNEBAGO

2

129922-02-01A (16K)(16L)
CHASSIS SUPPLIED (1PR)(1PE)(1PS)(1PU)

DECAL-EMBLEM TRITON V10
DECAL-EMBLEM

3

132664-02-01A

DECAL-LOGO DOMED WINNEBAGO

4

135381-02-16A

135381-02-07A

DECAL-W

5

135453-03-07A

DECAL-SIGHTSEER LG

6

135453-04-07A

DECAL-SIGHTSEER SML

7

151687-01-01A

DECAL/BEZEL-DOMED NAMEPLATE

8

172137-01-01A

172137-01-02A

DECAL-HOOD SLASH

9

172138-01-01A

172138-01-02A

DECAL-HOOK, FRT #1, RH

10

172138-02-01A

172138-02-02A

DECAL-HOOK, FRT #1, LH

11

172139-01-01A

172139-01-02A

DECAL-HOOK, FRT #2, RH

12

172139-02-01A

172139-02-02A

DECAL-HOOK, FRT #2, LH

13

172141-01-01A

172141-01-02A

DECAL-SLASH, FRT, RH

14

172141-02-01A

172141-02-02A

DECAL-SLASH, FRT, LH

15

172142-01-01A

172142-01-02A

DECAL-SLASH, MID, RH

16

172142-02-01A

172142-02-02A

DECAL-SLASH, MID, LH

17

172143-01-01A

172143-01-02A

DECAL-HOOK, RR #1, RH

18

172143-02-01A

172143-02-02A

DECAL-HOOK, RR #1, LH

19

172144-01-01A

172144-01-02A

DECAL-HOOK, RR #2, RH

20

172144-02-01A

172144-02-02A

DECAL-HOOK, RR #2, LH

21

172145-01-01A

172145-01-02A

DECAL-SLASH, RR, RH

22

172145-02-01A

172145-02-02A

DECAL-SLASH, RR, LH

23

172146-01-01A

172146-01-02A

DECAL-BACKWALL

24

172375-01-01A

PAINT MASK-UPPER FRONT SIDEWALL, RH

25

172375-02-01A

PAINT MASK-UPPER FRONT SIDEWALL, LH

26

172376-01-01A

PAINT MASK-LOWER FRONT SDWL, RH

27

172376-02-01A

PAINT MASK-LOWER FRONT SDWL, LH

28

172377-01-01A

PAINT MASK-LOWER MID SDWL, RH

29

172377-02-01A

PAINT MASK-LOWER MID SDWL, LH

30

172378-01-01A

PAINT MASK-UPPER REAR SIDEWALL, RH

31

172378-02-01A

PAINT MASK-UPPER REAR SIDEWALL, LH

32

141599-70-000

141599-72-000

PAINT

33

141599-41-000

141599-68-000

PAINT

34

172374-01-01A

PAINT MASK-LOWER BACKWALL

35

165266-01-01A

PAINT MASK-REFRIG VENT

36

174807-01-01A

PAINT MASK-UPPER BACKWALL

141599-A3-000 (UP TO 08-09-09)
(AFTER 08-10-09)

7

PARTS BELOW FEATURE LINE WILL BE COLORED PRIOR TO ASSEMBLY.
FORD SILVER MET (26F) AND SANDSTONE BEIGE MET (26H)

6

CENTER ON SURFACE.

5

VINYL DECAL WILL BE APPLIED WHERE EVER GRAPHIC DESIGN PATTERN IS POSITIONED OVER
SLIDEROOM EXTRUSION, BUT WILL NOT BE APPLIED TO VINYL SCREW COVER INSERT.

4

ALL LOGOS ARE TO BE +/- 1mm ON A HORIZONTAL PLANE (END TO END).

3

CLEAR COAT 141599-C2-000 TO BE APPLIED ON ALL PAINTED AREAS.

2

APPLY FILM-URETHANE PROTECTANT 109506-01-000 AT BOTTOM OF ENTRANCE DOOR
TO PREVENT SCUFFMARKS.

1

APPLY PROTECTOR 116424-01-000 TO WATER HEATER DOOR LATCH.

NOTES:

SEE CHART

FOR COLOR VARIATIONS
OF THIS PART

1PU

WKHRSE 22K 230HP DSL 22.5TIR

1PS

WORKHORSE 22,000#-22.5 TIRE

1PE

WORKHORSE 20,500 DSL 230HP

1PR

WORKHORSE 22,000#-19.5 TIRE

16L

FORD 22,000#-22.5 AL WHL

16K

FORD CHASSIS 22,000

26H

EXT GRAPHIC/PAINT-DLX PKG 2

26F

EXT GRAPHIC/PAINT DLX PKG 1

Winnebago Industries

COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DFTR

ORIG. DATE

CHRR

ALL DIMENSIONS ARE
IN MILLIMETERS

P.E.

M.E.

FIRST USED

DSNR

10 D-SER
(SIGHTSEER)

UNSPECIFIED TOLERANCES ARE:

MATERIAL:

WHOLE DIM (X)

:

20

ONE-PLACE (X.X)

:

10

TWO-PLACE (X.XX)

:

-

ANGLE

:

-

THIRD ANGLE
PROJECTION

DO NOT SCALE DRAWING

TITLE:

GRAPHICS INSTALLATION

SHEET1 OF 2





PART NO

172169

REV

REF:

1



FIRST USED		10 D35J (SIGHTSEER)	
TITLE:		DO NOT SCALE DRAWING	
TITLE:		GRAPHICS INSTALLATION	
SHEET 2	PART NO	172169	REV

8

DWG NO

UNIT

A

B

C

D

172358-01

D35J

.

.

.

.

172358-02

D33C

.

.

.

.

172358-03

D37L

1020

1070

2280

2300

172358-04

D31E

.

.

.

.

7

6

5

↓

4

3

2

1

RELEASE

REV

DATE

12--22--08

DWG NO

172358

REV

ZONE

REVISION RECORD

DATE

DATE

DATE

DECAL-SIGHTSEER, LG

135453-03-07A

△

260

DECAL/BEZEL DOMED

151687-01-01A

DECAL-SIGHTSEER, SML

135453-04-07A

310

DECAL/BEZEL DOMED

151687-01-01A

370

DECAL-SIGHTSEER, LG

135453-03-07A (2)

A (PASSENGER SIDE)

B (DRIVER SIDE)

DECAL-LOGO DOMED

132664-02-01A (2)

40 (2)

570 (2)

25 (4)

EMBLEM-TRITON V10

129922-02-01A (2) (16K)(16L)

DECAL-EMBLEM

(CHASSIS SUPPLIED) (2) (1PR)(1PE)(1PS)(1PU)

6. APPLY SEALER BODY SEAM CLEAR 94401-04-000 TO HELP SECURE EDGES.

5. USE 174664-01-000 (100 FT) TO COVER UNSEALED ROOF SEAMS.

4. CLEAR COAT TO BE APPLIED ON ENTIRE UNIT TO PROTECT PAINT.

3. TOLERANCE FOR DIMENSIONS IS +/-20mm.
LOGO IS TO BE +/- 1mm ON A HORIZONTAL PLANE (END TO END).

2. APPLY FILM-URETHANE PROTECTANT 109506-01-000 AT BOTTOM OF
ENTRANCE DOOR TO PREVENT SCUFFMARKS.

1. APPLY PROTECTOR 116424-01-000 TO WATER HEATER DOOR LATCH.

NOTES:

11. BLACK PLASTIC ABS WINDSHIELD WIPER PANEL IS TO BE
PAINTED THE CORRESPONDING COLOR IN THE PAINT
SCHEME.

△CENTER ON UNIT.

9. DIE CUT ACRYLIC FILM TO PROTECT UNIT (KIT-PAINT PROTECTION 167522-01-000)

8. PASSENGER SIDE OF UNIT SHOWN, DRIVER'S SIDE OPPOSITE.

7. END PANELS OF SLIDEOUT ROOMS WILL BE PAINTED WITH BASECOAT
AND CLEAR COAT ONLY. THERE WILL BE NO COLORED DESIGN GRAPHIC
ELEMENTS PAINTED ON THE END PANELS.

(24P) MASK FRT EXT PROTECTIVE
(1PU) WKHRSE 22K 230HP DSL 22.5TIR
(1PS) WORKHORSE 22,000#-22.5 TIRE
(1PE) WORKHORSE 20,500 DSL 230HP
(1PR) WORKHORSE 22,000#-19.5 TIRE
(16L) FORD 22,000#-22.5 AL WH
(16K) FORD CHASSIS 22,000
(27A) EXT FULL BODY PAINT PKG #1
(92A) EXT FULL BODY PAINT PKG #2
(24C) EXT FULL BODY PAINT PKG #3
(24B) EXT FULL BODY PAINT PKG #4

WINNEBAGO

COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

ORIG DATE

12/18/08

FIRST USED

10 D SERIES
SIGHTSEER

MATERIAL

SPECIFICATION PRINT

DO NOT SCALE

TITLE

GRAPHICS INSTL - FBP

SHEET

1

OF

2

PART NO

172358

REV

REF

1

08/26/09

DECAL-SIGHTSEER, LG (3)
135453-03-CHT
135453-03-07A

DECAL-SIGHTSEER, SML
135453-04-CHT
135453-04-07A

ANTIQUE SAGE PEARL MET
SW#54757

MED. GARNET RED MET
SW# 35894-7

PEARL SILVER MET
SW# 77977

(27A)
GRAPHICS INST - 2010 SIGHTSEER F.B.P.
GARNET

DECAL-SIGHTSEER, LG (3)
135453-03-CHT
135453-03-07A

DECAL-SIGHTSEER, SML
135453-04-CHT
135453-04-07A

HAZELNUT MET
SW# 78161

GOLD MET
SW# 78167

DESERT SAND MICA MET
SW#60451-2

(92A)
GRAPHICS INST - 2010 SIGHTSEER F.B.P.
DESERT SAND

DECAL-SIGHTSEER, LG (3)
135453-03-CHT
135453-03-07A

DECAL-SIGHTSEER, SML
135453-04-CHT
135453-04-07A

BLACK MIST MET
SW# 75377

AUTUMNWOOD MET
SW# 48507-1

DK GRAY MET
SW#64255

(24C)
GRAPHICS INST - 2010 SIGHTSEER F.B.P.
IRON GRAY

DECAL-SIGHTSEER, LG (3)
135453-03-CHT
135453-03-07A

DECAL-SIGHTSEER, SML
135453-04-CHT
135453-04-07A


BRIGHT PLATINUM MET
SW# 48823-3

MED STELLAR BLUE MET
SW# 51837-2

BLACK MIST MET
SW#75377


(24B)
GRAPHICS INST - 2010 SIGHTSEER F.B.P.
STELLAR BLUE
REV. D

FIRST USED		
2010 D-SERIES (SIGHTSEER)		
SPECIFICATION PRINT		
DO NOT SCALE		
TITLE:		
GRAPHICS INSTL - FBP		
SHEET	PART NO	REV
2	172358	



RELEASE		REV	DATE	DWG NO	171389
REV	ZONE	REVISION RECORD			DATE
					DFTR.Orig

WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.			
DFTR		ORIG. DATE			
CHGR		ALL DIMENSIONS ARE IN MILLIMETERS			
P.E.					
M.E.		FIRST USED			
DSNR		10 E-SERIES			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:			
WHOLE DIM (X) ±					
ONE-PLACE (X.X) ±					
TWO-PLACE (X.XX) ±					
ANGLE ±					
THIRD ANGLE PROJECTION					
DO NOT SCALE DRAWING					
TITLE:					
LADDER INSTL					
SHEET OF		PART NO	REV		
		171389			
REF:		1			



4. MUDFLAPS AND/OR ROCKGUARD TO BE 40mm MIN FROM TIRE WHEN INSTALLED.

3. APPLY URETHANE ADHESIVE TO TOP OF CHASSIS FLOOR FRAME STRUCTURE PER ES0077.

2. FOR SECTIONS AA THRU AZ SEE DRAWING 172200.

1. FOR WHEEL COVERS,LINERS, VALVE EXTENSIONS,STABIZERS AND FOR TIGHTENING LUG NUTS, SEE DRAWING 116343-01-000.

RELEASE		REV DATE	DWG NO 170397	
REV	ZONE	REVISION RECORD		DATE
1		2		3

13Y WINDOW-COACH DUAL PANE

65G WINDOW-COACH SINGLE PANE

094 WINDOWS-SE-GI

513 FLOORCOVERING-VINYL-THRU OUT

1G9 FLOORCOVERING-VINYL-FRONT

64V SIDEWALL-PREMIUM HIGH GLOSS

1A4 LEVELING JACK WITHOUT

60M HYDRAULIC LEVEL JACKS-AUTO

28N MIRRORS-EXTERIOR

28X MIRRORS-EXTERIOR W/DEFROST

WINNEBAGO INDUSTRIES

COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.

DO NOT SCALE DRAWING

TITLE: BODY INSTL-PANEL & TRIM

SHEET 1 OF 1

REF: 1

2/2/2010


106015-12-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-12-700	EA MIRROR-FLAT-W/W/O HEAT	709448
	106015-12-701	EA MIRROR-CONVEX - W/W/O HEAT	709449
	106015-12-702	EA CAP/SCREW - (PKG OF 4) - BLK	748329 RND
	106015-12-703	EA CONVEX GLASS/HANDSET/HOUSING	7095892
	106015-19-701	EA GLASS/FLAT-W/BEZEL/HEAT/ANTI	709644
	119774-09-700	EA PLATE-INNER SUPT/MIRROR HEAD	709418-7RH
	131431-01-701	EA MOTOR	7475400

106015-13-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-12-700	EA MIRROR-FLAT-W/W/O HEAT	709448
	106015-12-701	EA MIRROR-CONVEX - W/W/O HEAT	709449
	106015-12-702	EA CAP/SCREW - (PKG OF 4) - BLK	748329 RND
	106015-12-703	EA CONVEX GLASS/HANDSET/HOUSING	7095892
	106015-19-701	EA GLASS/FLAT-W/BEZEL/HEAT/ANTI	709644
	119774-09-701	EA PLATE INNER SUPT/MIRROR HEAD	709419-7LH
	131431-01-701	EA MOTOR	7475400

106015-14-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-12-700	EA MIRROR-FLAT-W/W/O HEAT	709448
	106015-12-701	EA MIRROR-CONVEX - W/W/O HEAT	709449
	106015-12-702	EA CAP/SCREW - (PKG OF 4) - BLK	748329 RND
	106015-12-703	EA CONVEX GLASS/HANDSET/HOUSING	7095892
	106015-19-701	EA GLASS/FLAT-W/BEZEL/HEAT/ANTI	709644
	119774-09-700	EA PLATE-INNER SUPT/MIRROR HEAD	709418-7RH


106015-15-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-12-700	EA MIRROR-FLAT-W/W/O HEAT	709448
	106015-12-701	EA MIRROR-CONVEX - W/W/O HEAT	709449
	106015-12-702	EA CAP/SCREW - (PKG OF 4) - BLK	748329 RND
	106015-12-703	EA CONVEX GLASS/HANDSET/HOUSING	7095892
	106015-19-701	EA GLASS/FLAT-W/BEZEL/HEAT/ANTI	709644
	119774-09-701	EA PLATE INNER SUPT/MIRROR HEAD	709419-7LH

106015-18-01A, 106015-19-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-12-702	EA CAP/SCREW - (PKG OF 4) - BLK	748329 RND
	106015-16-700	EA GLASS-FLAT W/HEAT ELEMENT	709450
	106015-18-700	EA GLASS/CONVEX-KIT W/CLIP	709650
	106015-18-701	EA ACTUATOR - CONVEX GLASS	7475410
	106015-18-702	EA MOTOR - FLAT GLASS	7471180
	106015-18-703	EA CONVEX REBUILT KIT	709651
	106015-19-700	EA VIBRATION KIT - MIRROR GLASS, VELVAC	709645




140923-01
331C
500-SERIES
(524A PASSENGER)
(524K PASSENGER)
700-SERIES
D-SERIES
E-SERIES
H SERIES
J SERIES


4	000C260512U	BOLT	4
3	000D390500U	NUT	4
2	14092201CHT	PLATE-MUDFLAP	1
1	01751601000	MUD FLAP-BLACK	1
ITEM	PART NUMBER	DESCRIPTION	QTY



COPYRIGHT 2010
WINNEBAGO
INDUSTRIES, INC.

DFTR	ORIG. DATE
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	02 MOTORHOMES
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	:
ONE-PLACE (X.X)	:
TWO-PLACE (X.XX)	:
ANGLE	:
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: MUD FLAP COMPL	
SHEET 1 OF 5	PART NO 140923 REV


REF: 1 2/16/2010




DWG NO 140923

140923-05
D-SERIES
E-SERIES


4	01751608000	MUD FLAP-BL	1
3	000C260512U	BOLT	4
2	000D390500U	NUT	4
1	14092201CHT	PLATE-MUDFL	1
ITEM	PART NUMBER	DESCRIPTION	QTY
FIRST USED			
02 MOTORHOMES			
DO NOT SCALE DRAWING			
TITLE:			
MUD FLAP COMPL			
SHEET 3	PART NO 140923	REV	




DETAIL GB




SECTION GA-GA




DETAIL GJ




9. INSERT-DOOR 136177-03-XXX IS MADE FROM CUTOUT
8. SAW CUT THRU FIBERGLASS ONLY.
7. THRU INNER WALL OF TUBE ONLY.
6. THUR INTERIOR SURFACE AND FOAM.
5. THRU EXTERIOR SURFACE AND FOAM.
4. CUTOUT THRU INNER PANELING ONLY.
3. ALL RADII 9.5 UNLESS OTHERWISE SPECIFIED.
2. PANEL SHOWN FROM INTERIOR SIDE.
1. TOLERANCE FOR CUTOUT ± 1.5 .



SECTION GE-GE
(3 SIDES ONLY)



SECTION GH-GH




SECTION GF-GF

- | | |
|-----|------------------------------|
| 1JU | TV (REAR)-19"COLOR, STEREO |
| 74C | VIDEO CAMERA SYSTEM |
| 64V | SIDEWALL-PREMIUM HIGH GLOSS |
| 64T | SIDEWALLS-HIGH GLOSS |
| 1D5 | ENTERTAINMENT CENTR/EXT W/CD |


NOTICE

CHANGES TO THIS SHEET
MAY AFFECT OTHERS


FIRST USED		
10 D35J		
DO NOT SCALE DRAWING		
TITLE:		
SIDEWALL ASM-RIGHT		
SHEET 7	PART NO	REV
	170403	




SECTION BA-BA



SECTION BB-BB





FIRST USED		
10 D SERIES		
DO NOT SCALE DRAWING		
TITLE:		
BACKWALL ASM		
SHEET 1	PART NO 170412	REV



DWG NO	SHEET
171125-01	1
171125-02	2

RELEASE	REV DATE	DWG NO	171125
REV ZONE	REVISION RECORD	DATE	DFTR.Orig




1. RE-TORQUE BOLTS TO 75 FT-LBS AFTER ATTACHING THE REAR CAP BRACE TO THE REAR CLIP.


NOTES:



COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DFTR	ORIG. DATE
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	10 E-SERIES
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	: 3
ONE-PLACE (X.X)	: 1.5
TWO-PLACE (X.XX)	: 0.50
ANGLE	: 1°
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: REAR CAP INSTL	
SHEET 1 OF 2	PART NO 171125

REF: 1



16. TACK WELD FRONT SLIDEOUT-COMPT
SUPPORT BRACKETS TO RAM MOUNTING BRACKETS
15. TORQUE TO 64 FT-LBS.
14. ADJUST THIS DIMENSION TO ACHIEVE 8mm ±2 OF
FALL AT THE END OF THE RAM STROKE.
13. WRAP CARPET AROUND EDGE IN AREA SHOWN.
12. SECURE ONE OF THE SLIDEOUT ROOM ACTIVATION KEYS
TO THE ROD-LOCK STRAP. KEYS ARE INCLUDED WITH
SWITCH ASSEMBLY P/N 163097(REF).
11. TORQUE ALL BOLTS PER ES0018 UNLESS OTHERWISE SPECIFIED.
(SEE TABLE BELOW)
- | SIZE | TORQUE VALUE (FT-LBS) |
|-------------------|-----------------------|
| 1/4 - 20 (.250) | 76 (IN-LBS) |
| 5/16 - 18 (.3125) | 13 (FT-LBS) |
| 3/8 - 16 (.375) | 23 (FT-LBS) |
| 7/16 - 14 (.4375) | 37 (FT-LBS) |
| 1/2 - 13 (.500) | 57 (FT-LBS) |
10. USE POLY-CLEAR 047034-07-000 AND ATTACH IT USING WASHER
044533-01-000 TO PROTECT THE SLIDEOUT FLOOR.
9. SCREWS CANNOT BE REUSED. ANY TIME A SCREW IS REMOVED
IT MUST BE DISCARDED AND REPLACED WITH A NEW SCREW
TO INSURE THE THREADS SEAL.
8. USE SCREW 000G39-08-08S TO HOLD EACH END OF TRIM.
7. SEE SEALANT MANUAL..
6. LOOSEN BOLTS TO ALLOW ROOM TO MOVE SIDE TO SIDE ON
THE MOUNTING BRACKETS UNTIL IT IS CENTERED IN THE OPENING.
TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.
5. LOOSEN JAM NUTS AND ADJSUT BOLT TO MOVE ROOM UP OR DOWN TO BE
CENTERED IN THE SIDEWALL OPENING. TIGHTEN AFTER ALL
ADJUSTMENTS ARE COMPLETE.
4. THIS IS A NOMINAL DIMENSION; THE PARTS SHOULD BE ADJUSTED
AS REQUIRED FROM THERE.
3. THE RETRACTED LENGTH IS ADJUSTED BY THREADING
THE STOP BOLT IN OR OUT UNTIL THE OUTSIDE WALL
OF THE ROOM SEALS AGAINST THE SIDEWALL.
2. THE EXTENDED LENGTH IS ADJUSTED BY TURNING THE
LOCK NUTS ON THE PISTON RODS IN OR OUT UNTIL
THE SLIDEOUT ROOM SEALS AGAINST THE SIDEWALL.
1. FOR ADDITIONAL INFORMATION SEE WIRE INSTALLATION
FRONT END AND THE LEVELING JACK INSTALLATION DRAWINGS.

ROOM ASM-SLIDEOUT			
170406-13-XXX	64V		
170406-14-XXX	64V	513	
170406-15-XXX	64V	094	65G
170406-16-XXX	64V	094	13Y
170406-17-XXX	64V	094	65G 513
170406-18-XXX	64V	094	13Y 513

RELEASE		REV	DATE	DWG NO	170406
REV	ZONE	REVISION RECORD		DATE	DFTR-ORIG

65G

WINDOWS COACH-SINGLE PANE

13Y

WINDOWS COACH-DUAL PANE

094

SE-GI WINDOWS

64V

SIDEWALL-PREMIUM HIGH GLOSS


513


FLOORCOVERING-VINYL-THRU OUT

WINNEBAGO INDUSTRIES

COPYRIGHT 2010
WINNEBAGO INDUSTRIES, INC.

4/28/2010






AWNING

SLUG ASM

SECTION CA-CA



ROOF ASM-SLIDEOUT

SEALANT 7

PANEL ASM-SLIDEOUT

SECTION CD-CD

DRAIN PAN-FLOOR
160471-01-01A
SCREW
000G11-08-08T (2)
BRACKET-ZEE
165562-01-02B
SCREW
000G39-10-12T (2)

LUMBER BEVELED
174776-00-788 (5)
(3745)
(UNDER CARPET)
RAMP-SLIDEOUT
134837-01-CHT
(UNDER VINYL FLOOR)
(3745)

513

STAPLE

FLOOR ASM-UPPER

SECTION CH-CH

FRONT EDGE
OF FLOOR




SEAL-TRIANGLE
146056-01-000
(APPLY ACROSS TOP AND
DOWN BOTH SIDES)(7680)

TRIM-SEAL

SECTION CE-CE

FLOOR ASM-SLIDEOUT


SECTION CF-CF



PANEL ASM-SLIDEOUT

SLUG ASM-SLIDEOUT

SECTION CB-CB



SIDEWALL ASM

PANEL ASM-SLIDEOUT

TRIM ASM
151763-12-XXX
SCREW
000G11-08-08U (EXT)(7)
000G39-10-10U (8)


RETAINER
142718-01-01A
EXTR-SIDEWALL SLIDE
142113-51-002
SCREW
000G39-10-169 (8)

PANEL ASM-SLIDEOUT

TRIM ASM
151763-11-XXX
SCREW
000G11-08-08U (EXT)(7)
000G39-10-10U (8)


RETAINER
142718-01-01A
EXTR-SIDEWALL SLIDE
142113-51-002
SCREW
000G39-10-169 (8)

SECTION CC-CC



SLUG ASM-SLIDEOUT

SIDEWALL ASM



PANEL ASM-SLIDEOUT

CK

CK

SLUG ASM-SLIDEOUT


SIDEWALL ASM

SECTION CJ-CJ

ROD-LOCK
12 162495-01-01A

FILM-URETHANE,PROTECTANT
109506-14-000

SECTION CK-CK



136

SLUG ASM-SLIDEOUT

CH

CH

SEAL
115075-03-000
(4100)

FLOOR ASM-SLIDEOUT


FLOOR ASM-UPPER

ZEE-SLIDEOUT
128621-47-01A
SCREW
000G39-10-10T (10)


SECTION CG-CG

513 FLOORCOVERING-VINYL-THRU OUT

FIRST USED			10 D35J
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-FRONT,LH			
SHEET 3	PART NO	170406	REV



FIRST USED			
10 D35J			
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-FRONT,LH			
SHEET 4		PART NO 170406	REV



FIRST USED			10 D35J
DO NOT SCALE DRAWING			
TITLE:			SLIDEOUT COMPL-FRONT,LH
SHEET 5	PART NO	170406	REV

8		7		6	5
DWG NO	ROOM COMPL-SLIDEOUT	SLUG ASM-SLIDEOUT	PANEL ASM-SLIDEOUT.RH	PANEL ASM-SLIDEOUT,LH	
170407-01	170407-11-XXX	170403-11-XXX	162977-11-XXX	162977-17-XXX	
170407-02	170407-12-XXX	170403-12-XXX	162977-12-XXX	162977-18-XXX	
170407-03	170407-13-XXX	170403-14-XXX	162977-12-XXX	162977-18-XXX	
170407-04	170407-14-XXX	170403-16-XXX	162977-12-XXX	162977-18-XXX	

RELEASE		REV	DATE	DWG NO	170407
REV	ZONE	REVISION RECORD		DATE	DFTR.Orig

64T

64V

64V 094 65G

64V 094 13Y

ROOM COMPL-SLIDEOUT
(SEE TAB)

COVER ASM-RAM
138077-16-U51(WHT)
138077-16-AA1(BLK)

COVER ASM-RAM
138077-16-U51(WHT)
138077-16-AA1(BLK)

65G WINDOW COACH-SINGLE PANE
13Y WINDOWS-COACH-DUAL PANE
094 WINDOWS - SE-GI
64T SIDEWALLS-HIGH GLOSS
64V SIDEWALL-PREMIUM HIGH GLOSS

SLIDEOUT-ELECTRIC,20"
162827-02-000(UP TO 01-10-10)
174525-01-000(AFTER 01-10-10)

SLIDEOUT-ELECTRIC,20"
162827-01-000(UP TO 01-10-10)
174525-01-000(AFTER 01-10-10)

15. TORQUE TO 41 FT-LBS.

14. ADJUST THIS DIMENSION TO ACHIEVE 8mm ±2 OF
FALL AT THE END OF THE RAM STROKE.

13. WRAP CARPET AROUND EDGE IN AREA SHOWN.

12. ADJUST STRAP TENSION TO BE TIGHT WHEN ROOM IS COMPLETELY
RETRACTED.

11. TORQUE ALL BOLTS PER ES0018 UNLESS OTHERWISE SPECIFIED.
(SEE TABLE BELOW)

SIZE	TORQUE VALUE (FT-LBS)
1/4 - 20 (.250)	76 (IN-LBS)
5/16 - 18 (.3125)	13 (FT-LBS)
3/8 - 16 (.375)	23 (FT-LBS)
7/16 - 14 (.4375)	37 (FT-LBS)
1/2 - 13 (.500)	57 (FT-LBS)

10. USE POLY-CLEAR 047034-07-000 AND ATTACH IT USING WASHER
044533-01-000 TO PROTECT THE SLIDEOUT FLOOR.

9. SCREWS CANNOT BE REUSED. ANY TIME A SCREW IS REMOVED
IT MUST BE DISCARDED AND REPLACED WITH A NEW SCREW
TO INSURE THE THREADS SEAL.

8. USE SCREW 000G39-08-08S TO HOLD EACH END OF TRIM.

7. SEE SEALANT MANUAL..

6. LOOSEN BOLTS TO ALLOW ROOM TO MOVE SIDE TO SIDE ON
THE MOUNTING BRACKETS UNTIL IT IS CENTERED IN THE OPENING.
TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.

5. LOOSEN JAM NUTS AND ADJUST BOLT TO MOVE ROOM UP OR DOWN TO BE
CENTERED IN THE SIDEWALL OPENING. TIGHTEN AFTER ALL
ADJUSTMENTS ARE COMPLETE.

4. THIS IS A NOMINAL DIMENSION; THE PARTS SHOULD BE ADJUSTED
AS REQUIRED FROM THERE.


3. THE RETRACTED LENGTH IS ADJUSTED BY THREADING
THE STOP BOLT IN OR OUT UNTIL THE OUTSIDE WALL
OF THE ROOM SEALS AGAINST THE SIDEWALL.

2. THE EXTENDED LENGTH IS ADJUSTED BY TURNING THE
LOCK NUTS ON THE PISTON RODS IN OR OUT UNTIL
THE SLIDEOUT ROOM SEALS AGAINST THE SIDEWALL.

1. FOR ADDITIONAL INFORMATION SEE WIRE INSTALLATION
FRONT END AND THE LEVELING JACK INSTALLATION DRAWINGS.

NOTES:









WINNEBAGO® INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTR		ORIG. DATE	
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.			
DSNR		FIRST USED	
		10 D35J	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			
THIRD ANGLE PROJECTION			
			
DO NOT SCALE DRAWING			
TITLE:			
SLIDEOUT COMPL-REAR,RH			
SHEET 1 OF 5		PART NO	REV
		170407	




- (27A) EXT FULL BODY PAINT PKG #1
- (92A) EXT FULL BODY PAINT PKG # 2
- (24C) EXT FULL BODY PAINT PKG # 3

ROOM ASM-SLIDEOUT
(SEE TAB)


FIRST USED		
10 D35J		
DO NOT SCALE DRAWING		
TITLE: SLIDEOUT COMPL-REAR,RH		
SHEET 2	PART NO 170407	REV




FIRST USED		
10 D35J		
DO NOT SCALE DRAWING		
TITLE: SLIDEOUT COMPL-REAR,RH		
SHEET 3	PART NO 170407	REV



FIRST USED			10 D35J
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-REAR,RH			
SHEET 4	PART NO	170407	REV



FIRST USED		
10 D35J		
DO NOT SCALE DRAWING		
TITLE: SLIDEOUT COMPL-REAR,RH		
SHEET 5	PART NO 170407	REV






14	14413836CHT	SEAL PLANE A	1
13	14284513000	PANEL ASM-FC	1
12	13555427XXX	SUPPORT ASM	1
11	12798028CHT	CLOSEOUT-COM	1
10	12798027CHT	CLOSEOUT-COM	1
9	12659101CHT	CARRIER ASM	1
8	12588806CHT	BRACKET-SLID	1
7	12588805CHT	BRACKET-SLID	1
6	10786526CHT	ROD-SUPPORT	1
5	000G391012U	SCREW-PAN,HE	2
4	000D390800U	NUT	4
3	000D390400U	NUT	4
2	000C120820U	BOLT	4
1	000C120410U	BOLT	4
ITEM	PART NUMBER	DESCRIPTION	QTY

FIRST USED			10 D35J
DO NOT SCALE DRAWING			
TITLE: COMPARTMENT COMPL-SLIDEOUT			
SHEET 1	PART NO	144137	REV


NOTE:
1. VINYL TRIM TO BE KEPT 10MM AWAY FROM HOLES IN LOWER SEAL PLANE FLANGE.

TRIM-VINYL
126516-01-CHT

WEIGHT = 112.3 LBS



144137-39
(AFTER 12-14-09)






1. VINYL TRIM TO BE KEPT 10MM AWAY FROM HOLES IN LOWER SEAL PLANE FLANGE.

NOTE:




WEIGHT = 112.3 LBS

14	14413837CHT	SEAL PLANE A	1
13	14284514000	PANEL ASM-FC	1
12	13555428XXX	SUPPORT ASM-	1
11	12798030CHT	CLOSEOUT-COM	1
10	12798029CHT	CLOSEOUT-COM	1
9	12659101CHT	CARRIER ASM-	1
8	12588806CHT	BRACKET-SLID	1
7	12588805CHT	BRACKET-SLID	1
6	10786526CHT	ROD-SUPPORT	1
5	000G391012U	SCREW-PAN,HE	2
4	000D390800U	NUT	4
3	000D390400U	NUT	4
2	000C120820U	BOLT	4
1	000C120410U	BOLT	4
ITEM	PART NUMBER	DESCRIPTION	QTY

FIRST USED		
10 D35J		
DO NOT SCALE DRAWING		
TITLE:		
COMPARTMENT COMPL-SLIDEOUT		
SHEET 2	PART NO 144137	REV



FABWELL SDW






- 4 SEAL TO BE FLUSH WITH OUTER TRIM.
 3 TOLERANCE ON THE CLIP SPACING IS ± 100.0 MM.
 2 APPLY SCREWS AT EACH END AND ONE IN THE MIDDLE OF THE OUTER TRIM.
 1 APPLY SCREW THROUGH SEAL SO THAT IT HOLDS THE SEAL IN PLACE ON THE INNER TRIM.


NOTES:

FABWELL SDW


TRIM ASM-SLIDEOUT,SIDE
1 2 **151763**





FABWELL SDW



FIRST USED		
07 MOTORHOMES		
DO NOT SCALE DRAWING		
TITLE:		
SEAT BELT INSTL		
SHEET 1	PART NO 159417	REV





2007 MOTORHOMES

TRIM KIT-EXTERIOR,SLIDEOUT

KEY	PART NUMBER	U/M DESCRIPTION	162829-01-000, 162829-02-000
			VENDOR NO.
	130294-04-700	EA SCREW - 5/16"-18 X 1 1/2"	1202060
	131281-01-704	EA HAIRPIN/COTTER - 3/8" SPRING	1213460
	131682-01-700	EA ROLLER - (BEARING)	1912040
	138173-01-701	EA POP RIVET - SS 3/16"X1/4"	1214630
	138173-01-707	EA WEAR PUCK - PLASTIC F/DRIVE	1612523
	140457-01-701	EA ROLLER - 1"OD X 1/2"ID	1614006
	140457-01-704	EA SHAFT/AXLE - REAR ROLLER	7204523
	148875-01-702	EA PIN/ROLL - 1/4" X 1"	1213701
	148875-01-703	EA NUT - PLASTIC - 1"	1612548
	148875-01-704	EA END CARRIER - PLASTIC - 1"	1612549
	148875-01-705	EA MOTOR/LINEAR - SLIDE ROOM	1820111
	148875-01-707	EA END GUIDE F/SCREW - 1"	1820450
	148875-01-708	EA TUBE - OUTER - F/SLIDE RAM	7201200
	149165-01-701	EA PIN/CLEVIS - 1/4" X 2"	1213204
	151027-01-700	EA DRIVE SCREW 1" X 20"	1820402
	151027-01-701	EA ROLL PIN - 3/16" X 1"	1213694
	151027-01-702	EA CLEVIS PIN - 1/4" X 1 1/4"	1213202

KEY	PART NUMBER	U/M	DESCRIPTION
	162495-01-700	EA	BUTTON-DBL. PLAS. SNAP

162495-01-01A, 162495-02-01A
VENDOR NO.
DP130

KEY	PART NUMBER	U/M	DESCRIPTION	162827-01-000, 162827-02-000
				VENDOR NO.
	130294-04-700	EA	SCREW - 5/16"-18 X 1 1/2"	1202060
	131281-01-704	EA	HAIRPIN/COTTER - 3/8" SPRING	1213460
	131682-01-700	EA	ROLLER - (BEARING)	1912040
	138173-01-701	EA	POP RIVET - SS 3/16"X1/4"	1214630
	138173-01-707	EA	WEAR PUCK - PLASTIC F/DRIVE	1612523
	140457-01-701	EA	ROLLER - 1"OD X 1/2"ID	1614006
	140457-01-704	EA	SHAFT/AXLE - REAR ROLLER	7204523
	148875-01-702	EA	PIN/ROLL - 1/4" X 1"	1213701
	148875-01-703	EA	NUT/PLASTIC - 1" F/1/4" PIN	1612548
	148875-01-704	EA	END CARRIER - PLASTIC - 1"	1612549
	148875-01-705	EA	MOTOR/LINEAR - SLIDE ROOM	1820111
	148875-01-707	EA	END GUIDE F/SCREW - 1"	1820450
	148875-01-708	EA	TUBE - OUTER F/SLIDE RAM	7201200
	149165-01-701	EA	PIN/CLEVIS - 1/4" X 2 7/8"	1213204
	151027-01-700	EA	DRIVE SCREW 1" X 20"	1820402
	151027-01-701	EA	ROLL PIN - 3/16" X 1"	1213694
	151027-01-702	EA	CLEVIS PIN - 1/4" X 1 1/4"	1213202
	162827-01-700	EA	TUBE OUT STOP - ADJUSTABLE	7201198
	162832-01-700	EA	CLEVIS PIN - 5/16" X 2 1/4"	1213239
	162832-01-702	EA	NUT - 1" PLASTIC W/5/16" PIN	1612554