







FIRST USED		
10 D-SERIES		
DO NOT SCALE DRAWING		
TITLE: SOFTGOODS INSTL - FRONT		
SHEET 2	PART NO 170597	REV

8		7		6		5		4		3		2		1	
DWG NO	COVER BACK	COVER SEAT	ARMREST ASM RT	ARMREST ASM LT	ARMREST COVER RT	ARMREST COVER LT	ARMREST RT MOLDED	ARMREST LT MOLDED	3 3 D SERIES 091 4 J SERIES 1A6 4 J SERIES 091 64Q 4 J SERIES 1A6 64Q 3 D SERIES						
165195-01	165195-A1	165195-A2	148652-01	148652-02											
165195-02	165195-A3	165195-A4	148652-03	148652-04	P48652-03	P48652-04	130698-03	130698-04							
165195-03	165195-A1	165195-A2	148652-01	148652-02	P48652-01	P48652-02	130698-03	130698-04							
165195-04	165195-A3	165195-A4	148652-03	148652-04	P48652-03	P48652-04	130698-03	130698-04							
165195-05	165195-A5	165195-A6	148652-05	148652-06	P48652-05	P48652-06	130698-03	130698-04							
165195-06	165195-A7	165195-A8	148652-01	148652-02	P48652-01	P48652-02	130698-03	130698-04							

RELEASE

REV A

DATE

DWG NO 165195

REV ZONE

REVISION RECORD

DATE

DFTR-ORIG

- 3

D SERIES

091
- 3

J SERIES

1A6
- 4

J SERIES

091


64Q
- 4

J SERIES

1A6

64Q
- 3

D SERIES



091 SEATS-ULTRALEATHER

4.

USED WHEN ADJUSTABLE LUMBAR IS AVAILABLE
3.

USED WHEN ADJUSTABLE LUMBAR IS NOT AVAILABLE

BACK HEIGHT 813
SEAT DEPTH 559
SEAT WIDTH 597
SEAT WIDTH 736
INCLUDING ARMREST

2. H POINT MUST COMPLY W/ES0056
1. COMPLIANCE W/FMVSS 207 & 302


WINNEBAGO

INDUSTRIES

COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DFTR	ORIG. DATE
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	STITCHCRAFT
UNSPECIFIED TOLERANCES ARE: WHOLE DIM (X) ± 3 ONE-PLACE (X.X) ± 1.5 TWO-PLACE (X.XX) ± 0.50 ANGLE ± 1°	MATERIAL:
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: SEAT-CAB,592	
SHEET 1 OF 1	PART NO 165195
REF:	1






10/21/2009




- (1PL) WORKHORSE 18,000# GVWR (W18)
- (60M) HYDRAULIC LEVEL JACKS-AUTO
- (1A4) LEVELING JACK WITHOUT
- (74J) REARVIEW MONITOR SYS W/AUDIO
- (1A5) REARVIEW MONITOR SYSTEM W/O





WINNEBAGO INDUSTRIES		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DTR	ORIG. DATE	ALL DIMENSIONS ARE IN MILLIMETERS	
CHKR			
P.E.			
M.E.	FIRST USED		
DSNR		09 D-SERIES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 3			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: DASH INSTL			
SHEET 1 OF 2	REF:	PART NO 166545	REV

1 USE FOR UNITS BUILT AFTER 12-24-09




FIRST USED		
09 D-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
DASH INSTL		
SHEET 2	PART NO	REV
	166545	





FIRST USED			09 D&E-SERIES		
			DO NOT SCALE DRAWING		
TITLE:			DASH COMPL		
SHEET 2		PART NO	166552	REV	



CURTAIN TRACK,RH
127254-14-CHT

DETAIL BD

CURTAIN TRACK,LH
127254-04-CHT

PLYWOOD
000846-51-241 (A/R)
ADHESIVE-JETWELD
161477-01-000

508(FD&WH)(2)

191(FD&WH)(2)

1118(FD&WH)

711(WH)
508(FD)

330(WH ONLY)

SECTION BB-BB

914(FD&WH)

PANEL ASM-OVHD,FRT,BTM,RH

134146-B1-XXX

134146-B3-XXX

21W 1H5 1LK

42K

DETAIL BC

PANEL ASM-OVHD,FRT,BTM,LH

134146-B2-XXX

134146-B4-XXX

21W 1H5 1LK

42K


SECTION BA-BA

COVER


DETAIL BC

DETAIL BD

FIRST USED			10 D-SERIES
			DO NOT SCALE DRAWING
TITLE:			INTERIOR INSTL-FRONT
SHEET 2	PART NO	172302	REV



SECTION CA-CA




SECTION CB-CB

- 1PS 1PU
- 1PE 1PR
- 16L 16K


- (28N) MANUAL MIRRORS
- (28X) REMOTE MIRRORS

FIRST USED		
10 D-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
INTERIOR INSTL-FRONT		
SHEET 3	PART NO 172302	REV



(42K)
(32" FRONT TV)

FIRST USED		
10 D-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
INTERIOR INSTL-FRONT		
SHEET 6	PART NO 172302	REV




(14W)
(NO FRONT TV, D33C AND D31E)

FIRST USED		
10 D-SERIES		
DO NOT SCALE DRAWING		
TITLE: INTERIOR INSTL-FRONT		
SHEET 7	PART NO 172302	REV


091990-04-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	091990-01-701	EA EXTENDER 9" FOR A8408 3 PT	I-1331-02
	091990-01-703	EA RECEIVER/FEMALE END-SEATBELT	I-1159-02
	091990-05-700	EA SLEEVE/BUCKLE COVER-PLASTIC	209S-2
	091990-05-701	EA CAP/COVER - BOLT HOLE COVER	209SC-02
	091990-05-702	EA SLEEVE/RETRACTABLE COVER	309C-02
	091990-05-703	EA EXTENDER 12"	I-1442-02

091990-10-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	091990-05-700	EA SLEEVE/BUCKLE COVER-PLASTIC	209SER11.5-02




DETAIL L
MANUAL
(DRIVER'S SIDE ON D & E SERIES)

133292-15 D,E-SERIES DRIVER




DETAIL K
MANUAL
(PASSENGER SIDE D, E, J, K SERIES)

133292-14 D,E,J-SERIES PASSENGER



DETAIL N
6-WAY POWER
(DRIVER'S SIDE D,E SERIES W/64Q)

133292-17 D,E-SERIES DRIVER 64Q



DETAIL M
6-WAY POWER
(PASSENGER SIDE ON P SERIES W/64K, R & S SERIES W/64Q)


133292-16 R-SERIES PASSENGER 64Q P-SERIES PASSENGER 64K

FIRST USED		00 MOTORHOMES	
DO NOT SCALE DRAWING			
TITLE:		PEDESTAL COMPL-SEAT,CAB	
SHEET 3	PART NO	133292	REV

DWG NO	COVER ASM
137095-01	137097-01-XXX
137095-02	137097-02-XXX

WORKHORSE
J-SERIES FREIGHTLINER


RELEASE	REV DATE	DWG NO	137095
REV ZONE	REVISION RECORD	DATE	0FTR-0RG



- NOTES:
- 4. ATTACH LOWER CORNERS OF MOTOR COVER TO DOG HOUSE RING USING SCREW, G55-08-20B AND WASHER 77071-01-000.
 - 3. SET BOLT 35mm TOP TRIM RING TO BOTTOM HEAD OF BOLT.
 - 2. DO NOT ATTACH TRIM TO DRIVERS SIDE FLOOR UNTIL AFTER CAB INSTALLATION.
 - 1. SEAL TO BE INSTALLED WITH ENDS AS SHOWN.


SEE CHART
FOR COLOR VARIATIONS
OF THIS PART

WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTF	ORIG. DATE	ALL DIMENSIONS ARE IN MILLIMETERS	
CHRR		02 L-SERIES	
P.E.			
M.E.	FIRST USED		
DSNR			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 1.5			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) :			
ANGLE :			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: MOTOR COVER INSTL			
SHEET 1 OF 2		PART NO 137095	
REF:		1	




TRIM-MOTOR COVER
137332-01-CHT
SCREW
G39-08-08B (16)

SECTION B-B




SECTION A-A

FIRST USED			
02 L-SERIES			
DO NOT SCALE DRAWING			
TITLE:			
MOTOR COVER INSTL			
SHEET	2	PART NO	137095
		REV	




D-SERIES E-SERIES 147272-04-XXX



FIRST USED		
05 D-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
SEAT BELT COMPL-CAB		
SHEET 1	PART NO	REV
	147272	

KEY	PART NUMBER	U/M	DESCRIPTION	147767-01-000, 147767-02-000
				VENDOR NO
	147767-01-700	EA	SWITCH PLATE	SHROCK-9PT-SWT-PLTE
	147767-01-701	EA	MOTOR - VERTICAL	SHROCK 9PT-M0-VER-0
	147767-01-702	EA	MOTOR - HORIZONTAL	SHROCK 9PT-M0-HOZ-0



HOLDER-CUP W/HANDLE
133831-01-CTR (2)
SCREW
G39-10-12T (6)

TRAY-BEVERAGE
156018-01-CTR


SUPPORT ASM-BEVERAGE TRAY
156047-01-CTR

RELEASE		REV	DATE	DWG NO	156020
REV	ZONE	REVISION RECORD			DATE


		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFT:R		ORIG. DATE	
CHK:R		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.:		FIRST USED	
M.E.:		07 F-SERIES	
DSNR		MATERIAL:	
UNSPECIFIED TOLERANCES ARE: WHOLE DIM (X) : 3 ONE-PLACE (X.X) : 1.5 TWO-PLACE (X.XX) : 0.50 ANGLE : 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: TRAY ASM-BEVERAGE,CTR			
SHEET 1 OF 1		PART NO 156020	REV

DWG NO	INSULATION
156754-01	154928-01-000
156754-02	-----


RELEASE	REV A	DATE	DWG NO	156754
REV ZONE	REVISION RECORD		DATE	DFT-ORIG



- RETAINER ASM-LATCH
115850-01-CHT
RIVET
H16-06-08R (4)
- LATCH
116581-01-000
- GROMMET
116293-01-000
- BOLT
C26-01-18B (2)
NUT
D39-04-00B (2)




FOIL-ALUMINUM, REINFORCED
134497-01-000
ADHESIVE
139007-01-000
ACTIVATOR
139007-02-000
(APPLY FOIL TO BOTTOM
SURFACED OF COVER)



- INSULATION-CAB, CVR
(SEE TAB)
ADHESIVE
139007-01-000
ACTIVATOR
139007-02-000
- 9CARPT-01-000

- 2. HOLE IN RETAINER ASM TO ALIGN WITH HOLE IN MOTOR COVER.
- 1. INSERT GROMMET INTO STEEL TUBE INSIDE RETAINER ASM PRIOR TO INSTALLING THE LATCH.

WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFT-ORIG	ORIG. DATE	ALL DIMENSIONS ARE IN MILLIMETERS	
CHK-OR			
P.E.			
M.E.	FIRST USED		
DSNR	07 FORD F SER		
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 3			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: COVER ASM-MOTOR			
SHEET 1 OF 1		PART NO 156754	REV



DWG NO	COVER ASM
156769-01	156754-01-XXX
156769-02	156754-02-XXX

J-SERIES
D,E-SEREIS

RELEASE	REV	DATE	DWG NO	156769
A				
REV	ZONE	REVISION RECORD	DATE	OFTR-ORIG

- NOTES:
- 3. ATTACH LOWER CORNERS OF MOTOR COVER TO DOG HOUSE RING USING SCREW G55-08-CHT AND WASHER 77071-01-000.
 - 2. SEAL TO BE INSTALLED WITH ENDS AS SHOWN.
 - 1. DO NOT ATTACH TRIM TO DRIVERS SIDE FLOOR UNTIL AFTER CAB INSTALLATION.


WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
OFTR	ORIG. DATE	ALL DIMENSIONS ARE IN MILLIMETERS	
CHKR			
P.E.			
M.E.	FIRST USED		
DSNR		07 FORD F SER	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 3			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: MOTOR COVER INSTL			
SHEET 1 OF 2		PART NO 156769	REV
REF:		1	

D

C

B

A



CAMERA KIT

144677-14-01A WHT/02A BLK

- 3

END STANDARD CABLE IN THIS AREA ON UNITS WITHOUT MONITOR

1A51H4
- 2


RUN CABLE THRU LEFT-HAND COVE TO REAR OF UNIT. STANDARD ON ALL UNITS WITH

1A51H474J
- 1


PARTS SUPPLIED WITH CAMERA KIT 144677-14-01A WHT/02A

BLK


NOTES:




D-SERIES (REF)




E-SERIES (REF)



SECTION AB-AB 74J



SECTION AC-AC



SECTION AA-AA 74J

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 74J REARVIEW MONITOR SYSTEM
- 1H4 REARVIEW MONITOR-WIRE PREP
- 1A5 REARVIEW MONITOR SYSTEM W/O
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1265

WINNEBAGO INDUSTRIES

COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.

DFT-ORIG	ORIG. DATE
CHK-OR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	10 D & E SERIES

UNSPECIFIED TOLERANCES ARE:

WHOLE DIM (X)	± 3
ONE-PLACE (X.X)	± 1.5
TWO-PLACE (X.XX)	± 0.50
ANGLE	± 1°

MATERIAL:

THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING

TITLE: MONITOR INSTL

SHEET 1 OF 2

PART NO 169855

REV

REF: 1

12/5/2009


D

C


B

A


UP TO 11-01-09



DETAIL BB 74J ONLY




DETAIL BB 74C & 74J



DETAIL BA


- 7 CONNECT CAMERA THRU HOLE IN SIDEWALL, PUSH CONNECTOR BACK THRU SIDEWALL, AND SEAL HOLE.
- 6 MARK LEFT CABLE WITH YELLOW TAPE 900000-07-000 NEXT TO CONNECTOR.
- 5 MARK RIGHT CABLE WITH WHITE TAPE 900000-08-000 NEXT TO CONNECTOR.
- 4 PARTS SUPPLIED WITH MONITOR P/N74C & .
- 3 END CABLE IN THIS AREA ON UNITS W/O MONITOR. .
- 2 PARTS SUPPLIED WITH MONITOR P/N ONLY. .
- 1 SEE REARVIEW MONITOR KIT INSTALLATION INSTRUCTIONS FOR MORE DETAILS.

NOTES:



- 74C VIDEO CAMERA SYSTEM
- 74J REARVIEW MONITOR SYSTEM
- 1H4 REARVIEW MONITOR-WIRE PREP
- 1A5 REARVIEW MONITOR SYSTEM W/O

FIRST USED		
10 D & E SERIES		
DO NOT SCALE DRAWING		
TITLE: MONITOR INSTL		
SHEET 2 A	PART NO 169855	REV




- 6 MARK LEFT CABLE WITH YELLOW TAPE 900000-07-000 NEXT TO CONNECTOR.
 - 5 MARK RIGHT CABLE WITH WHITE TAPE 900000-08-000 NEXT TO CONNECTOR.
 - 4 CONNECT CAMERA THRU HOLE IN SIDEWALL, PUSH CONNECTOR BACK THRU SIDEWALL, AND SEAL HOLE.
 - 3 END CABLE IN THIS AREA ON UNITS W/O MONITOR. 1A5 1H4
 - 2
 - 1 SEE REARVIEW MONITOR KIT INSTALLATION INSTRUCTIONS FOR MORE DETAILS.

NOTES:



- | | |
|-----|-----------------------------|
| 74C | VIDEO CAMERA SYSTEM |
| 74J | REARVIEW MONITOR SYSTEM |
| 1H4 | REARVIEW MONITOR-WIRE PREP |
| 1A5 | REARVIEW MONITOR SYSTEM W/O |

FIRST USED		
10 D & E SERIES		
DO NOT SCALE DRAWING		
TITLE:		
MONITOR INSTL		
SHEET 2 B	PART NO	REV
	169855	



DETAIL BB

SPEAKER
098819-01-000(UP TO 12-08-09)
GRILLE
083214-01-07A(UP TO 12-08-09)
SCREW
000G13-07-12U(4)(UP TO 12-08-09)



- 6 MARK LEFT CABLE WITH YELLOW TAPE 900000-07-000 NEXT TO CONNECTOR.
 - 5 MARK RIGHT CABLE WITH WHITE TAPE 900000-08-000 NEXT TO CONNECTOR.
 - 4 CONNECT CAMERA THRU HOLE IN SIDEWALL, PUSH CONNECTOR BACK THRU SIDEWALL, AND SEAL HOLE.
 - 3 END CABLE IN THIS AREA ON UNITS W/O MONITOR. 1A5 1H4
 - 2 USE SUPPLIED SCREWS TO MOUNT MONITOR TO ADAPTER.
 - 1 ROUTE UP A-POST AND MAKE CONNECTION BEHIND OVHD CABT.

NOTES:

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

74C	VIDEO CAMERA SYSTEM
74J	REARVIEW MONITOR SYSTEM
1H4	REARVIEW MONITOR-WIRE PREP
1A5	REARVIEW MONITOR SYSTEM W/O
265	CODES/STANDARDS-CSA/CMVSS
1B1	CODES/STANDARDS USA

1B1		265	
FIRST USED			
10 D & E SERIES			
DO NOT SCALE DRAWING			
TITLE:			
MONITOR INSTL			
SHEET 2C		PART NO	REV
		169855	

KEY	PART NUMBER	U/M DESCRIPTION	144677-10-02A, 144677-11-02A VENDOR NO.
	144677-10-701	EA HOUSING/CAMERA-RT/LT-PRIMED	SIDHSGGTR