


8		7		6		5	
DWG NO	MODEL	LENGTH	ROLLER ASM	A	B	HARDWARE KIT	SHEET
167590-01	E29R	16'	161802-04-CHT	661	36	161802-01-CHT	1,2
167590-02	E26P	11.5'	161802-02-CHT	661	36	161802-01-CHT	1,2
167590-03	E32K	13'	161802-06-CHT	601	96	161802-01-CHT	1,2
167590-04	E29R	16'	161748-09-CHT	661	36	161748-18-CHT	1,2
167590-05	E26P	11.5'	161748-04-CHT	661	36	161748-18-CHT	1,2
167590-06	E32K	13'	161748-06-CHT	601	96	161748-18-CHT	1,2
167590-07	E30W	17'	153692-09-CHT	590	107	---	3

1	
RELEASE	REV DATE
A	
DWG NO	167590
REV	ZONE
REVISION RECORD	
DATE	DFT-ORIG




DOMESTIC A&E
AWNINGS

- 52A AWNING-PATIO
- 52B AWNING-PATIO, METAL WRAPPED

1 USE IN PLACE OF KIT SUPPLIED BOLT.

WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFT-ORIG		ORIG. DATE	
CHK-OR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		09 E-SERIES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ±			
ONE-PLACE (X.X) ±			
TWO-PLACE (X.XX) ±			
ANGLE ±			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: AWNING INSTL E-SERIES			
SHEET 1 OF 3		PART NO 167590	
REF:		1	




SECTION A-A

BOLT-LAG
113874-11-CHT (4) 1

LOWER AWNING BRACKET
(SUPPLIED W/HARDWARE KIT)

2.0



SECTION B-B

BRACKET-AWNING
161739-01-CHT (2)

1 BOLT-LAG
113874-12-CHT (4)

UPPER AWNING BRACKET
(SUPPLIED W/HARDWARE KIT)


2.0

SEALANT

AWNING RAIL

ROOF ASM

FIRST USED		09 E-SERIES	
DO NOT SCALE DRAWING			
TITLE: AWNING INSTL E-SERIES			
SHEET 2	PART NO	167590	REV



52F 52Z

UPPER AWNING BRACKET
(SUPPLIED WITH HARDWARE KIT)

BRACKET-AWNING
146457-02-CHT (2)
SCREW
G42-04-16U (10)

BOLT
C26-04-14B (8)
NUT
D29-04-00B (8)
WASHER
E13-11-00B (8)

SECTION EA-EA


SPACER KIT
143181-11-CHT
SCREW
G39-10-32D (8)

SCREW
G39-10-32D (4) 3


RIVET
118626-01-CHT (4) 3

SECTION EB-EB


FIRST USED		
09 E-SERIES		
DO NOT SCALE DRAWING		
TITLE: AWNING INSTL E-SERIES		
SHEET 3	PART NO 167590	REV




SECTION AM-AM




VIEW AK-AK




VIEW AH-AH




SECTION BC-BC




SECTION AN-AN



SECTION BB-BB



SECTION AG-AG



SECTION BA-BA

FIRST USED		
09 E-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
BODY INSTL-SECTIONS		
SHEET 2	PART NO	REV
	167602	

D

C

B


A

D

C

B

A



2. KEY 102328-01-000 (1) TO BE INSTALLED ON KEY RING IN MOTORHOME PLANT.

1. TOP OF PANEL ASM-FRONT, LOWER TO BE ALIGNED WITH BOTTOM EDGE OF WINDSHIELD.

COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DTR	ORIG. DATE
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	10 E-SERIES
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	± 1.5
ONE-PLACE (X.X)	± 1.5
TWO-PLACE (X.XX)	± 0.50
ANGLE	± 1°
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: BODY PANEL INSTL-FRONT	
SHEET 1 OF 3	PART NO 171931 REV
REF: 1	

10/16/2009

TRIM-CORNER,FRONT
172022-02-CHT
BOLT
000C26-04-16U (2)
NUT
131377-02-000 (2)

TRIM-CORNER,FRONT
172022-01-CHT
BOLT
000C26-04-16U (2)
NUT
131377-02-000 (2)

SEAL-BULB
158297-01-000
(252 LONG)

SEAL-BULB
158297-01-000
(252 LONG)

BOLT
000C12-08-16U (2)
WASHER
000E13-22-00U (2)
NUT
000D39-08-00U (2)

BOLT
000C12-08-16U (2)
WASHER
000E13-22-00U (2)
NUT
000D39-08-00U (2)

BRACE-FRONT,UPPER
172306-02-CHT
WASHER
000E13-14-006 (3)
NUT
000D29-04-00T (3)

BRACE-FRONT,UPPER
172306-01-CHT
WASHER
000E13-14-006 (3)
NUT
000D29-04-00T (3)

FRONT END-CHASSIS
BRACKET (REF)

FRONT END-CHASSIS
BRACKET (REF)

BOLT
000C26-05-16U
NUT
000D39-05-00U

BOLT
000C26-05-16U
NUT
000D39-05-00U

SUPPORT ASM-HINGE,HOOD
173621-04-CHT

SUPPORT ASM-HINGE,HOOD
173621-03-CHT

SPRING-GAS
142569-30-000
BALL STUD
057460-02-000
NUT
000D39-05-000

SPRING-GAS
142569-30-000
BALL STUD
057460-02-000
NUT
000D39-05-000

ANGLE-LATCH
158033-01-CHT
LATCH-SINGLE
149359-02-CHT
BOLT
000C12-04-12T (4)
NUT
000D39-04-00T (2)

ANGLE-LATCH
158033-02-CHT
LATCH-SINGLE
149359-03-CHT
BOLT
000C12-04-12T (4)
NUT
000D39-04-00T (2)

VIEW BA

VIEW BB

FIRST USED		
10 E-SERIES		
DO NOT SCALE DRAWING		
TITLE: BODY PANEL INSTL-FRONT		
SHEET 2	PART NO 171931	REV

LATCH-SINGLE ROTOR

ANGLE-LATCH

SECTION CA-CA

BOLT-HOOD ADJUSTING
058786-01-000
NUT
000D39-05-00U

SECTION CB-CB
(BOTH SIDES)

BOLT-HOOD ADJUSTING
058786-01-000
NUT
000D39-05-00U

SECTION CC-CC
(BOTH SIDES)

TRIM

SECTION CE-CE

SEAL-D
099418-01-000
(1106 LONG)

SECTION CD-CD
(BOTH SIDES)

SEAL-BULB (REF)


SECTION CF-CF
(BOTH SIDES)

LOWER W/S SUPPORT

W/S

SECTION N-N
(BOTH SIDES)

SECTION R-R



49
FRONT EDGE OF GLASS TO BOTTOM
FRONT CORNER OF TRIM-CORNER 172022

65
(REF)
(LOWER W/S SUPPORT FRONT
CORNER TO FRONT CORNER
OF TRIM-CORNER 172022)

FIRST USED		
10 E-SERIES		
DO NOT SCALE DRAWING		
TITLE: BODY PANEL INSTL-FRONT		
SHEET 3	PART NO 171931	REV

8

7

6

5

4

3

2

1

DWG NO	----	SHT
172206-01		NA
172206-02	PANEL ASM-FRONT,LOWER	2,3

RELEASE

REV

DATE

DWG NO

172206

REV

ZONE

REVISION RECORD

DATE

DFTR-ORIG

8

7

6

5

4

3

2

1

8. USE ADHESIVE-RESIN 112481-03-000 AND ADHESIVE-CURATIVE 112481-04-000 FOR BONDING PARTS.

7. MOLDED FEATURE LINE TOLERANCE $\pm 0.5\%$ WITH MAXIMUM TOLERANCE OF ± 3.5 UNLESS OTHERWISE SPECIFIED. TRIM DIMENSION TOLERANCE ± 1.5 . ASSEMBLY TOLERANCE ± 1.5 .

6. TRIMMED EDGE IS DEFINED ON THE MOLD, UNLESS OTHERWISE SPECIFIED.

5. TOTAL FINISHED PART SURFACE AREA, 51.3 SQ. FT.

4. MAXIMUM DRAFT ANGLE 2° .

3. USE CAB-O-CILL AS FILLER ON RADII 5M OR LESS.

2. WALL THICKNESS 5.0 ± 1.5 .

1. REMOVE ALL BURRS AND SHARP EDGES.

SEE CHART

FOR COLOR VARIATIONS OF THIS PART

DFTR		ORIG. DATE	
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.		FIRST USED	
M.E.		10 E-SERIES	
DSNR			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 3		FIBERGLASS	
ONE-PLACE (X.X) : 1.5		ES0020	
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: PANEL-FRONT,LOWER			
SHEET 1 OF 3		PART NO 172206	
REF:		1	

8

7

6

5


4

3


2

1

10/15/2009




FIRST USED		
10 E-SERIES		
DO NOT SCALE DRAWING		
TITLE: PANEL-FRONT,LOWER		
SHEET 1	PART NO 172206	REV




SECTION D-D

BRACKET-GRILLE,UPPER
REF




SECTION E-E
(2 PLCS)

NUT-JACK
087234-01-000
SCREW
000G50-04-12U





SECTION J-J
2-PLCS

FIRST USED		
10 E-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
PANEL-FRONT,LOWER		
SHEET 3	PART NO 172206	REV




RELEASE		REV	DATE	DWG	NO	172257
REV	ZONE	REVISION RECORD			DATE	DTFR-ORIG


WINNEBAGO® INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DISTR		ORIG. DATE	
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		10 E-SERIES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3		FIBERGLASS	
ONE-PLACE (X.X) ± 1.5		ES0020	
TWO-PLACE (X.XX) ± 0.50		WEIGHT: 9.58 LBS	
ANGLE ± 1°			
THIRD ANGLE PROJECTION			
			
DO NOT SCALE DRAWING			
TITLE:			
HOOD COMPL-FRONT			
SHEET 1 OF 2		PART NO	REV
		172257	




SECTION BB-BB
(2 PLCS)




SECTION BC-BC
(2 PLCS)



SECTION BD-BD
(2 PLCS)



SECTION BE-BE
(2 PLCS)



SECTION BA-BA

FIRST USED		
10 E-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
HOOD COMPL-FRONT		
SHEET 2	PART NO	REV
	172257	

8

7

6

5

4

3

2

1

DWG NOUNITSHEET

172338-01E29R1,2

172338-02E32K1,3

172338-03E26P1,4

172338-04E30W1,5

RELEASE

REVDATE

DWGNO

172338

REVZONE

REVISIONRECORD

DATE

DFTR-ORIG

KEYPART NUMBER (27G)DESCRIPTION

1132664-02-01ADECAL-LOGO DOMED WINNEBAGO

2151687-02-01ADECAL-DOMED NAMEPLATE ITASCA

3144587-02-48ADECAL-ITASCA

4140087-01-07ADECAL-SUNSTAR, LG

5129922-02-01A (16N)(16H)(16K) CHASSIS SUPPLIED (1PR)DECAL-EMBLEM TRITON V-10
DECAL-EMBLEM

6172341-01-01ADECAL-HOOK HOOD

7172342-01-01ADECAL-HOOK REAR

8172343-01-01ADECAL-SWEEP #1, RH

9172343-02-01ADECAL-SWEEP #1. LH

10172344-01-01ADECAL-SWEEP #2, RH

11172344-02-01ADECAL-SWEEP #2, LH

12172345-01-01ADECAL-SWEEP #3, RH

13172345-02-01ADECAL-SWEEP #3, LH

14172346-01-01ADECAL-SWEEP #4, RH

15172346-02-01ADECAL-SWEEP #4, LH

16172347-01-01ADECAL-SWEEP #5, RH

17172347-02-01ADECAL-SWEEP #5, LH

18172348-01-01ADECAL-HOOK #1, RH

19172348-02-01ADECAL-HOOK #1, LH

20172350-01-01ADECAL-HOOK #2, RH

21172350-02-01ADECAL-HOOK #2, LH

22172388-01-01A (26F)(26H)PAINT MASK-UPPER BACKWALL

23172389-01-01A (26F)(26H)PAINT MASK-LOWER BACKWALL

24172390-01-01A (26F)(26H)PAINT MASK-MID LOWER SIDEWALL, RH

25172390-02-01A (26F)(26H)PAINT MASK-MID LOWER SIDEWALL, LH

26141599-95-000 (26F)141599-74-000 (26H)PAINT

27141599-74-000 (26F)141599-B5-000 (26H)PAINT

28165266-01-01A (26F)(26H)PAINT MASK-REFRIG VENT

5. VINYL DECAL WILL BE APPLIED WHERE EVER GRAPHIC DESIGN PATTERN IS POSITIONED OVER SLIDEROOM EXTRUSION, BUT WILL NOT BE APPLIED TO VINYL SCREW COVER INSERT.

4. ALL LOGOS ARE TO BE +/- 1mm ON A HORIZONTAL PLANE (END TO END).

3. CLEAR COAT 141599-C2-000 TO BE APPLIED ON ALL PAINTED AREAS.

2. APPLY FILM-URETHANE PROTECTANT 109506-01-000 AT BOTTOM OF ENTRANCE DOOR TO PREVENT SCUFFMARKS.

1. APPLY PROTECTOR 116424-01-000 TO WATER HEATER DOOR LATCH.

NOTES:

SEE CHART

FOR COLOR VARIATIONS OF THIS PART

1PRWORKHORSE 22,000#-19.5 TIRE

1PEWORKHORSE 20,500 DSL 230HP

16KFORD CHASSIS 22,000

16HFORD CHASSIS 18,000#/V10 ENG

16NFORD CHASSIS-16,000 LB. GVWR

26HEXT GRAPHIC/PAINT-DLX PKG 2

26FEXT GRAPHIC/PAINT DLX PKG 1

27GEXTERIOR GRAPHICS PACKAGE #1

Winnebago Industries

COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DFTR

ORIG. DATE

CHRR

ALL DIMENSIONS ARE
IN MILLIMETERS

P.E.

M.E.

FIRST USED

DSNR

10 E SERIES
(SUNSTAR)

UNSPECIFIED TOLERANCES ARE:

MATERIAL:

WHOLE DIM (X) ± 20

ONE-PLACE (X.X) ± 10

TWO-PLACE (X.XX) ± -

ANGLE ± -

THIRD ANGLE
PROJECTION

DO NOT SCALE DRAWING

TITLE:

GRAPHICS INSTALLATION

SHEET 1 OF 5





PART NO 172338

REV

REF:

1

10/21/2009




FIRST USED		
10 E29R (SUNSTAR)		
DO NOT SCALE DRAWING		
TITLE: GRAPHICS INSTALLATION		
SHEET 2	PART NO 172338	REV

171747-01	E26P	PAINTMASK KIT	PAINTMASK-REFRIG VENT
		171644-01	---
171747-02	E29R	171644-04	165266-02 (2)
171747-03	E30W	171644-02	---
171747-04	E32K	171644-03	165266-02 (2)


RELEASE	A	10--16--08	171747	D

UP TO 11-08-09



DECAL-LOGO DOMED
132664-02-01A (2)
EMBLEM-TRITON V10
129922-02-01A (16N)(16H)(16K)
DECAL-EMBLEM
— (CHASSIS SUPPLIED) (1PE)(1PR)

561 (2)



DECAL/BEZEL DOMED
151687-02-01A


DECAL/BEZEL DOMED
151687-02-01A 

(1PR) WORKHORSE 22,000#-19.5 TIRE
(1PE) WORKHORSE 20,500 DSL 230 HP
(16K) FORD CHASSIS 22,000
(16H) FORD CHASSIS 18,000#/V10 ENG
(16N) FORD CHASSIS-16,000 LB. GVWR
(27A) EXT FULL BODY PAINT PKG #1
(92A) EXT FULL BODY PAINT PKG #2
(24C) EXT FULL BODY PAINT PKG #3
(24B) EXT FULL BODY PAINT PKG #4

		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC. 10 E SER (SUNSTAR)	
S U N S T A R I E S			
GRAPHICS INSTL - FBP			
1 2		REV	
REF		PART NO	
		171747	

10. BLACK PLASTIC ABS SHIELD WIPER PANEL IS TO BE PAINTED THE CORRESPONDING COLOR IN THE PAINT SCHEME.
9. CENTER ON UNIT.
8. PASSENGER SIDE OF UNIT SHOWN, DRIVER'S SIDE OPPOSITE.
7. END PANELS OF SLIDEOUT ROOMS WILL BE PAINTED WITH BASECOAT AND CLEAR COAT ONLY. THERE WILL BE NO COLORED DESIGN GRAPHIC ELEMENTS PAINTED ON THE END PANELS.
6. APPLY SEALER BODY SEAM CLEAR 94401-04-000 TO HELP SECURE EDGES.
5. USE 1744-01-000 (100 FT) TO COVER UNSEALED ROOF SEAMS.
4. CLEAR COAT TO BE APPLIED ON ENTIRE UNIT TO PROTECT PAINT.
3. TOLERANCE FOR DIMENSIONS IS +/-20mm.
LOGO IS TO BE +/- 1mm ON A HORIZONTAL PLANE (END TO END).
2. APPLY FILM-URETHANE PROTECTANT 109506-01-000 AT BOTTOM OF ENTRANCE DOOR TO PREVENT SCUFFMARKS.
1. APPLY PROTECTOR 116424-01-000 TO WATER HEATER DOOR LATCH.

NOTES:




LOGOS ARE PAINTED

(27A)
GRAPHICS INST - 2009 SUNSTAR FBP - STEEL GRAY




LOGOS ARE PAINTED

(92A)
GRAPHICS INST - 2010 SUNSTAR FBP - VINTAGE RED



LOGOS ARE PAINTED

(24C)
GRAPHICS INST - 2009 SUNSTAR FBP - STELLAR BLUE



LOGOS ARE PAINTED


(24B)
GRAPHICS INST - 2010 SUNSTAR FBP - CATALINA BLUE

FIRST USED		
2010 E-SERIES (SUNSTAR)		
SPECIFICATION PRINT DO NOT SCALE		
TITLE:		
GRAPHICS INSTL - FBP		
SHEET	PART NO	REV
2	171747	

DWG NO	UNIT	A	B	C	D
171747-01	E26P	.	.	.	.
171747-02	E29R	.	.	.	.
171747-03	E30W	.	.	.	.
171747-04	E32K	.	.	.	.

RELEASE		REV	DATE	DWG NO	171747
REV	ZONE	REVISION RECORD		DATE	DTR-ORG


AFTER 11-09-09



DECAL-LOGO,SUNSTAR,LG 140087-01-08A

DECAL-LOGO,SUNSTAR,LG 140087-02-05A


11. DUE TO ACRYLIC FILM TO PROTECT UNIT. (24P) (KIT-PAINT PROTECTION 175693-02-000)
10. BLACK PLASTIC ABS WINDSHIELD WIPER PANEL IS TO BE PAINTED THE CORRESPONDING COLOR IN THE PAINT SCHEME.
- 9 CENTER ON UNIT.
8. PASSENGER SIDE OF UNIT SHOWN, DRIVER'S SIDE OPPOSITE.
7. END PANELS OF SLIDEOUT ROOMS WILL BE PAINTED WITH BASECOAT AND CLEAR COAT ONLY. THERE WILL BE NO COLORED DESIGN GRAPHIC ELEMENTS PAINTED ON THE END PANELS.
6. APPLY SEALER BODY SEAM CLEAR 94401-04-000 TO HELP SECURE EDGES.
5. USE 174664-01-000 (100 FT) TO COVER UNSEALED ROOF SEAMS.
4. CLEAR COAT TO BE APPLIED ON ENTIRE UNIT TO PROTECT PAINT.
3. TOLERANCE FOR DIMENSIONS IS +/-20mm. LOGO IS TO BE +/- 1mm ON A HORIZONTAL PLANE (END TO END).
2. APPLY FILM-URETHANE PROTECTANT 109506-01-000 AT BOTTOM OF ENTRANCE DOOR TO PREVENT SCUFFMARKS.
1. APPLY PROTECTOR 116424-01-000 TO WATER HEATER DOOR LATCH.



- (24P) MASK FRONT EXT PROTECTIVE (1PR) WORKHORSE 22,000#-19.5 TIRE (16K) FORD CHASSIS 22,000 (16H) FORD CHASSIS 18,000#/V10 ENG (16N) FORD CHASSIS-16,000 LB.GVWR (24H) EXT FULL BODY PAINT PKG #5 (24L) EXT FULL BODY PAINT PKG #6 (24M) EXT FULL BODY PAINT PKG #7

		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
D F T R		ORIG. DATE	10/15/08
CHKR		FIRST USED	10 E SER (SUNSTAR)
PE		MATERIAL:	
M.E.			
DSNR			
SPECIFICATION PRINT DO NOT SCALE			
TITLE:			
GRAPHICS INSTL - FBP			
SHEET 1 OF 2		PART NO 171747	REV

NOTES:



FIRST USED		
2010 E-SERIES (SUNSTAR)		
SPECIFICATION PRINT DO NOT SCALE		
TITLE:		
GRAPHICS INSTL - FBP		
SHEET	2	PART NO
		171747
		REV
		P

8

7

6

5

4

3

2

1

DWG NO	UNIT	SHEET
172337-01	E29R	-----
172337-02	E32K	1,3
172337-03	E26P	1,4
172337-04	E30W	1,5

RELEASE

REV
A

DATE

DWG NO
172337

REV

ZONE

REVISION RECORD

DATE

DFTR-ORIG

KEY

PART NUMBER (27G)

DESCRIPTION

1	120702-03-66A	DECAL-WINNEBAGO
2	132664-02-01A	DECAL-LOGO DOMED WINNEBAGO
3	135381-02-16A	DECAL-W
4	151687-01-01A	DECAL-DOMED NAMEPLATE WINNEBAGO
5	140086-01-05A	DECAL-VISTA, LG
6	140086-02-05A	DECAL-VISTA, SML
7	129922-02-01A (16N)(16H)(16K) CHASSIS SUPPLIED (1PE)(1PR)	DECAL-EMBLEM TRITON V-10 DECAL-EMBLEM
8	172314-01-01A	DECAL-SWEEP HOOD/BACKWALL
9	172315-01-01A	DECAL-SWEEP #1, RH
10	172315-02-01A	DECAL-SWEEP #1, LH
11	172316-01-01A	DECAL-SWEEP #2, RH
12	172316-02-01A	DECAL-SWEEP #2, LH
13	172317-01-01A	DECAL-SWEEP #3, RH
14	172317-02-01A	DECAL-SWEEP #3, LH
15	172318-01-01A	DECAL-SWEEP #4, RH
16	172318-02-01A	DECAL-SWEEP #4, LH
17	172319-01-01A	DECAL-SWEEP #5, RH
18	172319-02-01A	DECAL-SWEEP #5, LH
19	172320-01-01A	DECAL-SWEEP #6, RH
20	172320-02-01A	DECAL-SWEEP #6, LH
21	172321-01-01A	DECAL-HOOK, RH
22	172321-02-01A	DECAL-HOOK, LH
23	172386-01-01A (26F)(26H)	PAINT MASK-MID SIDEWALL, RH
24	172386-02-01A (26F)(26H)	PAINT MASK-MID SIDEWALL, LH
25	141599-A1-000 (26F)	141599-B8-000 (26H) PAINT
26	141599-A3-000 (26F)	141599-88-000 (26H) PAINT
27	165266-02-01A (26F)(26H)	PAINT MASK-REFRIG VENT
28	165266-01-01A (26F)(26H)	PAINT MASK-REFRIG VENT
29	174114-01-01A (26F)(26H)	PAINT MASK-MID BACKWALL

6

CENTER ON SURFACE.

5. VINYL DECAL WILL BE APPLIED WHERE EVER GRAPHIC DESIGN PATTERN IS POSITIONED OVER SLIDEROOM EXTRUSION, BUT WILL NOT BE APPLIED TO VINYL SCREW COVER INSERT.

4. ALL LOGOS ARE TO BE +/- 1mm ON A HORIZONTAL PLANE (END TO END).

3. CLEAR COAT 141599-C2-000 TO BE APPLIED ON ALL PAINTED AREAS.

2. APPLY FILM-URETHANE PROTECTANT 109506-01-000 AT BOTTOM OF ENTRANCE DOOR TO PREVENT SCUFFMARKS.

1. APPLY PROTECTOR 116424-01-000 TO WATER HEATER DOOR LATCH.

NOTES:

UP TO 11-12-09

1PR

WORKHORSE 22,000#-19.5 TIRE

1PE

WORKHORSE 20,500 DSL 230HP

16K

FORD CHASSIS 22,000

16H

FORD CHASSIS 18,000#/V10 ENG

16N

FORD CHASSIS-16,000 LB. GVWR

26H

EXT GRAPHIC/PAINT-DLX PKG 2

26F

EXT GRAPHIC/PAINT DLX PKG 1

27G

EXTERIOR GRAPHICS PACKAGE #1

Winnebago Industries

COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DFTR

ORIG. DATE

CHRR

ALL DIMENSIONS ARE
IN MILLIMETERS

P.E.

M.E.

FIRST USED
10 E SERIES
(VISTA)

DSNR

UNSPECIFIED TOLERANCES ARE:

MATERIAL:

WHOLE DIM (X) ± 20

ONE-PLACE (X.X) ± 10

TWO-PLACE (X.XX) ± -

ANGLE ± -

THIRD ANGLE
PROJECTION

DO NOT SCALE DRAWING

TITLE:
GRAPHICS INSTALLATION

SHEET 1 OF 5PART NO 172337REV

REF:

1

SEE CHART
FOR COLOR VARIATIONS
OF THIS PART

10/21/2009

8

7

6

5

4

3

2

1

DWG NOUNITSHEETAB

172337-01E29R1,2----

172337-02E32K1,3172386-01-01A172386-02-01A

172337-03E26P1,4172386-03-01A172386-04-01A

172337-04E30W1,5172386-05-01A172386-06-01A

RELEASE

REVDATEA

DWGNO172337

REVZONE

REVISIONRECORD

DATE

DFTR-ORIG

KEYPART NUMBER (27G)DESCRIPTION

1120702-03-66ADECAL-WINNEBAGO

2132664-02-01ADECAL-LOGO DOMED WINNEBAGO

3135381-02-16ADECAL-W

4151687-01-01ADECAL-DOMED NAMEPLATE WINNEBAGO

5140086-01-05ADECAL-VISTA, LG

6140086-02-05ADECAL-VISTA, SML

7129922-02-01A (16N)(16H)(16K) CHASSIS SUPPLIED (1PE)(1PR)DECAL-EMBLEM TRITON V-10
DECAL-EMBLEM

8172314-01-01ADECAL-SWEEP HOOD/BACKWALL

9172315-01-01ADECAL-SWEEP #1, RH

10172315-02-01ADECAL-SWEEP #1, LH

11172316-01-01ADECAL-SWEEP #2, RH

12172316-02-01ADECAL-SWEEP #2, LH

13172317-01-01ADECAL-SWEEP #3, RH

14172317-02-01ADECAL-SWEEP #3, LH

15172318-01-01ADECAL-SWEEP #4, RH

16172318-02-01ADECAL-SWEEP #4, LH

17172319-01-01ADECAL-SWEEP #5, RH

18172319-02-01ADECAL-SWEEP #5, LH

19172320-01-01ADECAL-SWEEP #6, RH

20172320-02-01ADECAL-SWEEP #6, LH

21172321-01-01ADECAL-HOOK, RH

22172321-02-01ADECAL-HOOK, LH

23A (SEE TAB) (26F)(26H)PAINT MASK-MID SIDEWALL, RH

24B (SEE TAB) (26F)(26H)PAINT MASK-MID SIDEWALL, LH

25141599-A1-000 (26F)141599-B8-000 (26H)PAINT

26141599-A3-000 (26F)141599-88-000 (26H)PAINT

27165266-02-01A (26F)(26H)PAINT MASK-REFRIG VENT

28165266-01-01A (26F)(26H)PAINT MASK-REFRIG VENT

29174114-01-01A (26F)(26H)PAINT MASK-MID BACKWALL

6

CENTER ON SURFACE.

5. VINYL DECAL WILL BE APPLIED WHERE EVER GRAPHIC DESIGN PATTERN IS POSITIONED OVER SLIDEROOM EXTRUSION, BUT WILL NOT BE APPLIED TO VINYL SCREW COVER INSERT.

4. ALL LOGOS ARE TO BE +/- 1mm ON A HORIZONTAL PLANE (END TO END).

3. CLEAR COAT 141599-C2-000 TO BE APPLIED ON ALL PAINTED AREAS.

2. APPLY FILM-URETHANE PROTECTANT 109506-01-000 AT BOTTOM OF ENTRANCE DOOR TO PREVENT SCUFFMARKS.

1. APPLY PROTECTOR 116424-01-000 TO WATER HEATER DOOR LATCH.

NOTES:

SEE CHART

FOR COLOR VARIATIONS OF THIS PART

1PRWORKHORSE 22,000#-19.5 TIRE

1PEWORKHORSE 20,500 DSL 230HP

16KFORD CHASSIS 22,000

16HFORD CHASSIS 18,000#/V10 ENG

16NFORD CHASSIS-16,000 LB. GVWR

26HEXT GRAPHIC/PAINT-DLX PKG 2

26FEXT GRAPHIC/PAINT DLX PKG 1

27GEXTERIOR GRAPHICS PACKAGE #1

Winnebago Industries

COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DFTR

ORIG. DATE

CHRR

ALL DIMENSIONS ARE
IN MILLIMETERS

P.E.

M.E.

FIRST USED

DSNR

10 E SERIES
(VISTA)

UNSPECIFIED TOLERANCES ARE:

MATERIAL:

WHOLE DIM (X) ± 20

ONE-PLACE (X.X) ± 10

TWO-PLACE (X.XX) ± -

ANGLE ± -

THIRD ANGLE
PROJECTION

DO NOT SCALE DRAWING

TITLE:

GRAPHICS INSTALLATION

SHEET 1 OF 5

PART NO 172337

REV

REF:

1

8

7

6

5





4

3


2

1

12/1/2009



FIRST USED		
(VISTA)		
DO NOT SCALE DRAWING		
TITLE:		
GRAPHICS INSTALLATION		
SHEET 2	PART NO	REV
	172337	





UP TO 11-08-09

FIRST USED		
2010 E-SERIES (VISTA)		
SPECIFICATION PRINT		
DO NOT SCALE		
TITLE:		
GRAPHICS INSTL - FBP		
SHEET	PART NO	REV
2	171746	

8		7			
DWG NO	UNIT	A	B	C	D
171746-01	E26P	230	230	256	256
171746-02	E29R	---	---	---	---
171746-03	E30W	1194	1219	2896	1905
171746-04	E32K	1045	1245	1540	1945

RELEASE		REV	DATE	DWG	
A			10--16--08	NO 171746	
REV	ZONE	REVISION RECORD		DATE	DFTR-ORG

AFTER 11-09-09




12. DIE CUT ACRYLIC FILM TO PROTECT UNIT. (24P)
(KIT-PAINT PROTECTION 175693-01-000)
11. BLACK PLASTIC ABS WINDSHIELD WIPER PANEL IS TO BE PAINTED THE CORRESPONDING COLOR IN THE PAINT SCHEME.
10. CENTER UNDER LOGO.
9. CENTER ON UNIT.
8. PASSENGER SIDE OF UNIT SHOWN, DRIVER'S SIDE OPPOSITE.
7. END PANELS OF SLIDEOUT ROOMS WILL BE PAINTED WITH BASECOAT AND CLEAR COAT ONLY. THERE WILL BE NO COLORED DESIGN GRAPHIC ELEMENTS PAINTED ON THE END PANELS.
6. APPLY SEALER BODY SEAM CLEAR 94401-04-000 TO HELP SECURE EDGES.
5. USE 174664-01-000 (100 FT) TO COVER UNSEALED ROOF SEAMS.
4. CLEAR COAT TO BE APPLIED ON ENTIRE UNIT TO PROTECT PAINT.
3. TOLERANCE FOR DIMENSIONS IS +/-20mm.
LOGO IS TO BE +/- 1mm ON A HORIZONTAL PLANE (END TO END).
2. APPLY FILM-URETHANE PROTECTANT 109506-01-000 AT BOTTOM OF ENTRANCE DOOR TO PREVENT SCUFFMARKS.
1. APPLY PROTECTOR 116424-01-000 TO WATER HEATER DOOR LATCH.

NOTES:


(24P) MASK FRONT EXT PROTECTIVE
(1PR) WORKHORSE 22,000#-19.5 TIRE
(16K) FORD CHASSIS 22,000
(16H) FORD CHASSIS 18,000#/V10 ENG
(16N) FORD CHASSIS-16,000 LB. GVWR
(24H) EXT FULL BODY PAINT PKG #5
(24L) EXT FULL BODY PAINT PKG #6
(24M) EXT FULL BODY PAINT PKG #7

WINNEBAGO® INDUSTRIES		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG DATE	10/15/08	
CHKR	FIRST USED	10 E (VISTA)	
P.E.	MATERIAL		
M.E.			
DSNR			
SPECIFICATION PRINT DO NOT SCALE			
TITLE:			
GRAPHICS INSTL - FBP			
SHEET 1 OF 2	PART NO	171746	REV


02/23/10





FIRST USED	
2010 E-SERIES (VISTA)	
SPECIFICATION PRINT DO NOT SCALE	
TITLE:	
GRAPHICS INSTL - FBP	
SHEET 2	PART NO 171746 REV



RELEASE		REV A	DATE	DWG NO	161746	
REV	ZONE	REVISION RECORD			DATE	DFTR-ORIG

WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTR		ORIG. DATE	
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		07 E-SERIES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ±			
ANGLE ±			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE:			
LADDER INSTL			
SHEET 1 OF 1		PART NO	161746
		REF:	1



		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFT#R		ORIG. DATE	
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.		FIRST USED	
M.E.		10 E30W	
DSNR		10 E30W	
UNSPECIFIED TOLERANCES ARE: WHOLE DIM (X) ± ONE-PLACE (X.X) ± TWO-PLACE (X.XX) ± ANGLE ±		MATERIAL:	
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE:			
BODY INSTL-PANEL & TRIM			
SHEET 1 of 1		PART NO. 173373	
		REV	


106015-12-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-12-700	EA MIRROR-FLAT-W/W/O HEAT	709448
	106015-12-701	EA MIRROR-CONVEX - W/W/O HEAT	709449
	106015-12-702	EA CAP/SCREW - (PKG OF 4) - BLK	748329 RND
	106015-12-703	EA CONVEX GLASS/HANDSET/HOUSING	7095892
	106015-19-701	EA GLASS/FLAT-W/BEZEL/HEAT/ANTI	709644
	119774-09-700	EA PLATE-INNER SUPT/MIRROR HEAD	709418-7RH
	131431-01-701	EA MOTOR	7475400

106015-13-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-12-700	EA MIRROR-FLAT-W/W/O HEAT	709448
	106015-12-701	EA MIRROR-CONVEX - W/W/O HEAT	709449
	106015-12-702	EA CAP/SCREW - (PKG OF 4) - BLK	748329 RND
	106015-12-703	EA CONVEX GLASS/HANDSET/HOUSING	7095892
	106015-19-701	EA GLASS/FLAT-W/BEZEL/HEAT/ANTI	709644
	119774-09-701	EA PLATE INNER SUPT/MIRROR HEAD	709419-7LH
	131431-01-701	EA MOTOR	7475400

106015-14-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-12-700	EA MIRROR-FLAT-W/W/O HEAT	709448
	106015-12-701	EA MIRROR-CONVEX - W/W/O HEAT	709449
	106015-12-702	EA CAP/SCREW - (PKG OF 4) - BLK	748329 RND
	106015-12-703	EA CONVEX GLASS/HANDSET/HOUSING	7095892
	106015-19-701	EA GLASS/FLAT-W/BEZEL/HEAT/ANTI	709644
	119774-09-700	EA PLATE-INNER SUPT/MIRROR HEAD	709418-7RH

106015-15-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-12-700	EA MIRROR-FLAT-W/W/O HEAT	709448
	106015-12-701	EA MIRROR-CONVEX - W/W/O HEAT	709449
	106015-12-702	EA CAP/SCREW - (PKG OF 4) - BLK	748329 RND
	106015-12-703	EA CONVEX GLASS/HANDSET/HOUSING	7095892
	106015-19-701	EA GLASS/FLAT-W/BEZEL/HEAT/ANTI	709644
	119774-09-701	EA PLATE INNER SUPT/MIRROR HEAD	709419-7LH


106015-18-01A, 106015-19-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-12-702	EA CAP/SCREW - (PKG OF 4) - BLK	748329 RND
	106015-16-700	EA GLASS-FLAT W/HEAT ELEMENT	709450
	106015-18-700	EA GLASS/CONVEX-KIT W/CLIP	709650
	106015-18-701	EA ACTUATOR - CONVEX GLASS	7475410
	106015-18-702	EA MOTOR - FLAT GLASS	7471180
	106015-18-703	EA CONVEX REBUILT KIT	709651
	106015-19-700	EA VIBRATION KIT - MIRROR GLASS, VELVAC	709645



140923-01
331C
500-SERIES
(524A PASSENGER)
(524K PASSENGER)
700-SERIES
D-SERIES
E-SERIES
H SERIES
J SERIES

4	000C260512U	BOLT	4
3	000D390500U	NUT	4
2	14092201CHT	PLATE-MUDFLAP	1
1	01751601000	MUD FLAP-BLACK	1
ITEM	PART NUMBER	DESCRIPTION	QTY


		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFT:R		ORIG. DATE	
CHK:R		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.:		FIRST USED	
M.E.:		02 MOTORHOMES	
DSNR			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ±			
ONE-PLACE (X.X) ±			
TWO-PLACE (X.XX) ±			
ANGLE ±			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: MUD FLAP COMPL			
SHEET 1 OF 5		PART NO 140923 REV	
REF:		1 2/16/2010	



DWG NO 140923

140923-05
D-SERIES
E-SERIES

4	01751608000	MUD FLAP-BL	1
3	000C260512U	BOLT	4
2	000D390500U	NUT	4
1	14092201CHT	PLATE-MUDFL	1
ITEM	PART NUMBER	DESCRIPTION	QTY
FIRST USED			
02 MOTORHOMES			
DO NOT SCALE DRAWING			
TITLE:			
MUD FLAP COMPL			
SHEET 3	PART NO 140923	REV	



CAP-TRIM,REAR
140620-02-01A WHT/02A BLK
SCREW
G55-08-12U

CAP ASM-ROOF
140596-02-A61 WHT/AA1 SANDING GEL
CLIP-J,-3/8
077955-01-000
RETAINER-SCREW
149753-01-01A BLK/02A WHT (4)
CAP-SCREW, RETAINER
149753-02-01A BLK/02A WHT (4)
SCREW
G39-10-129 (4)


CAP-TRIM,REAR
140620-01-01A WHT/02A BLK
SCREW
G55-08-12U

SCREW
G39-10-129 (6)

TRIM-CONTOUR
175795-01-01A(B/W)(2)
175795-01-02A(BLK)
SCREW
G67-10-12T (34)
INSERT-VINYL
105312-01-07A WHT/13A BLK (2)
(2458)
123680-08-01A (WHT)(2)(UP TO 12-13-09)
123680-08-02A (BLK)

RETAINER-SCREW
149753-01-01A BLK/02A WHT
CAP-SCREW,RETAINER
149753-02-01A BLK/02A WHT
SCREW
G39-10-129 (2)


VIEW A
BOTH ENDS



SECTION B-B

BUMPER ASM-REAR
161426-01-UQ1 WHT/AA1 BLK

		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTD		ORIG. DATE	
CHKD		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.		FIRST USED	
M.E.			
DSNR			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ±			
ONE-PLACE (X.X) ±			
TWO-PLACE (X.XX) ±			
ANGLE ±			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: TRIM COMPL-BACKWALL,W/BUMPER			
SHEET	OF	PART NO 161313	REV
REF:		1	



RELEASE		REV A	DATE	DWG NO	161426	
REV	ZONE	REVISION RECORD			DATE	DFTR-ORIG

11	000E131800U	WASHER	9
10	000E131600U	WASHER	8
9	000D290500U	NUT	8
8	000C270540U		8
7	000G390616U	SCREW-PAN,H	1
6	08628508000	SPACER-NYLO	8
5	12086309000	BUMPER-RUBB	1
4	16139102CHT	CAP-BUMPER	1
3	16139101CHT	CAP-BUMPER	1
2	000G550812U	SCREW-PAN,H	4
1	16131201CHT	BUMPER-REAR	1
ITEM	PART NUMBER	DESCRIPTION	QTY

COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DTFR

CHRR

P.E.

M.E.

DSNR

ORIG. DATE

ALL DIMENSIONS ARE
IN MILLIMETERS

FIRST USED

07 E30B

UNSPECIFIED TOLERANCES ARE:

WHOLE DIM (X) : 3

ONE-PLACE (X.X) : 1.5

TWO-PLACE (X.XX) : 0.50

ANGLE : 1°

MATERIAL:

WEIGHT: 14,340 LBS

THIRD ANGLE
PROJECTION

DO NOT SCALE DRAWING

TITLE:

BUMPER ASM-REAR

SHEET 1 OF 1

PART NO 161426

REV

D

D

C


C

B

B


A

A







16H FORD CHASSIS 18,000#/V10 ENG

FIRST USED		
10 E30W		
DO NOT SCALE DRAWING		
TITLE:		
SIDEWALL ASM-LEFT		
SHEET 8	PART NO 173375	REV



FIRST USED			10 E30W
DO NOT SCALE DRAWING			
TITLE:			SIDEWALL ASM-RIGHT
SHEET 1	PART NO	173376	REV




10. THRU INTERIOR PLYWOOD AND ALUMINUM ONLY.
9. INSTALL HOUSING WITH CIRCUIT MM IN POSITION 1 AND CURCUIT MS IN POSTION 2
8. THRU EXTERIOR SKIN ONLY.
7. THRU FOAM AND INNER PANEL.
6. ALL RAI 9.5 UNLESS OTHERWISE SPECIFIED.
5. THRU FOAM AND EXTERIOR SKIN.
4. ALL WIRES SHOWN DENOTE ROUTED PATH.
3. TOLERANCE FOR CUTOUT ± 1.5 , WIRING ± 2.5 , WIRE DROPS $+150.0/-0.0$.
2. CAP SEAL TRIM WITH SEALANT 72889-20-000.
1. PANEL SHOWN FROM EXTERIOR SIDE.

NOTICE
CHANGES TO THIS SHEET
MAY AFFECT OTHERS

- 16H FORD CHASSIS 18,000#/V10 ENG
- 1PL WORKHORSE 18,000# GVWR (W18)
- 1PE WORKHORSE 20,500 DSL 230HP

FIRST USED		
10 E30W		
DO NOT SCALE DRAWING		
TITLE:		
BACKWALL ASM		
SHEET 1	PART NO	REV
173378		



9VINYL-01-000
(UNDER DINETTE ONLY)

TRIM-FEATURE,LOWER
163020-16-01A WHT
163020-16-02A BLK
SCREW
154938-02-01A WHT(3)
154938-02-02A BLK(3)

TRIM-SEAL,INNER
169060-07-02A
SCREW
000G62-08-12B (12)

COVE-BACKWALL
139969-07-02A WHT
139969-07-03A BLK

TRIM-FEATURE,LOWER
163020-15-01A WHT
163020-15-02A BLK
SCREW
154938-02-01A WHT(2)
154938-02-02A BLK(2)

SUPPORT ASM-ROOF
125466-25-04A
SCREW
000G62-08-08B (14)

ROOF ASM-SLIDEOUT
172072-02-XXX
SCREW
000G62-08-12B (10)

AWNING
122977-17-CHT
AWNING BRACKET (2)
(SUPPLIED WITH AWNING)
SCREW
000G3910-24-170 (10)

TRIM-KIT-EXTERIOR
169233-28-XXX
SCREW
154938-05-03A (24)
INSERT
105312-01-07A WHT (8878)
105312-01-13A BLK (8878)
SCREW
154938-04-01A WHT(38)
154938-04-02A BLK(38)

SLUG ASM-SLIDEOUT
173375-11-XXX
173375-13-XXX
173375-15-XXX
173375-17-XXX
64V
173375-12-XXX
173375-14-XXX
173375-16-XXX
173375-18-XXX
21W
13Y
21W
13Y

COVER-CORNER
156151-01-01A BLK (4)
156151-01-02A WHT (4)
CORNER-KEY
160421-01-01A (4)

FLOOR ASM-SLIDEOUT(DINETTE)
172071-03-XXX

TRIM ASM-SIDEWALL
159111-23-XXX
SCREW
000G39-08-16B (14)

RAMP ASM-SLIDEOUT
134756-14-XXX (2) (UP TO 09-27-09)
174758-14-XXX (2) (AFTER 09-28-09)
PLYWOOD, 76X200
000846-51-337 (2) (UP TO 09-27-09)
SCREW
000G62-10-32B (8)
(SCREWS MUST BE COUNTERSUNK
3MM BELOW SURFACE OF THE WOOD)

RAIL-FLOOR,SLIDEOUT
115325-03-02A
SCREW
000G62-10-12B (10)
POLYETHYLENE
115661-01-000
(1640)

RAMP ASM
134756-01-XXX (UP TO 09-27-09)
174758-01-XXX (AFTER 09-28-09)
PLYWOOD, 76X1700
000846-51-003 (UP TO 09-27-09)
SCREW
000G62-10-32B(10)
(SCREWS MUST BE COUNTERSUNK
3MM BELOW SURFACE OF THE WOOD)

TRIM-CARPET
151282-09-01A
SCREW
000G39-10-10T (10)

TRIM-SEAL,INNER
139624-02-02A
SCREW
000G62-08-12B (9)

PANEL ASM-SLIDEOUT
162977-24-XXX
64V
SCREW
000G62-08-12B (16)

9 TRIM-FEATURE-UPPER
158375-03-01A (2) WHT
158375-03-02A (2) BLK
SCREW
154938-02-01A WHT(8)
154938-02-02A BLK(8)

TRIM-SEAL,INNER
139624-01-02A
SCREW
000G62-08-12B (9)

PANEL ASM-SLIDEOUT
162977-01-XXX
64V
SCREW
000G62-08-12B (16)

9 TRIM-FEATURE,LOWER
163020-06-01A WHT (2)
163020-06-02A BLK (2)
SCREW
154938-02-01A WHT (8)
154938-02-02A BLK (8)

21W FLOOR ASM-SLIDEOUT(BUFFET)
172071-02-XXX

TRIM ASM-SIDEWALL
159111-23-XXX
SCREW
000G39-08-16B (14)

RAMP ASM-SLIDEOUT
134756-14-XXX (2) (UP TO 09-27-09)
174758-14-XXX (2) (AFTER 09-28-09)
PLYWOOD, 76X200
000846-51-337 (2) (UP TO 09-27-09)
SCREW
000G62-10-32B (8)
(SCREWS MUST BE COUNTERSUNK
3MM BELOW SURFACE OF THE WOOD)











LUMBER-RADIUS
135492-01-986
21W 513 1G9 645

21W RAIL-FLOOR,SLIDEOUT
115325-25-01A
SCREW
000G62-10-12B (14)
POLYETHYLENE
115661-01-000
(1700)
RAMP ASM
134756-01-XXX (UP TO 09-27-09)
174758-01-XXX (AFTER 09-28-09)
PLYWOOD, 76X1700
000846-51-003 (AFTER 09-28-09)
SCREW
000G62-10-32B(10)
(SCREWS MUST BE COUNTERSUNK
3MM BELOW SURFACE OF THE WOOD)

14W DINETTE
21W DINING/BUFFET/37" TV
513 FLOORCOVERING-VINYL-THRU OUT
1G9 FLOORCOVERING-VINYL-FRONT
645 RENTAL-MOTURIS




ROOM ASM-SLIDEOUT
(SEE TAB)

FIRST USED		
10 E30W		
DO NOT SCALE DRAWING		
TITLE:		
SLIDEOUT COMPL-FRONT,LH		
SHEET 2	PART NO	REV
	173338	




- 14W DINETTE
- 21W DINING/BUFFET/37" TV
- 513 FLOORCOVERING-VINYL-THRU OUT
- 1G9 FLOORCOVERING-VINYL-FRONT
- 645 RENTAL-MOTURIS

FIRST USED		10 E30W
DO NOT SCALE DRAWING		
TITLE: SLIDEOUT COMPL-FRONT,LH		
SHEET 3	PART NO 173338	REV



FIRST USED		10 E30W
DO NOT SCALE DRAWING		
TITLE:		SLIDEOUT COMPL-FRONT,LH
SHEET 4	PART NO	173338
		REV



- 64T SIDEWALLS-HIGH GLOSS
- 64V SIDEWALL-PREMIUM HIGH GLOSS
- 513 FLOORCOVERING-VINYL-THRU OUT
- 1G9 FLOORCOVERING-VINYL-FRONT
- 65G WINDOW COACH-SINGLE PANE
- 13Y WINDOWS-COACH-DUAL PANE

COPYRIGHT 2010
WINNEBAGO
INDUSTRIES, INC.

DFTG	ORIG. DATE
CHGR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	
DSNR	FIRST USED
10 E30W	
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	± 3
ONE-PLACE (X.X)	±
TWO-PLACE (X.XX)	±
ANGLE	±
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES
TITLE: SLIDEOUT COMPL-FRONT,RH	
SHEET 1 OF 5	PART NO 173339 REV

TRIM-SEAL,INNER
169060-02-02A
SCREW
000G62-08-12B (9)

ROOF ASM-SLIDEOUT
172072-03-A70
SCREW
000G62-08-12B (10)

AWNING
122977-12-CHT (AFTER 12-27-09)
166646-30-CHT (AFTER 12-28-09)
AWNING BRACKET (2)
(SUPPLIED WITH AWNING)

TRIM-KIT-EXTERIOR
169233-10-AA1(BLK)
169233-10-AA2(WHT)
SCREW
154938-05-03A (21)
INSERT
105312-01-07A(WHT) (7382)
105312-01-13A(BLK)
SCREW
154938-04-01A(WHT) (32)
154938-04-02A(BLK)

SLUG ASM-SLIDEOUT
173376-11-XXX
173376-13-XXX (13Y)

64V 173376-12-XXX
173376-14-XXX (13Y)

COVER-CORNER
156151-01-01A(BLK) (4)
156151-01-02A(B/W)
CORNER-KEY
160421-01-01A(BLK) (4)
160421-01-02A(B/W)

TRIM ASSEMBLY-SIDEWALL
159111-24-XXX
SCREW
000G39-08-16B (11)

FLOOR ASM-SLIDEOUT
172071-04-XXX

RAIL-FLOOR,SLIDEOUT-
115325-02-03A
SCREW
000G62-10-12B (10)
POLYETHYLENE
115661-01-000
(1755)
RAMP ASM
134756-01-XXX (UP TO 09-27-09)
174758-01-XXX (AFTER 09-28-09)
PLYWOOD, 76X1700
000846-51-003 (UP TO 09-27-09)
SCREW
000G62-10-32B(10)
(SCREWS MUST BE COUNTERSUNK
3MM BELOW SURFACE OF THE WOOD)

TRIM-CARPET
151282-12-01A
SCREW
000G39-10-10T (8)

TRIM-SEAL,INNER
139624-02-02A
SCREW
000G62-08-12B (9)


PANEL ASM-SLIDEOUT
162977-03-XXX
162977-04-XXX (64V)
SCREW
000G62-08-12B (16)

513 FLOORCOVERING-VINYL-THRU OUT

1G9 FLOORCOVERING-VINYL-FRONT




ROOM ASM-SLIDEOUT
(SEE TAB)

FIRST USED			10 E30W
DO NOT SCALE DRAWING			
TITLE:			SLIDEOUT COMPL-FRONT,RH
SHEET 2	PART NO	173339	REV




513 FLOORCOVERING-VINYL-THRU OUT
1G9 FLOORCOVERING-VINYL-FRONT




FIRST USED		
10 E30W		
DO NOT SCALE DRAWING		
TITLE: SLIDEOUT COMPL-FRONT,RH		
SHEET 3	PART NO 173339	REV



FIRST USED		10 E30W	
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-FRONT,RH			
SHEET 4	PART NO	173339	REV



FIRST USED			10 E30W					
DO NOT SCALE DRAWING								
TITLE: SLIDEOUT COMPL-FRONT,RH								
SHEET 5		PART NO 173339		REV				






FABWELL SDW


- 4 SEAL TO BE FLUSH WITH OUTER TRIM.
- 3 TOLERANCE ON THE CLIP SPACING IS $\pm$ 100.0 MM.
- 2 APPLY SCREWS AT EACH END AND ONE IN THE MIDDLE OF THE OUTER TRIM.
- 1 APPLY SCREW THROUGH SEAL SO THAT IT HOLDS THE SEAL IN PLACE ON THE INNER TRIM.

NOTES:

TRIM ASM-SLIDEOUT,SIDE
1 2 **151763**



FABWELL SDW



SEAT BELT
160167-01-CHT 2 X 102" BLACK
160167-02-CHT 2 X 90" BLACK



FIRST USED		
07 MOTORHOMES		
DO NOT SCALE DRAWING		
TITLE:		
SEAT BELT INSTL		
SHEET 1	PART NO 159417	REV

162106-01-000			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	130294-04-700	EA SCREW - 5/16"-18 X 1 1/2"	1202060
	131281-01-702	EA PIN/CLEVIS - 1/4" PLATED	1213190
	131281-01-704	EA HAIRPIN/COTTER - 3/8" SPRING	1213460
	131682-01-700	EA ROLLER - (BEARING)	1912040
	138173-01-701	EA POP RIVET - SS 3/16"X1/4"	1214630
	138173-01-707	EA WEAR PUCK - PLASTIC F/DRIVE	1612523
	140457-01-701	EA BUSHING - 1" X 3/4" X 1/2"ID	1614006
	140457-01-704	EA SHAFT/AXLE - REAR ROLLER	7204523
	148875-01-700	EA PIN/COTTER - 3/32" X 1/2"	1213520
	148875-01-701	EA PIN/ROLL - 3/16" X 3/4"	1213693
	148875-01-702	EA PIN/ROLL - 1/4" X 1"	1213701
	148875-01-703	EA NUT - PLASTIC - 1"	1612548
	148875-01-704	EA END CARRIER - PLASTIC - 1"	1612549
	148875-01-705	EA MOTOR/LINEAR - SLIDE ROOM	1820111
	148875-01-707	EA END GUIDE F/SCREW - 1"	1820450
	149165-01-701	EA PIN/CLEVIS - 1/4" X 2"	1213204
	151027-01-700	EA DRIVE SCREW 1" X 20"	1820402
	162106-01-700	EA PLATE/SPACER RUB BLOCK	7207561
	162106-01-701	EA BRACKET - MOUNT/SLIDE ROOM	7203183
	162106-01-702	EA BRACKET - ANTI-CLOCK BLOCK	3010000238


162106-02-000			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	130294-04-700	EA SCREW - 5/16"-18 X 1 1/2"	1202060
	131281-01-702	EA PIN/CLEVIS - 1/4" PLATED	1213190
	131281-01-704	EA HAIRPIN/COTTER - 3/8" SPRING	1213460
	131682-01-700	EA ROLLER - (BEARING)	1912040
	138173-01-701	EA POP RIVET - SS 3/16"X1/4"	1214630
	138173-01-707	EA WEAR PUCK - PLASTIC F/DRIVE	1612523
	140457-01-701	EA BUSHING - 1" X 3/4" X 1/2"ID	1614006
	140457-01-704	EA SHAFT/AXLE - REAR ROLLER	7204523
	148875-01-700	EA PIN/COTTER - 3/32" X 1/2"	1213520
	148875-01-701	EA PIN/ROLL - 3/16" X 3/4"	1213693
	148875-01-702	EA PIN/ROLL - 1/4" X 1"	1213701
	148875-01-703	EA NUT - PLASTIC - 1"	1612548
	148875-01-704	EA END CARRIER - PLASTIC - 1"	1612549
	148875-01-705	EA MOTOR/LINEAR - SLIDE ROOM	1820111
	148875-01-707	EA END GUIDE F/SCREW - 1"	1820450
	149165-01-701	EA PIN/CLEVIS - 1/4" X 2"	1213204
	151027-01-700	EA DRIVE SCREW 1" X 20"	1820402
	162106-01-700	EA PLATE/SPACER RUB BLOCK	7207561
	162106-01-701	EA BRACKET - MOUNT/SLIDE ROOM	7203183

KEY	PART NUMBER	U/M	DESCRIPTION
	162495-01-700	EA	BUTTON-DBL. PLAS. SNAP

162495-01-01A, 162495-02-01A
VENDOR NO.
DP130



DETAIL A
(TOP TRIM)
(VIEWED FROM THE BACKSIDE OF THE TRIM)



DETAIL B
(ALL MITER CUT VERTICAL TRIM)
(VIEWED FROM THE BACKSIDE OF THE TRIM)



VERTICAL RETAINER TRIM

VERTICAL RETAINER TRIM

VERTICAL TRIM



SEAL
(REF)

DETAIL C
(ALL STRAIGHT CUT VERTICAL TRIM)
(VIEWED FROM THE BACKSIDE OF THE TRIM)



DETAIL D
(BOTTOM TRIM)
VIEWED FROM THE BACKSIDE OF THE TRIM

FIRST USED		2010 MOTORHOMES	
DO NOT SCALE DRAWING			
TITLE: TRIM KIT-EXTERIOR,SLIDEOUT			
SHEET 1	PART NO	169233	REV



FIRST USED		
2010 MOTORHOMES		
DO NOT SCALE DRAWING		
TITLE:		
TRIM KIT-EXTERIOR,SLIDEOUT		
SHEET 4	PART NO 169233	REV

D

D

C




C

B

B

A

A



VIEW C

- NOTES:
- 6 LENGTHS SHOULD BE IN 150 mm INCREMENTS PER STANDARD SLIDEOUT ROOM LENGTHS DEFINED IN ES0080.
 - 5 OUTER TRIM MUST BE CENTERED ON THE INNER TRIM WITHIN ± 3.0 .
 - 4 TOLERANCE ON THE CLIP SPACING IS ± 100.0 MM.
 - 3 LOCATE CLIPS AT EACH END AND SPACED EQUALLY ALONG THE INNER TRIM.
 - 2 APPLY SCREWS AT EACH END AND ONE IN THE MIDDLE OF THE OUTER TRIM.
 - 1 APPLY SCREW THROUGH SEAL SO THAT IT HOLDS THE SEAL IN PLACE ON THE INNER TRIM.

WINNEBAGO INDUSTRIES		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DTR		ORIG. DATE	
CHRR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.		FIRST USED	
M.E.		10 SLIDEOUTS	
DSNR		MATERIAL:	
UNSPECIFIED TOLERANCES ARE:		DO NOT SCALE DRAWING	
WHOLE DIM (X) : 1.5		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
ONE-PLACE (X.X) : 1.5		TITLE:	
TWO-PLACE (X.XX) :		TRIM ASM-SLIDEOUT, TOP, SGL WIPE	
ANGLE :		SHEET 1 OF 1	
THIRD ANGLE PROJECTION		PART NO 171741	
REF:		REV	

			174525-01-000
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	161662-01-703	EA ROLLER - 2"	510022
	161662-01-704	EA PAD/WEAR	DN10936
	161662-01-707	EA KEY/WOODRUFF - #606	521336
	161662-01-711	EA ROLLER/PLASTIC - 3/4" X 2.9"	3010000401
	172400-01-702	EA SET SCREW 5/8"-18 X 1/2"	150-1546
	172400-01-703	EA BEARING STEP 3/4" ID	1102005
	172400-01-704	EA GEAR/SPUR 3/4" ID X 2" OD	3010000400
	172400-01-705	EA WEAR PAD - ROUND	320-0056
	172400-01-706	EA COUPLING - HEX 3/4" ID	520223
	172400-01-708	EA PIN - COILED 1/4" X 1 1/4"	18-1007
	172400-01-709	EA MOTOR W/LONG SHAFT	1010001874
	172400-01-710	EA BEARING STEP 1" ID	1102000
	174525-01-700	EA CLIP - HITCH PIN .125"	18-1065
	174525-01-701	EA COTTER PIN	VF11500
	174525-01-702	EA BOLT/SHOULDER - 1/2"OD X .88	15-1378
	174525-01-703	EA NUT/CENTERLOCK - 3/8"-16 N/C	15-1341
	174525-01-704	EA RAIL - INNER W/DRIVE	1010001988