





RELEASE		REV	DATE	DWG NO	171861
REV	ZONE	REVISION RECORD		DATE	DFTR.Orig

ADD BRACKET 174478-01-CHT TO THE WHEEL LIPS. 1537-1537

7. USE SEAL 107721-07-000 IN COMPT OPENINGS. PREP SURFACE WITH 087211-01-000. APPLY 15 PSI TO SEAL.
6. USE SEAL 132892-08-CHT IN COMPT OPENINGS.
5. USE STRIKER 130053-01-CHT (2), SHIM 143793-01-CHT OR 120494-04-CHT (A/R), SCREW G39-10-12T (4), COVER SCREW 93249-01-000 (A/R).
4. USE GAS SPRING 142569-32-000 (1) AND BRACKET 126263-02-CHT (1), USE SCREW G39-10-12T (2) INSTALL GAS SPRING WITH ROD DOWN.
3. USE ADHESIVE 119938-02-000 FOR CARPET INSTALLATION.
2. TRI MARK "KEY ONE" SEAL: P/N 138292-01-000 USE ON ENTRANCE DOOR. KEY: P/N 138288-11 THRU -20 ENTRANCE DOOR CYLINDER LOCK: P/N 138287-11 THRU -20 VALANCE: P/N 138289-11-000 THRU -20
- MATCH LAST DIGIT OF V.I.N. # WITH TAB NUMBER
EXAMPLE: SERIAL #
USE: 138287-15-000
138288-15-000
138289-15-000
1. SEE BODY INSTL-SECTIONS DWG 169757 FOR SECTION BA-BZ

COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE
CHRR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	FIRST USED
M.E.	10 H25R
DSNR	UNSPECIFIED TOLERANCES ARE:
DO NOT SCALE DRAWING	
TITLE: BODY INSTL-DOORS & COMPTS	
SHEET 1 OF 1	REF: 1



090868-01

- 224V
- 229T
- 231C
- 231J
- 329B
- 331C
- 524DL
- 524K
- 524P
- 728B
- 730C
- D31E
- D35J
- D37L
- E30W
- E32K
- H25R
- J35Z
- J38N

GEN MOTORHOMES

SUPPORT-LID, ENTRANCE STEP
123330-10-CHT
SCREW
G11-10-12D(7)

TREAD-STEP,RUBBER
133114-09-CHT
ADHESIVE
142550-02-000

104005-12-XXX
H25T
H25R



CABINET ASM-LID, ENT STEP
172491-01-XXX

TRIM-LED,ENTRANCE
172635-01-CHT
SCREW
000G67-08-12U(5)


BRACKET-CATCH,LID
146747-01-CHT(2)
SCREW
G11-10-12D(4)

1. CENTER TREAD-STEP.RUBBER ON BOARD.



FIRST USED			04 300-SERIES					
DO NOT SCALE DRAWING								
TITLE: LID ASM-ENTRANCE STEP								
SHEET 12		PART NO		REV				
		104005						



DETAIL G




DETAIL F



VIEW H
VIEW P
(OPPOSITE)
(2 PLCS)

DOOR W/O LOCK POCKET




LOCK ASM J
SPACER
144734-01-000
WASHER-FLAT
110506-43-000
GASKET
110506-44-000
LOCK ASM-KEYED:
CASE ASM
138637-53-000
CAM
138637-65-000
ADAPTER
144474-01-000
OR
LOCK-TWIST:
CASE
110506-55-000
CAM
110506-66-000



ANGLE
34154-01-000 (2)
RIVET
H13-04-07B (8)

SPACER
144734-01-000

LOCK ASM K
CLIP-E
110506-40-000
WASHER-TENSION
110506-41-000
NUT
110506-42-000
WASHER-FLAT
110506-43-000
GASKET
110506-44-000
LOCK ASM-KEYED:
CASE ASM
138637-53-000
CAM
138637-65-000
ADAPTER
144474-01-000
OR
LOCK-TWIST:
CASE
110506-55-000
CAM
110506-66-000
OR
LOCK-KEYED ALIKE:
CASE W/CAM
132890-02-000
SPACER
144734-01-000



FIRST USED		
04 F30W		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 5	PART NO	REV
	126946	



DETAIL Z


SEALER
53752-09-000 1

ADHESIVE
112901-01-000


WASHER
139277-01-000

GASKET
139337-01-000

POCKET LOCK
97111-02-CHT



DETAIL V



SECTION W-W




ANGLE

LOCK ASM J
SPACER
144734-01-000
WASHER-FLAT
110506-43-000
GASKET
110506-44-000
LOCK ASM-KEYED:
CASE ASM
138637-53-000
CAM
138637-65-000
ADAPTER
144474-01-000
OR
LOCK-TWIST:
CASE
110506-55-000
CAM
110506-66-000

SLOT
6.35 X 13.0

SLOT
3.17 X 4.76




VIEW H
VIEW P
(OPPOSITE)
(2 PLCS)

TAP-SEAL
56795-01-000 (N)


DOOR W/LOCK POCKET



P




LOCK ASM K
CLIP-E
110506-40-000
WASHER-TENSION
110506-41-000
NUT
110506-42-000
WASHER-FLAT
110506-43-000
GASKET
110506-44-000
LOCK ASM-KEYED:
CASE ASM
138637-53-000
CAM
138637-65-000
ADAPTER
144474-01-000
OR
LOCK-TWIST:
CASE
110506-55-000
CAM
110506-66-000
OR
LOCK-KEYED ALIKE:
CASE W/CAM
132890-02-000
SPACER
144734-01-000




FIRST USED		
04 F30W		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 8	PART NO 126946	REV

KEY	PART NUMBER	U/M DESCRIPTION	142226-02-01A VENDOR NO
	142226-02-700	EA TAB/LOCKING - ESCAPE (RED)	9667709



ELECTRIC LOCK CONTACT DETAIL




- 7. APPLY 072889-01-000 AND 157886-01-CHT TO DOOR FROM TO BOND DOOR FRAME TO INSERT.
- 6. BRACKET TO BE FLUSH WITH INNER FRAME TUBE.
- 5. USE SHIMS 174450-01-CHT AND 174450-02-CHT AS REQUIRED TO ADJUST DOOR FRAME TO DOOR JAMB.
- 4. RETAINERS TO BE INSTALLED AFTER DOOR IS INSTALLED IN THE SIDEWALL.
- 3. DIMENSION IS CRITICAL FOR DOOR INSTALLATION.
- 2. TORQUE STRIKER BOLT TO 47.45 Nm (35 ft/lbs) AFTER DOOR INSTALLATION AND ADJUSTMENT.
- 1. BRACKET ASM (172413-02) NEEDS TO BE INSTALLED IN THE TOP FRAME ASM PRIOR TO INSTALLATION FRAME ONTO THE SLUG.


NOTES:

094 WINDOWS - SE-GI

		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFT-ORIG		ORIG. DATE	
CHGR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.		MATERIAL:	
M.E.		FIRST USED	
DSNR		10 H25T	
UNSPECIFIED TOLERANCES ARE:		THIRD ANGLE PROJECTION	
WHOLE DIM (X) : 3		DO NOT SCALE DRAWING	
ONE-PLACE (X.X) : 1.5		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
TWO-PLACE (X.XX) : 0.50		TITLE:	
ANGLE : 1°		DOOR COMPL-ENTRANCE	
SHEET 1 OF 5		PART NO 169301	
REF:		1	



FIRST USED		
10 H25T		
DO NOT SCALE DRAWING		
TITLE:		
DOOR COMPL-ENTRANCE		
SHEET 2	PART NO	REV
	169301	




HINGE
170182-01-01A (3)

NUT SERT
72893-04-000(9)

SCREW-MACH
75908-01-000(9)


SECTION CA-CA

JAMB COVER - REF



SECTION CB-CB

BRACKET ASM-STRIKER REF




BRACKET ASM-GAS SPRING
172413-02-02B (UP TO 09-10-09)
174942-01-02B (AFTER 09-11-09)
RIVET
113133-01-CHT(4)

NUT
000D29-05-00U

BALL STUD
057460-02-000

GAS SPRING
142569-34-000

DETAIL CC



SECTION CD-CD


SEAL
075671-04-000

SEAL
075671-04-000

TOP FRAME ASM-REF

BRACKET ASM-REF

FIRST USED			10 H25T
DO NOT SCALE DRAWING			
TITLE:			DOOR COMPL-ENTRANCE
SHEET 3	PART NO	169301	REV



FIRST USED			10 H25T		
DO NOT SCALE DRAWING					
TITLE: DOOR COMPL-ENTRANCE					
SHEET 4		PART NO	169301		REV

ALIGN THE TOP
RETAINER WITH THE TOP
OF THE JAMB SUPPORT
(2 PLACES)

RETAINER-JAMB COVER
173253-01-01A(10)
SCREW
000G67-10-08U(20)

JAMB SUPPORT-REF

FULL WALL
THICKNESS
TUBE (2)


SECTION ED-ED


SECTION EC-EC

SECTION EB-EB



SECTION EA-EA

FIRST USED			10 H25T
DO NOT SCALE DRAWING			
TITLE:			DOOR COMPL-ENTRANCE
SHEET 5	PART NO	169301	REV








PANEL ASM-VALANCE




16938-04
H25R
H25T



169383-07
H25R




169383-08
H25R




- 6 SEE DETAIL EE FOR SWITCH ORIENTATION.
- 5 DOOR PANEL MUST BE INSTALLED SO THAT THE DOOR PANEL BRACKET ENGAGES THE BRACKET ATTACHED TO THE DOOR FRAME.
- 4 INSTALL ON SIDEWALL PRIOR TO DOOR INSTALLATION.
- 3 WIPE SURFACE WITH ISOPROPOL ALCOHOL BEFORE TAPE APPLICATION.
- 2 SUPPLIED WITH DOOR
1. DO NOT REMOVE SHIMS BETWEEN DOOR FRAME AND JAMB UNTIL DOOR IS INSTALLED.

NOTES:




COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
ALL DIMENSIONS ARE IN MILLIMETERS	
10 H-SERIES	
DO NOT SCALE DRAWING	
DOOR INSTL-DRIVER	
SHEET 1 OF 3	REF: 1



DOOR ASM

CHANNEL-SUPPORT, DOOR HANDLE (REF)



SECTION BA-BA

FIRST USED			10 H-SERIES		
			DO NOT SCALE DRAWING		
TITLE:			DOOR INSTL-DRIVER		
SHEET 2	PART NO	174487	REV		

8

7

6

5

4


3

2

1

DWG
NO **174487**

COVER-SCREW
109235-01-01A
(4400)
SEALER TAPE
069640-20-000
(4400)




FIRST USED		
10 H-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
DOOR INSTL-DRIVER		
SHEET 3	PART NO 174487	REV

11/20/2009

RIVET
118626-01-01A BLK/02A WHT(4)


PLUG-PLASTIC
061420-05-000



HATCH-EXT CORD
160154-01-01A

RIVET
118626-01-01A BLK/02A WHT(5)

170985-02
H25R



COMPARTMENT ASM-WATER/ELEC

8

7

6

5

4

3

2

1

RELEASE

REV

A

DATE

DWG

NO

169757

REV

ZONE

REVISION RECORD

DATE

DTR-ORIG

ROOF ASM

FOAM-COVE, ROOF
120107-09-000(9)SCREW
171992-01-CHT (42)SCREW
147710-02-CHT (22)

SIDEWALL ASM

SECTION AA-AA

CLOSEOUT-FORMED, FLOOR
172953-01-CHT
SCREW
000G67-08-12U (16)ANGLE-W/HOLES
116812-A9-CHT
SCREW
000G39-08-12U (8)

FLOOR ASM-UPPER

BACKWALL ASM

ZEE BRACKET-REF

SECTION AB-AB

BACKWALL ASM

SIDEWALL ASM

SCREW
147710-02-CHT (25)SEAL
099069-01-000
(6200MM)

SECTION AE-AE

SIDEWALL ASM

FLOOR ASM-UPPER

SCREW
147710-02-CHT (27)SCREW
147710-01-CHT (25)

VALANCE DOOR

SECTION AC-AC

SEAL ASM-BKWL, LH
172100-02-XXX

ROOF ASM

SEAL ASM-BKWL, LH
172100-01-XXX

SIDEWALL ASM

SIDEWALL ASM

SECTION AD-AD

BRACKET-ZEE
166956-01-CHT(4)
SCREW
000G39-10-12U(16)

NOTES:

WINNEBAGO
INDUSTRIESCOPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DTR

CHKR

P.E.

M.E.

DSNR

ORIG. DATE

ALL DIMENSIONS ARE
IN MILLIMETERS

FIRST USED

10 H25T

UNSPECIFIED TOLERANCES ARE:

WHOLE DIM (X) : 3

ONE-PLACE (X.X) :

TWO-PLACE (X.XX) :

ANGLE :

THIRD ANGLE
PROJECTION

DO NOT SCALE DRAWING

TITLE:

BODY INSTL-SECTIONS

SHEET 1 OF 4

PART NO

169757

REV

REF:

1

U-CHANNEL
124296-17-CHT(2)

SIDEWALL ASM

VALANCE-DOOR

SECTION AF-AF

BRACKET ASM-VALANCE DOOR
165341-05-CHT
NUT
000D39-06-00U (2)

BH

BH

FLOOR ASM-UPPER

BRACKET ASM-VALANCE DOOR
165341-04-CHT
NUT
000D39-06-00U (2)

SECTION AG-AG

FLUSH
SEAL-FOAM TAPE
TAPE-SEALING
SIDEWALL ASM-LH

SECTION AJ-AJ

TAPE-SEALING
SIDEWALL ASM-RH
SEAL-FOAM TAPE
FLUSH

SECTION AK-AK

ROOF ASM

BACKWALL ASM


SECTION AH-AH

TRIM-ROOF
31 REF
ROOF ASM

TAPE-SEALING

SECTION AL-AL

FIRST USED		
10 H25T		
DO NOT SCALE DRAWING		
TITLE:		
BODY INSTL-SECTIONS		
SHEET 2	PART NO	REV
	169757	




SECTION BD-BD
(SHOWN)
SECTION BE-BE
(OPPOSITE)

GAS-SPRING
142569-32-000 (REF)

BRACKET
126263-02-CHT (REF)

STRIKER
130053-01-CHT (REF)

SECTION BF-BF
(TYP)



SECTION BG-BG
(SHOWN)
SECTION BC-BC
(OPPOSITE)


BUMPER-RUBBER
120863-09-000 (2)(UP TO 05-25-09)
117047-02-000 (2)(AFTER 05-26-09)
SCREW
000G39-08-12U (2)

TRIM ASM-FUEL FILL
172922-01-XXX
SCREW
000G39-10-12U (8)

PLUG-OVAL
148331-01-CHT


CLOSEOUT-FLOOR
171995-01-CHT
SCREW
000G67-08-12U (7)
000G39-08-12U (8)

CLOSEOUT-FLOOR
171995-02-CHT
SCREW
000G67-08-12U (2)
000G39-08-12U (8)




SECTION BH-BH

SECTION BJ-BJ






SECTION BB-BB



SECTION BA-BA

FIRST USED		
10 H25T		
DO NOT SCALE DRAWING		
TITLE:		
BODY INSTL-SECTIONS		
SHEET 3	PART NO	REV
	169757	



FIRST USED				10 H25T					
DO NOT SCALE DRAWING									
TITLE:									
BODY INSTL-SECTIONS									
SHEET 4				PART NO		169757		REV	