









RELEASE		REV	DATE	DWG NO	169754
REV	ZONE	REVISION RECORD		DATE	DTFR-ORIG


WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DTFR		ORIG. DATE	
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		10 H25T	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			
THIRD ANGLE PROJECTION		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
			
DO NOT SCALE DRAWING			
TITLE:			
AWNING INSTL			
SHEET 1 OF 1		PART NO	REV
		169754	

8 7 6 5 4 3 2 1

RELEASE		REV	DATE	DWG NO	169757
REV	ZONE	REVISION RECORD			DATE
					DFTR-ORIG



NOTES:

WINNEBAGO® INDUSTRIES, INC.		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTR		ORIG. DATE	
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		10 H25T	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ±			
TWO-PLACE (X.XX) ±			
ANGLE ±			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE:			
BODY INSTL-SECTIONS			
SHEET 1 OF 4		PART NO 169757	REV

U-CHANNEL
124296-17-CHT(2)

SIDEWALL ASM

VALANCE-DOOR

SECTION AF-AF

BRACKET ASM-VALANCE DOOR
165341-05-CHT
NUT
000D39-06-00U (2)

BH

FLOOR ASM-UPPER

BH

BRACKET ASM-VALANCE DOOR
165341-04-CHT
NUT
000D39-06-00U (2)

SECTION AG-AG

FLUSH
SEAL-FOAM TAPE
TAPE-SEALING
SIDEWALL ASM-LH

SECTION AJ-AJ

TAPE-SEALING
SIDEWALL ASM-RH
SEAL-FOAM TAPE
FLUSH

SECTION AK-AK

ROOF ASM

BACKWALL ASM


SECTION AH-AH

TRIM-ROOF
31
REF
ROOF ASM





TAPE-SEALING

SECTION AL-AL


FIRST USED			10 H25T
DO NOT SCALE DRAWING			
TITLE:			BODY INSTL-SECTIONS
SHEET 2	PART NO	169757	REV



SECTION BD-BD
(SHOWN)
SECTION BE-BE
(OPPOSITE)






PLUG-OVAL
148331-01-CHT



SECTION BB-BB

FIRST USED		10 H25T	
DO NOT SCALE DRAWING			
TITLE: BODY INSTL-SECTIONS			
SHEET 3	PART NO	169757	REV



FIRST USED		10 H25T	
DO NOT SCALE DRAWING			
TITLE: BODY INSTL-SECTIONS			
SHEET 4	PART NO	169757	REV

PANEL ASM-FRONT
171759-01-AN0
SCREW-SF/DR-10-16X.75 PPH
000G39-10-12U (49)
WASHER-FENDER 3/16IDX1.00D
077071-01-000 (49)
RIVET-POP-AL 3/16X.438-.750L
165072-01-01A (8)


PANEL ASM-FENDER,RH
169164-03-AN0
SCREW-SF/DR-10-16X.75 PPH
000G39-10-12U (5)
WASHER-FENDER 3/16IDX1.00D
077071-01-000 (5)
PLATE ASM-STUD,RH
171437-02-CHT
BOLT-HEX-SER FLG 5/16-18X3/4
000C26-05-12U (2)
NUT-HEX-SER FLG LK 5/16-18
000D39-05-00U (2)
PLATE-STUD
171437-01-02B

PANEL ASM-COWL
169789-02-AN0(UP TO 10-18-09)
174706-02-AN0(AFTER 10-19-09)
SCREW-SF/DR-10-16X.75 PPH
000G39-10-16U (9)
WASHER-FENDER 3/16IDX1.00D
077071-01-000 (9)
SHIM-COWL/FENDER,063
120494-08-01A (4)
PLATE-STUD
171437-01-02B

PANEL ASM-HOOD,OUTER
169162-02-AN0
WASHER-FENDER
142195-01-02A (4)
NUT-HEX-SER FLG LK 1/4-20
000D39-04-00U (4)

PANEL ASM-FENDER,LH
169164-04-AN0
SCREW-SF/DR-10-16X.75 PPH
000G39-10-12U (6)
WASHER-FENDER 3/16IDX1.00D
077071-01-000 (4)
PLATE ASM-STUD,LH
171437-03-02B
BOLT-HEX-SER FLG 5/16-18X3/4
000C26-05-12U (2)
NUT-HEX-SER FLG LK 5/16-18
000D39-05-00U (2)

PANEL ASM-BUMPER,FRONT
169163-02-AN0
BOLT-HEX-SER FLG 5/16-18X3/4
000C26-05-12 (4)
PLATE ASM-STUD
172992-02-02B (2)
NUT-HEX-SER FLG LK 5/16-18
000D39-05-00U (10)
BRACKET-BUMPER,CHASSIS,RH
171395-04-02B(AFTER 11-06-09)
BRACKET-BUMPER,CHASSIS,LH
171395-05-02B(AFTER 11-06-09)



1 REMOVE AND DISCARD CHASSIS SUPPLIED LATCH. USE CHASSIS SUPPLIED LATCH BOLTS TO ATTACH NEW LATCH.

NOTES:

BODY PANEL INSTL-FRONT

1 3 169759

3/4/2010

SEAL-3/4X3/4
104692-01-000(AFTER 05-14-09, UP TO 08-31-09))
(REF LENGTH 2276)

LINER-WHEELWELL,LH
170209-02-01A
RIVET-POP-AL
118626-01-01A (8)
SCREW
000G55-08-12U (8)

STRAP-W/HOLES
131697-02-02B (2)
RIVET-POP-AL
118626-03-01A (4)

HINGE-HOOD,FRONT,LH
171428-02-01A(UP TO 11-22-09)
174991-02-AN0(AFTER 11-23-09)
NUT-HEX-SER FLG LK 1/4-20
000D39-04-00U (2)

SECTION BB-BB

TRIM-FRONT,ROOF
171145-07-AN0(UP TO 05-13-09)
171144-07-AN0(AFTER 05-14-09,UP TO 08-31-09)
174723-01-01A(AFTER 09-01-09)
SCREW
000G12-06-24T(13)

TRIM ASM-FRONT,SIDEWALL,RH
173488-01-AN0
SCREW
OG6008-16-390 (4)

SEAL-D SECTION,6X10 FOAM RUB
112160-02-000 (1800)

BRACKET-BUMPER,UPPER,RH
172519-03-02B
BOLT-HOOD ADJ
058786-01-000
NUT
000D39-05-00U

SEAL-STRIP
99069-01-000(AFTER 05-14-09)
(UP TO 06-02-09)
(REF LENGTH 900)

TUBE-SWEPT,TIMING,HOOD
172905-01-01A
BOLT-HEX-SER FLG 1/4-20X1.50
000C26-04-24U (2)
NUT-HEX-SER FLG LK 1/4-20
000D39-04-00U (2)

SPACER-PANEL,DASH
172581-01-000
SCREW
000G39-10-40U (3)
WASHER
077071-01-000 (3)

SECTION BE-BE
RH SHOWN
(LH OPPOSITE)

DETAIL CA

HINGE-HOOD,FRONT,RH
171428-01-01A(UP TO 11-22-09)
174991-01-AN0(AFTER 11-23-09)
NUT-HEX-SER FLG LK 1/4-20
000D39-04-00U (2)

SECTION BA-BA

TRIM-FRONT,ROOF,LH
174723-02-01A(AFTER 09-01-09)
SCREW
000G12-06-24T(13)(AFTER 09-01-09)
TRIM ASM-FRONT,SIDEWALL,LH
173489-02-AN0(UP TO 05-13-09)
173488-02-AN0(AFTER 05-14-09)
SCREW
OG6008-16-390(4)

SEAL-STRIP
99069-01-000(AFTER 05-14-09)
(UP TO 06-02-09)
(REF LENGTH 900)

LATCH ASM-HOOD
172578-01-AN0
SCREW
000G39-10-169 (2)
WASHER
077071-01-000 (2)

BRACKET-BUMPER,UPPER,LH
172519-04-02B
BOLT-HOOD ADJ
058786-01-000
NUT
000D39-05-00U

SECTION BC-BC
RH SHOWN
(LH OPPOSITE)

FIRST USED		
10 H-SERIES		
DO NOT SCALE DRAWING		
TITLE: BODY PANEL INSTL-FRONT		
SHEET 2	PART NO 169759	REV

PLASTIC J CLIP(WIPER WASHER HOSE)
(CHASSIS SUPPLIED)
RIVIT
000H16-04-06R

ROD-PROP,HOOD
172991-01-02B
NUT-PAL,WASHER TYPE,1/4"
139130-01-01A

CHASSIS SUPPLIED
RELEASE CABLE

BRACKET ASM-LATCH,HOOD,LOWER
170852-01-AN0

BRACKET-SUPPORT,CABLE
170845-01-02B

BRACKET-SPRING,HOOD
173869-01-04B(AFTER 05-14-09)
PLATE-SPRING,HOOD
173869-02-04B(AFTER 05-14-09)
RIVET
000H15-04-03L (2)(AFTER 05-14-09)

SPRING-COMPRESSION,1 1/4"
172973-01-01A

SPRING-COMPRESS,CONICAL,1.88"
173558-01-01A(UP TO 05-13-09)
173558-02-01A(AFTER 05-14-09)

DETAIL CA

NUT-JACK
087234-01-000(AFTER 05-14-09)
SCREW
000G50-04-20U(AFTER 05-14-09)
RIVIT
118626-01-01A(2)

SECTION CB-CB



1 DRILL $\varnothing$ 6.35 HOLE IN RADIATOR SUPPORT FOR INSTALL.
HOLE CENTER LOCATED VERTICALLY SUCH THAT PROP ROD
LAYS HORIZONTAL ON RADIATOR SUPPORT.

NOTES:

FIRST USED		
10 H-SERIES		
DO NOT SCALE DRAWING		
TITLE: BODY PANEL INSTL-FRONT		
SHEET 3	PART NO 169759	REV

8		7	
DWG NO	PANEL-COWL	SHEET	WEIGHT $\pm 10\%$
169789-01	----	1	6.3
169789-02	169789-01-CHT	2	10.9

1	
RELEASE	REV DATE
A	
DWG NO	169789
REV	ZONE
REVISION RECORD	
DATE	OFTR-ORIG



SECTION A-A

13. SEAL ALONG BOTTOM OF PLATE WITH MANUS 072889-19-000

12. HOLES IN BRACKET TO BE CENTERED WITH .75 MM OF HOLE CENTERS IN FIBERGLASS.

11. DRILLED HOLE TO HAVE A CONCENTRICITY OF 0.5 MM OF THEORETICAL.

10. CENTER ON FEATURE.

9. USE ADHESIVE-RESIN 112481-03-000 AND ADHESIVE-CURATIVE 112481-04-000 FOR BONDING PARTS.

8. DIMENSION MEASURED ALONG SURFACE FROM INTERSECTING SURFACES.

7. 3D SOLID UNIGRAPHICS MODEL TO BE USED TO CREATE MOLDS AND INSPECT PARTS.

6. MOLD SURFACE TO BE FREE OF DEFECTS AND VISUAL DEVIATION.

5. TRIMMED EDGE IS DEFINED ON THE MOLD UNLESS OTHERWISE SPECIFIED. MOLDED/TRIM DIMENSION TOLERANCE ± 1.5 UNLESS OTHERWISE SPECIFIED. LOCATION DIMENSIONAL TOLERANCE TO BE ± 2.5 . ALL TOLERANCE DEVIATION ON UNDIMENSIONED FEATURES TO BE APPROVED BY WINNEBAGO ENGINEERING


4. TOTAL FINISHED PART SURFACE AREA, 4.7 SQ FT.

3. MAXIMUM DRAFT ANGLE 2° .


2. WALL THICKNESS 5.0 ± 1.5 .

1. REMOVE ALL BURRS AND SHARP EDGES.

NOTES:




VIEW C
RH SHOWN
(LH OPPOSITE)




VIEW B

SEE CHART

FOR COLOR VARIATIONS
OF THIS PART

WINNEBAGO® INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFT#		ORIG. DATE	
CH#R		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DS#R		10 H-SERIES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ±		FIBERGLASS ES0020	
ONE-PLACE (X.X) ±			
TWO-PLACE (X.XX) ±			
ANGLE ±			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE:			
PANEL-COWL			
SHEET 1 OF 2		PART NO 169789	REV



FIRST USED		
10 H-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
PANEL-COWL		
SHEET 2	PART NO	REV
	169789	

8		7	
DWG NO	PANEL-HOOD	SHEET	WEIGHT $\pm$ 10%
169162-01	----	1,2	14.8
169162-02	169162-01-CHT	2,3	17.3


1		
RELEASE	REV DATE	DWG NO 169162
REV ZONE	REVISION RECORD	DATE DFT-ORIG

D




C

B

A



DETAIL AA



SEE CHART

FOR COLOR VARIATIONS
OF THIS PART

- 9 SURFACE OPPOSITE WELD STUD HEADS TO BE POSITIONED WITHIN A 1 MM SURFACE TOLERANCE TO THEORETICAL. WELD STUD CENTERLINES TO BE POSITIONED WITHIN A 1 MM CONCENTRICITY TOLERANCE TO THEORETICAL.
- 8 TO BE EMBEDDED IN FIBERGLASS (PRIMARY BOND).
7. 3D SOLID UNIGRAPHICS MODEL TO BE USED TO CREATE MOLDS AND INSPECT PARTS.
6. MOLD SURFACE TO BE FREE OF DEFECTS AND VISUAL DEVIATION.
- 5 TRIMMED EDGE IS DEFINED ON THE MOLD UNLESS OTHERWISE SPECIFIED. MOLDED/TRIM DIMENSION TOLERANCE $\pm$ 1.5 UNLESS OTHERWISE SPECIFIED. LOCATION DIMENSIONAL TOLERANCE TO BE $\pm$ 2.5. ALL TOLERANCE DEVIATION ON UNDIMENSIONED FEATURES TO BE APPROVED BY WINNEBAGO ENGINEERING
4. TOTAL FINISHED PART SURFACE AREA, 8.9 SQ FT.
3. MAXIMUM DRAFT ANGLE 2° .
2. WALL THICKNESS 5.0 $\pm$ 1.5.
1. REMOVE ALL BURRS AND SHARP EDGES.

NOTES:

WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFT-OR		ORIG. DATE	
CHK-OR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.			
DSNR		FIRST USED	
		10 H-SERIES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ±		FIBERGLASS ES0020	
ONE-PLACE (X.X) ±			
TWO-PLACE (X.XX) ±			
ANGLE ±			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE:			
PANEL-HOOD, OUTER			
SHEET 1 OF 3		PART NO	REV
		169162	

BRACKET ASM-HINGE,RH
170868-02-CHT

BRACKET ASM-HINGE,LH
170868-03-CHT

BD

FOAM
138121-01-000(08-09-09)
108154-02-000(08-10-09)
150 X 1440

FOAM
108154-02-000(08-10-09)
55 X 1440

PANEL-HOOD
(SEE TAB)

DETAIL CB


BA

DETAIL CA

BB

BB

SECTION BA-BA



SECTION BB-BB

RH SHOWN
(LH OPPOSITE)

STRIP-FIBERGLASS
4046-E0-140 (2)

STRIP-FIBERGLASS
4046-G0-170 (2)

STRIP-FIBERGLASS
4046-B0-165 (2)

STRIP-FIBERGLASS
4046-E0-195 (2)

STRIP-FIBERGLASS
4046-B0-110 (2)

VIEW BC
(TAB -01 NOT SHOWN)
2 PLCS

STRIP-FIBERGLASS
4046-E0-135

STRIP-FIBERGLASS
4046-B0-110

STRIP-FIBERGLASS
4046-G0-135


STRIP-FIBERGLASS
4046-E0-110

STRIP-FIBERGLASS
4046-E0-195

STRIP-FIBERGLASS
4046-B0-150


VIEW BD
RH SHOWN
(LH OPPOSITE)
(TAB -01 NOT SHOWN)

FIRST USED		
10 H-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
PANEL-HOOD,OUTER		
SHEET 2	PART NO	REV
	169162	



DETAIL CB
(FIBERGLASS STRIPS
NOT SHOWN)

BRACKET ASM-LATCH, STRIKER
170848-02-CHT (UP TO 08-25-09)
174403-01-CHT (AFTER 08-26-09)
NUT-HEX-SER FLG LK 1/4-20
000D39-04-00U (3)



DETAIL CA
(FIBERGLASS STRIPS
NOT SHOWN)

FIRST USED		
10 H-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
PANEL-HOOD, OUTER		
SHEET 3	PART NO	REV
	169162	

GRILLE-FRONT,LOWER
171109-05-02A

BRACKET-LAMP,FOG,LH
171261-02-02B

GRILLE-FRONT,UPPER
171109-03-02A

GRILLE-FRONT,CENTER
171109-04-02A

BRACKET-LAMP,FOG,RH
171261-01-02B

PANEL-BUMPER
169163-01-01A

BRACKET-BUMPER,LOWER,LH
171394-02-02B

NUT-JACK,1/4X20THD,MOLLY
087234-01-000 (2)
SCREW-MACH-1/4-20X3/4 PPH
G50-04-12B (2)

BRACKET-BUMPER,LOWER,RH
171394-01-02B

169163-02

SECTION BA-BA

FIRST USED		
10 H-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
PANEL-BUMPER,FRONT		
SHEET 1	PART NO	REV
	169163	

8

7

6

5

4

3

2

1


DWG
NO **169163**BRACKET-LINER,WHEELWELL
172530-02-02BBRACKET-LINER,WHEELWELL
172530-01-02B

SECTION CA-CA

LH SHOWN
(RH OPPOSITE)


FIRST USED		
10 H-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
PANEL-BUMPER,FRONT		
SHEET 2	PART NO	REV
	169163	

10/27/2009




169164-03

FIRST USED		
10 H-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
PANEL-FENDER		
SHEET 1	PART NO 169164	REV




169164-04




FIRST USED		
10 H-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
PANEL-FENDER		
SHEET 2	PART NO	REV
	169164	



RELEASE		REV	DATE	DWG NO	170852
REV	ZONE	REVISION RECORD			DATE
					DTFR-ORIG

WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DTFR		ORIG. DATE	
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		10 H-SERIES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			
THIRD ANGLE PROJECTION		WEIGHT (LBS): .80	
			
DO NOT SCALE DRAWING			
TITLE:			
BRACKET ASM-LATCH,HOOD,LOWER			
SHEET 1 OF 1		PART NO	170852
		REV	
REF:		1	

SEE CHART
FOR COLOR VARIATIONS
OF THIS PART




DETAIL A
5 PLCS
(INSULATION NOT SHOWN)

- 3 NOZZLE-BOYONET 112902-05-000
1 PER UNIT
- 2 USE ADHESIVE-SILAPRENE DC-12786,
4006-09-000 FOR BONDING PARTS.
1. USE ADHESIVE-SIKA CARTRIDGE,
112481-09-000 FOR BONDING PARTS.

SEE CHART
FOR COLOR VARIATIONS
OF THIS PART


WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DTFR	ORIG. DATE		
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS		
P.E.			
M.E.	FIRST USED		
DSNR	10 H-SERIES		
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X)	: 3	FIBERGLASS	
ONE-PLACE (X.X)	: 1.5	ES0020	
TWO-PLACE (X.XX)	: 0.50		
ANGLE	: 1°		
THIRD ANGLE PROJECTION		WEIGHT (LBS): 135.2	
DO NOT SCALE DRAWING			
TITLE: PANEL ASM-FRONT			
SHEET 1 OF 1	PART NO	171759	REV
REF:		1	



RELEASE		REV A	DATE	DWG NO	172578	
REV	ZONE	REVISION RECORD			DATE	DFTR-ORIG

2. CLEAN AND FINISH PER ES0051, CLASS A500.
1. REMOVE ALL BURRS AND SHARP EDGES.

		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DTFR		ORIG. DATE	
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		10 H--SERIES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 3			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION		WEIGHT (LBS): .6	
DO NOT SCALE DRAWING			
TITLE: LATCH ASM-HOOD			
SHEET 1 OF 1		PART NO 172578	
REF:		1	



FIRST USED		
DO NOT SCALE DRAWING		
TITLE: PANEL-COWL		
SHEET	PART NO	REV

8

7

6

5



4

3

2

1

DWG
NO 171331

Dark Beige Met. #57776-2

Shoreline Mist Met. #60796

Dark Gray Met. #64255

Sand Mica #50381


(27A)
2010 Reyo FBP, Heritage Pkg.

Sedona Met. #63814

Espresso Brown Met. #75411

Indium Gray Met. #73228

Light Bronze Met. #75392

(92A)
2010 Reyo FBP, Bistro Pkg.

Brilliant Silver Met. #45696-4

Black Mist Met. #75377

Med. Platinum Met. #44094

Bright Platinum Met. #48823-3

(24C)
2010 Reyo FBP, Nickel Pkg.

8

7

6

5




4

3

2

1


FIRST USED		
2010 H SEIRES (REYO)		
SPECIFICATION PRINT DO NOT SCALE		
TITLE:		
GRAPHICS INSTALLATION		
SHEET	PART NO	REV
2	171331	





- White SW#41070-1
- Brilliant Silver Met. SW#45696-4
- Bright Platinum Met. SW#48823-3
- Lt.Grey Met. SW#45729

**2010 Via F.B.P.
Diamond
REV. A
(27A)**



- Bright Platinum SW#48823-3
- Lt.Grey Met. SW#45729
- Black Mist Met. SW#75377
- Citrus Gold Met. SW#58303-1

**2010 Via F.B.P.
Night Gold
REV. A
(92A)**



- Antique Sage SW#75289
- Pewter SW#76573
- Bronzed Grey Met. SW#75400
- Vermillion SW#39068

**2010 Via F.B.P.
Red Accent
REV. A
(24C)**



FIRST USED		
2010 H SEIRES (VIA)		
SPECIFICATION PRINT DO NOT SCALE		
TITLE: GRAPHICS INSTALLATION		
SHEET 2	PART NO 170537	REV

D

C

B







A

D

C

B

A



- NOTES:
3. APPLY URETHANE ADHESIVE TO TOP OF CHASSIS FLOOR FRAME STRUCTURE PER ES0077.
 2. MUDFLAPS AND/OR ROCKGUARD TO BE 40mm MIN FROM TIRES WHEN INSTALLED.
 1. SEE BODY INSTL-SECTIONS 169757 FOR SECTIONS AA-AZ.

COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.

DFT-ORIG	ORIG. DATE
CHGR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	10 H25R
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	± 3
ONE-PLACE (X.X)	±
TWO-PLACE (X.XX)	±
ANGLE	±
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES
TITLE: BODY INSTL-PANEL & TRIM	
SHEET 1 OF 1	PART NO 171862
REF: 1	REV

3/4/2010


106015-12-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-12-700	EA MIRROR-FLAT-W/W/O HEAT	709448
	106015-12-701	EA MIRROR-CONVEX - W/W/O HEAT	709449
	106015-12-702	EA CAP/SCREW - (PKG OF 4) - BLK	748329 RND
	106015-12-703	EA CONVEX GLASS/HANDSET/HOUSING	7095892
	106015-19-701	EA GLASS/FLAT-W/BEZEL/HEAT/ANTI	709644
	119774-09-700	EA PLATE-INNER SUPT/MIRROR HEAD	709418-7RH
	131431-01-701	EA MOTOR	7475400

106015-13-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-12-700	EA MIRROR-FLAT-W/W/O HEAT	709448
	106015-12-701	EA MIRROR-CONVEX - W/W/O HEAT	709449
	106015-12-702	EA CAP/SCREW - (PKG OF 4) - BLK	748329 RND
	106015-12-703	EA CONVEX GLASS/HANDSET/HOUSING	7095892
	106015-19-701	EA GLASS/FLAT-W/BEZEL/HEAT/ANTI	709644
	119774-09-701	EA PLATE INNER SUPT/MIRROR HEAD	709419-7LH
	131431-01-701	EA MOTOR	7475400

106015-14-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-12-700	EA MIRROR-FLAT-W/W/O HEAT	709448
	106015-12-701	EA MIRROR-CONVEX - W/W/O HEAT	709449
	106015-12-702	EA CAP/SCREW - (PKG OF 4) - BLK	748329 RND
	106015-12-703	EA CONVEX GLASS/HANDSET/HOUSING	7095892
	106015-19-701	EA GLASS/FLAT-W/BEZEL/HEAT/ANTI	709644
	119774-09-700	EA PLATE-INNER SUPT/MIRROR HEAD	709418-7RH

106015-15-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-12-700	EA MIRROR-FLAT-W/W/O HEAT	709448
	106015-12-701	EA MIRROR-CONVEX - W/W/O HEAT	709449
	106015-12-702	EA CAP/SCREW - (PKG OF 4) - BLK	748329 RND
	106015-12-703	EA CONVEX GLASS/HANDSET/HOUSING	7095892
	106015-19-701	EA GLASS/FLAT-W/BEZEL/HEAT/ANTI	709644
	119774-09-701	EA PLATE INNER SUPT/MIRROR HEAD	709419-7LH

106015-18-01A, 106015-19-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-12-702	EA CAP/SCREW - (PKG OF 4) - BLK	748329 RND
	106015-16-700	EA GLASS-FLAT W/HEAT ELEMENT	709450
	106015-18-700	EA GLASS/CONVEX-KIT W/CLIP	709650
	106015-18-701	EA ACTUATOR - CONVEX GLASS	7475410
	106015-18-702	EA MOTOR - FLAT GLASS	7471180
	106015-18-703	EA CONVEX REBUILT KIT	709651
	106015-19-700	EA VIBRATION KIT - MIRROR GLASS, VELVAC	709645




140923-01
331C
500-SERIES
(524A PASSENGER)
(524K PASSENGER)
700-SERIES
D-SERIES
E-SERIES
H SERIES
J SERIES

4	000C260512U	BOLT	4
3	000D390500U	NUT	4
2	14092201CHT	PLATE-MUDFLAP	1
1	01751601000	MUD FLAP-BLACK	1
ITEM	PART NUMBER	DESCRIPTION	QTY


COPYRIGHT 2010
WINNEBAGO
INDUSTRIES, INC.

DFTR	ORIG. DATE
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	02 MOTORHOMES
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	:
ONE-PLACE (X.X)	:
TWO-PLACE (X.XX)	:
ANGLE	:
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: MUD FLAP COMPL	
SHEET 1 OF 5	PART NO 140923 REV


REF: 1 2/16/2010



SECTION GB-GB



SECTION GA-GA



SECTION GE-GE

TAPE-SEALING HYBRID 2"
173983-02-CHT
(REF LENGTH 2580)


EXTR-SUPPORT,JAMB
173251-03-CHT
SCREW
000G39-10-12U(4)

EXTR-SUPPORT,JAMB
173251-01-01A
SCREW
000G39-10-12U(11)

EXTR-CHANNEL
137599-09-01A(UP TO 11-01-09)
108031-51-006(AFTER 11-02-09)

EXTR-SUPPORT,JAMB
173251-02-01A
SCREW
000G39-10-12U(11)

EXTR-CHANNEL
116800-52-002(2)



7. INSERT-DOOR,ENTRANCE 170460-01-XXX
IS MADE FROM DOOR CUTOUT.

6. THRU INTERIOR SURFACE AND FOAM ONLY.

5. THRU EXTERIOR SURFACE AND FOAM ONLY.


4. CUTOUT THRU INNER PANELING ONLY.

3. ALL RADII 9.5 UNLESS OTHERWISE SPECIFIED.


2. PANEL SHOWN FROM INTERIOR SIDE.

1. TOLERANCE FOR CUTOUT ± 1.5 .

NOTES:




SECTION GC-GC




SECTION GD-GD

NOTICE
CHANGES TO THIS SHEET
MAY AFFECT OTHERS

FIRST USED			10 H25R
DO NOT SCALE DRAWING			
TITLE:			SIDEWALL ASM-RIGHT
SHEET 1	PART NO	173162	REV



170206-02




FIRST USED		
DO NOT SCALE DRAWING		
TITLE: PANEL ASM-REAR CAP		
SHEET	PART NO	REV

D

C

B

A



20. SCREEN TO BE STAPLED TO TOP OF FLOOR.
19. MOUNT TO COACH FLOOR PRIOR TO INSTALLING FLOOR ON CHASSIS.
18. MAXIMUM RUNNING AMPS (PER RAM) NOT TO EXCEED 15 AMPS, WITHOUT SLIDEOUT COVER AND 20 AMPS, WITH SLIDEOUT COVER, AT 65° F.
17. SECURE ONE OF THE SLIDEOUT ROOM ACTIVATION KEYS TO THE ROD-LOCK STRAP. KEYS ARE INCLUDED WITH SWITCH ASSEMBLY P/N 163097(REF).
16. REPLACES STOP BOLT THAT COMES WITH RAM.
15. USE SCREW G39-10-12T TO HOLD PANEL EDGES.
14. FOR MANUAL CYCLE ROOM LIFT LEVER TO UP POSITION AND TURN STUD.
13. ANTI-BILLOW BRACKET TO BE INSTALLED ON REAR SIDE OF SILDE ROOM AT 11:00 POSITION. THE SIDEWALL BLOCK IS NOT USED.
12. TORQUE TO 41 FT-lbs.
11. TORQUE ALL BOLTS PER ES0018 UNLESS OTHERWISE SPECIFIED. (SEE TABLE BELOW)
- | SIZE | TORQUE VALUE (FT-LBS) |
|-------------------|-----------------------|
| 1/4 - 20 (.250) | 76 (IN-LBS) |
| 5/16 - 18 (.3125) | 13 (FT-LBS) |
| 3/8 - 16 (.375) | 23 (FT-LBS) |
| 7/16 - 14 (.4375) | 37 (FT-LBS) |
| 1/2 - 13 (.500) | 57 (FT-LBS) |
10. USE POLY-CLEAR 47034-07-000 AND ATTACH IT USING WASHER 44533-01-000 TO PROTECT THE SLIDEOUT FLOOR.
9. SCREWS CANNOT BE REUSED. ANY TIME A SCREW IS REMOVED IT MUST BE DISCARDED AND REPLACED WITH A NEW SCREW TO INSURE THE THREADS SEAL.
8. USE SCREW G39-08-08S TO HOLD EACH END OF TRIM.
7. SEE SEALANT MANUAL..
6. LOOSEN BOLTS TO ALLOW ROOM TO MOVE SIDE TO SIDE ON THE MOUNTING BRACKETS UNTIL IT IS CENTERED IN THE OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.
5. LOOSEN JAM NUTS AND ADJUST BOLT TO MOVE ROOM UP OR DOWN TO BE CENTERED IN THE SIDEWALL OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.
4. THIS IS A NOMINAL DIMENSION; THE PARTS SHOULD BE ADJUSTED AS REQUIRED FROM THERE.
3. THE RETRACTED LENGTH IS ADJUSTED BY THREADING THE STOP BOLT IN OR OUT UNTIL THE OUTSIDE WALL OF THE ROOM SEALS AGAINST THE SIDEWALL.
2. THE EXTENDED LENGTH IS ADJUSTED BY TURNING THE LOCK NUTS ON THE PISTON RODS IN OR OUT UNTIL THE SLIDEOUT ROOM SEALS AGAINST THE SIDEWALL.
1. FOR ADDITIONAL INFORMATION SEE WIRE INSTALLATION FRONT END AND THE LEVELING JACK INSTALLATION DRAWINGS.

NOTES:

ROOM ASM-SLIDEOUT
171870-11-XXX

COMPARTMENT-DUCT,AIR
175302-01-000(AFTER 10-14-09)
SEAL-BULB
132892-07-01A(2)
(1320 MM)
SCREW
000G39-08-24U(16)
SCREEN
002293-02-000
(525MM X 660MM)



SEAT BELT
160167-01-01A(2)

20


SLIDEOUT-ELECTRIC
165169-06-000 (2)

RELEASE	REV DATE	DWG NO	171870
REV ZONE	REVISION RECORD	DATE	DFT-ORIG


WINNEBAGO INDUSTRIES		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFT-ORIG	ORIG. DATE	ALL DIMENSIONS ARE IN MILLIMETERS	
CHKR			
P.E.			
M.E.			
DSNR	FIRST USED	10 H25R	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 1.5			
ONE-PLACE (X.X) :			
TWO-PLACE (X.XX) :			
ANGLE :			
THIRD ANGLE PROJECTION		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-FRT,LH			
SHEET 1 OF 5		PART NO 171870	REV
REF:		1	




AWNING
122977-06-08A
SCREW
G39-10-12B (4) 13



AWNING BRACKET (2)
SUPPLIED WITH AWNING
SCREW
OG3910-12-170 (4)
RIVET
118626-01-01A (6)




FLOOR ASM-SLIDEOUT
173245-01-AN0




- 27A EXT FULL BODY PAINT PKG #1
- 92A EXT FULL BODY PAINT PKG # 2
- 24C EXT FULL BODY PAINT PKG # 3

ROOM ASM-SLIDEOUT
(SEE TAB BLOCK)


FIRST USED		
10 H25R		
DO NOT SCALE DRAWING		
TITLE:		
SLIDEOUT COMPL-FRT,LH		
SHEET 2	PART NO	REV
	171870	




SECTION CA-CA




SECTION CD-CD




SECTION CE-CE




SECTION CB-CB




SECTION CC-CC




SECTION CF-CF



SECTION CJ-CJ





SECTION CG-CG




DETAIL CK



FIRST USED		10 H25R	
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-FRT,LH			
SHEET 3	PART NO	171870	REV



FIRST USED		
10 H25R		
DO NOT SCALE DRAWING		
TITLE:		
SLIDEOUT COMPL-FRT,LH		
SHEET 4	PART NO 171870	REV



FIRST USED		10 H25R	
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-FRT,LH			
SHEET 5	PART NO	171870	REV






- 4 SEAL TO BE FLUSH WITH OUTER TRIM.
- 3 TOLERANCE ON THE CLIP SPACING IS ± 100.0 MM.
- 2 APPLY SCREWS AT EACH END AND ONE IN THE MIDDLE OF THE OUTER TRIM.
- 1 APPLY SCREW THROUGH SEAL SO THAT IT HOLDS THE SEAL IN PLACE ON THE INNER TRIM.

NOTES:


FABWELL SDW

TRIM ASM-SLIDEOUT, SIDE

1 2 **151763**





FABWELL SDW





2007 MOTORHOMES

TRIM KIT-EXTERIOR,SLIDEOUT




KEY	PART NUMBER	U/M	DESCRIPTION
	162495-01-700	EA	BUTTON-DBL. PLAS. SNAP


162495-01-01A, 162495-02-01A
VENDOR NO.
DP130





- | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|---------------------|--|--|---|--|
| NOTES: | | | | | | | | | | TRIM ASSEMBLY, FOR, SOL WIRE
SHEET 1 OF 1
PART NO. 171741
REV. | |
| 8 | 7 | 6 | 5 | 4 | 3 | 2 | REF: 1
2/26/2010 | | | | |

8	7	6	5	4	3	2	1
---	---	---	---	---	---	---	---


8		7		6		5		4		3		2		1					
DWG NO		SLIDEOUT SLUG SIZE 		TOP TRIM		TOP TRIM (SECOND PIECE)		RH VERT TRIM		LH VERT TRIM		LH VERT TRIM (SECOND PIECE)		SUPPORT-ASM		SUPPORT ASM (SECOND PIECE)		TOTAL SEAL LENGTH 	
174648-01		1907 X 3915		139624-09-CHT		-		139624-01-CHT		139624-02-CHT		-		125466-01-CHT		-		7960	
174648-02		1788 X 1935		169060-02-CHT		-		139624-51-CHT		139624-50-CHT		-		-		-		5750	
174648-03		1907 X 5535		169060-28-CHT		169060-21-CHT		139624-01-CHT		139624-02-CHT		-		125466-22-CHT		155339-17-CHT		9590	
174648-04		1886 X 2835		169329-08-CHT		-		139624-18-CHT		139624-19-CHT		-		-		-		6850	
174648-05		1907 X 1935		169060-02-CHT		-		139624-01-CHT		139624-02-CHT		-		-		-		5990	
174648-06		1886 X 5535		169329-28-CHT		169329-21-CHT		139624-18-CHT		139624-19-CHT		-		-		-		9550	
174648-07		1801 X 2535		139624-23-CHT		-		139624-01-CHT		139624-02-CHT		-		125466-23-CHT		-		6380	
174648-08		1804 X 2939		139624-66-CHT		-		139624-01-CHT		139624-02-CHT		-		125466-13-CHT		-		6790	
174648-09		1801 X 3585		169060-13-CHT		-		139624-01-CHT		139624-02-CHT		-		125466-02-CHT		-		7430	
174648-10		1635 X 2226		139624-82-CHT		-		139624-37-CHT		139624-38-CHT		-		-		-		5740	
174648-11		2057 X 3915		139624-09-CHT		-		139624-47-CHT		139624-46-CHT		-		-		-		8270	
174648-12		1897 X 7263		139624-65-CHT		139624-64-CHT		139624-25-CHT		139624-26-CHT		-		125466-11-CHT		125468-10-CHT		11300	
174648-13		1948 X 3585		139624-04-CHT		-		139624-41-CHT		139624-42-CHT		-		-		-		7720	
174648-14		2057 X 2985		169329-09-CHT		-		139624-45-CHT		139624-44-CHT		-		-		-		7340	
174648-15		1967 X 7485		139624-92-CHT		171623-02-CHT		139624-99-CHT		171623-01-CHT		-		-		-		11660	
174648-16		1635 X 2116		139624-84-CHT		-		139624-37-CHT		139624-38-CHT		-		-		-		5630	
174648-17		2057 X 3585		139624-06-CHT		-		139624-59-CHT		139624-60-CHT		-		125466-02-CHT		-		7940	
174648-18		1948 X 2116		139624-84-CHT		-		139624-41-CHT		139624-42-CHT		-		-		-		6250	
174648-19		2057 X 4213		153113-03-CHT		-		139624-45-CHT		139624-44-CHT		-		-		-		8570	
174648-20		2057 X 3270		153113-05-CHT		-		139624-45-CHT		139624-44-CHT		-		-		-		7630	
174648-21		1948 X 2176		139624-90-CHT		-		139624-41-CHT		139624-42-CHT		-		-		-		6310	
174648-22		2057 X 1821		139624-86-CHT		-		139624-41-CHT		139624-42-CHT		-		-		-		6180	
174648-23		2057 x 4561		153113-11-CHT		-		139624-45-CHT		139624-44-CHT		-		-		-		8920	
174648-24		2057 x 3780		153113-10-CHT		-		139624-45-CHT		139624-44-CHT		-		-		-		8140	
174648-25		2057 x 3735		169329-17-CHT		-		139624-45-CHT		139624-44-CHT		-		-		-		8090	
174648-26		2057 x 4635		169060-20-CHT		-		139624-41-CHT											

8		7		6		5		4		3		2		1	
DWG NO	SLIDEOUT SLUG SIZE 	TOP TRIM	TOP TRIM (SECOND PIECE)	RH VERT TRIM	LH VERT TRIM	LH VERT TRIM (SECOND PIECE)	SUPPORT-ASM	SUPPORT ASM (SECOND PIECE)	TOTAL SEAL LENGTH 	DWG NO 174648					
174648-52	1788 x 1926	139624-04-CHT	–	139624-25-CHT	139624-26-CHT	–	–	–	5750						
174648-53	1804 x 1865	139624-35-CHT	–	139624-01-CHT	139624-02-CHT	–	–	–	5720						
174648-54	1922 x 3495	139624-07-CHT	–	139624-01-CHT	139624-02-CHT	–	125466-03-CHT	–	7580						
174648-55	1718 x 3495	139624-07-CHT	–	139624-18-CHT	139624-19-CHT	–	125466-03-CHT	–	7170						
174648-56	1718 x 2167	139624-32-CHT	–	139624-13-CHT	139624-14-CHT	–	–	–	5850						
174648-57	1428 x 1782	139624-76-CHT	–	139624-83-CHT	139624-78-CHT	–	–	–	4880						
174648-58	1718 x 2583	139624-28-CHT	–	139624-13-CHT	139624-14-CHT	–	125466-17-CHT	–	6260						
174648-59	1718 x 1828	139624-79-CHT	–	139624-13-CHT	139624-14-CHT	–	–	–	5510						
174648-60	1428 x 1782	139624-76-CHT	–	139624-77-CHT	139624-78-CHT	–	–	–	4880						
174648-61	1635 x 2085	169060-03-CHT	–	139624-37-CHT	139624-38-CHT	–	–	–	5595						
174648-62	1804 x 2805	139264-27-CHT	–	139624-01-CHT	139624-02-CHT	–	125466-08-CHT	–	6660						
174648-63	1907 x 3585	139624-06-CHT	–	139624-01-CHT	139624-02-CHT	–	125466-02-CHT	–	7640						
174648-64	2057 x 2835	169329-08-CHT	–	139624-45-CHT	139624-44-CHT	–	–	–	7190						
174648-65	1978 x 7185	169060-39-CHT	169060-21-CHT	139624-94-CHT	139624-93-CHT	–	125466-11-CHT	–	11380						
174648-66	1907 x 2685	169060-07-CHT	–	139624-25-CHT	139624-26-CHT	–	–	–	6740						
174648-67	1801 x 2685	169060-07-CHT	–	139624-01-CHT	139624-02-CHT	–	125466-25-CHT	–	6530						
174648-68	1801 x 1935	169060-02-CHT	–	139624-01-CHT	139624-02-CHT	–	–	–	5777						
174648-69	1935 x 1935	169060-02-CHT	–	171623-05-CHT	171623-04-CHT	–	–	–	6045						
174648-70	1417 x 1935	169060-03-CHT	–	171623-09-CHT	171623-10-CHT	–	–	–	5010						
174648-71	1723 x 2235	169060-04-CHT	–	171623-11-CHT	171623-12-CHT	–	–	–	5920						
174648-72	1723 x 1935	169060-02-CHT	–	171623-11-CHT	171623-12-CHT	–	–	–	5620						
174648-73	1688 x 3885	169060-15-CHT	–	139624-96-CHT	139624-97-CHT	–	125466-18-CHT	–	7500						
174648-74	1688 x 1420	139624-98-CHT	–	139624-96-CHT	139624-97-CHT	–	–	–	5045						
174648-75	1978 x 7185	139624-64-CHT	171623-08-CHT	171623-07-CHT	171623-06-CHT	–	125468-10-CHT	125466-11-CHT	11380						
174648-76	1978 x 7485	139624-92-CHT	171623-02-CHT	171623-07-CHT	171623-06-CHT	–	–	–	11680						
										FIRST USED 2010 MOTORHOMES DO NOT SCALE DRAWING TITLE: TRIM KIT-INTERIOR,SLIDEOUT SHEET 2PART NO 174648REV					
										10/15/2009					



FIRST USED		
2010 MOTORHOMES		
DO NOT SCALE DRAWING		
TITLE:		
TRIM KIT-INTERIOR,SLIDEOUT		
SHEET 3	PART NO 174648	REV


TRIM SEAL FLUSH WITH STRAIGHT
CUT ENDS OF TOP TRIM



DETAIL D

(USE WITH SPLICED TOP TRIM)
(VIEWED FROM THE BACKSIDE OF THE TRIM)

SEAL-TRIANGLE



DETAIL A

(MITERED ENDS TOP TRIM)
(VIEWED FROM THE BACKSIDE OF THE TRIM)

SEAL-TRIANGLE

425 ± 25
LEAVE PLASTIC BACKING
ON SEAL IN THIS AREA.
REMOVE TO ATTACH
SEAL TO TOP TRIM.




DETAIL E

SEAL IS NOTCHED DURING THE INSTALLATION
OF THE TRIM AND ATTACHED TO THE TOP TRIM

DO NOT CUT THROUGH SEAL


VERTICAL TRIM



DETAIL C

(BOTTOM OF VERTICAL TRIM)
(VIEWED FROM THE BACKSIDE OF THE TRIM)

VERTICAL TRIM



DETAIL B

(MITERED ENDS OF VERTICAL TRIM)
(VIEWED FROM THE BACKSIDE OF THE TRIM)

FIRST USED		
2010 MOTORHOMES		
DO NOT SCALE DRAWING		
TITLE:		
TRIM KIT-INTERIOR,SLIDEOUT		
SHEET 4	PART NO 174648	REV