






SKYLITE INSTL
080524-11 E26P
080524-12 329B,331C (UP TO 02-15-09)
080524-14 H25R,H25T,524A,524DL
080524-15 224V,229T,231C,231J
080524-16 E32K
080524-19 D33C,D35J,R40CD
080524-20 J32H,P34Y,524K,524P,728B,
329B,331C (AFTER 02-16-09)



1. SEALANT APPLIED ALL AROUND CENTER OF FLANGE OR GROOVE.

SECTION A-A

DO NOT SCALE DRAWING	
TITLE: SKYLITE INSTL	
SHEET 1 OF 2	PART NO 080524
REF: 1	

122882-01-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	064470-01-700	EA COVER - VENT	J7291
	064470-01-701	EA SLIDE BAR - VENT LID	JRP1291B
	122882-01-700	EA HANDLE - CRANK - BLACK	90128
	122882-01-701	EA SCREEN	JRP-1124-B
	122882-01-702	EA HANDLE - CRANK - WHITE	JRP1031B
	122882-01-703	EA SEAL - DOME - 48"	JRP2111B


122882-02-01A, 122882-03-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	064470-01-700	EA COVER - VENT	J7291
	064470-01-701	EA SLIDE BAR - VENT LID	JRP1291B
	110051-03-700	EA SWITCH-BLACK/PUSH BUTTON	27-0164
	122882-01-700	EA HANDLE - CRANK - BLACK	90128
	122882-01-701	EA SCREEN	JRP-1124-B
	122882-01-702	EA HANDLE - CRANK - WHITE	JRP1031B

122882-04-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	064469-03-708	EA GEAR-DRIVE	RP-1024-.50 PC SIZE
	064470-01-700	EA COVER - VENT	J7291
	064470-01-701	EA SLIDE BAR - VENT LID	JRP1291B
	110051-07-701	EA MOTOR-LIFT, W/BRKT-GEAR 3/16	JRP1099B
	122882-04-700	EA SCREEN	J29-670-01A

122882-05-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	064469-03-708	EA GEAR-DRIVE	RP-1024-.50 PC SIZE
	064469-03-709	EA GEAR-PINION F/LIFT MOTOR	RP-1025 - DIME SIZE
	064470-01-700	EA COVER - VENT	J7291
	064470-01-701	EA SLIDE BAR - VENT LID	JRP1291B
	110051-07-701	EA MOTOR-LIFT, W/BRKT-GEAR 3/16	JRP1099B
	122882-04-700	EA SCREEN	J29-670-01A

KEY	PART NUMBER	U/M DESCRIPTION	173182-01-01A VENDOR NO
	173182-01-701	EA LATCH - RH SLIDER - BLK	.7007.002 SE-GI



KEY	PART NUMBER	U/M DESCRIPTION	173182-02-01A VENDOR NO
	173182-02-701	EA LATCH - LH SLIDER - BLK	.7007.001 SE-GI




KEY	PART NUMBER	U/M	DESCRIPTION	123780-26-01A	VENDOR NO.
1	123780-22-700	EA	COVER - VENT W/HINGE & SLIDE		K8020-81
2	123780-26-700	EA	MOTOR & FAN BLADE W/BACKET		XK8017-03 PANCAKE
3	123780-26-701	EA	BLADE/FAN - 12" OPAQUE WHT		8138-81 - 7MM
4	123780-22-701	EA	SEAL/RUBBER-4 1/2' W/GLUE		K1144-09
5	123780-22-702	EA	BASE/MAIN - W/LOCK/SEAL/ARM		XK8010-81 CLAMP STY
6	084079-01-707	EA	SWITCH - SAFETY		1122-05
7	084079-01-702	EA	ARM LIFT ASSEMBLY, MANUAL		101105
9	084079-01-709	EA	SWITCH - MAIN - 3 SPEED		1031-05
13	123780-21-700	EA	FUSE HOLDER W/4AMP FUSE/KNOB		K9018-09 NEW STYLE
15	123780-16-700	EA	KNOB-BLK/AUTOMATIC LIFT MTR		K1140-09
16	123780-21-703	EA	SCREEN - POP N LOCK		2035-81
17	123780-22-704	EA	TRAVEL LOCK ASSEMBLY		4021-09
22	123780-22-705	EA	GARNISH-3 1/2"CLAMP STY-WHT		XK2040-81
CONTACT WINNEBAGO PART SALES FOR UNLISTED COMPONENT(S)					

KEY	PART NUMBER	U/M	DESCRIPTION
	173188-07-705	EA	SCREEN ASM.


173188-07-01A
VENDOR NO.
SCREEN-50316.62.15




VIEW AA
RH SHOWN
(LH OPPOSITE)




VIEW AC
RH SHOWN
(LH OPPOSITE)




VIEW AE



VIEW AB
RH SHOWN
(LH OPPOSITE)



VIEW AD
RH SHOWN
(LH OPPOSITE)



VIEW AF

5. WINDSHIELD TO BE CENTERED SIDE-TO-SIDE ± 3 .
4. SHEET 1, VIEWS SHOWN PRIOR TO GLASS INSTALLATION.
- 3 APPLY PRIMER, 13816-02-000 TO TRIMMED EDGE OF FIBERGLASS WHEN PRIMING SURFACE.
- 2 SEE ES0079 FOR BONDING GLASS TO ROOF CAP.
1. ALL SEALANTS MUST BE APPLIED PER SPECIFICATIONS IN THE MANUFACTURING SEALANT MANUAL.

		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
OFTR	ORIG. DATE	ALL DIMENSIONS ARE IN MILLIMETERS	
CHKR			
P.E.			
M.E.	FIRST USED		
DSNR		10 H-SERIES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 3		WEIGHT (LBS): 113.1	
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: WINDSHIELD INSTL			
SHEET 1 OF 2	PART NO 170493	REV	

GLASS-WINDSHIELD,SIDE,RH
168496-02-000
SEALANT-URETHANE,BLACK
143813-01-000 (200 ML)
PRIMER-GLASS,CLEAR
143816-01-000 (20 ML)
PRIMER-FIBERGLASS,BLK,250ML
143816-02-000 (20 ML)

2 3

BA BA

5

BB

GLASS-WINDSHIELD,SIDE,LH
168496-03-000
SEALANT-URETHANE,BLACK
143813-01-000 (200 ML)
PRIMER-GLASS,CLEAR
143816-01-000 (20 ML)
PRIMER-FIBERGLASS,BLK,250ML
143816-02-000 (20 ML)

2 3

GLASS-WINDSHIELD
168496-01-000
SEALANT-URETHANE,BLACK
143813-01-000 (400 ML)
PRIMER-GLASS,CLEAR
143816-01-000 (40 ML)
PRIMER-FIBERGLASS,BLK,250ML
143816-02-000 (40 ML)

2 3

16
ALL AROUND




MOLDING-REVEAL,WINDSHIELD
120533-01-000 (1030)
CARRIER-REVEAL,WINDSHIELD
132375-05-000

SECTION BA-BA
RH SHOWN
(LH OPPOSITE)

16
ALL AROUND


SECTION BB-BB

FIRST USED		10 H-SERIES	
DO NOT SCALE DRAWING			
TITLE: WINDSHIELD INSTL			
SHEET 2		PART NO 170493	REV



- 10 USE ADHESIVE PLEXUS MA330 112901-01-000 SPARINGLY TO BOND BUSHIND TO FIBERGLASS COWL.
- 9 TORQUE TO 12 ± 1 NM (108 ± 12 IN LBS).
- 8 TORQUE TO 27 ± 3 NM (240 ± 24 IN LBS).
- 7 TORQUE TO 16 ± 1 NM (144 ± 12 IN LBS).
- 6 TORQUE TO 47 NM (420 IN LBS). RE-TORQUE 30 MINUTES AFTER INITIAL INSTALLATION.
- 5 TIGHTEN NUT 1/2 TO 3/4 TURN AFTER TORQUE SPECIFICATION HAS BEEN ACHIEVED ON .
- 4 TORQUE TO 34 ± 7 NM (300 ± 50 IN LBS).

3. APPLY LUBRICANT TO SURFACE OF ALL BALL JOINTS (4) PRIOR TO ASSEMBLY OF LINKAGES.
- 2 BLADES TO BE HORIZONTAL IN PARK POSITION.
1. FILL WASHER BOTTLE WITH FLUID 079969-01 AND CHECK SYTEM OPERATION.



WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE	ALL DIMENSIONS ARE IN MILLIMETERS	
CHGR		10 H-SERIES	
P.E.			
M.E.	FIRST USED		
DSNR			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 3			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: WIPER-WASHER INSTL			
SHEET 1 OF 2		PART NO 170495	REV
REF:		1	

8

7

6

5

4

3

2

1

DWG
NO 170495

D

D

C


C

B


B

A


A

SPRINTER
WASHER
HOSE

SECTION BA-BA



SECTION BC-BC



SECTION BB-BB

FIRST USED		
10 H-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
WIPER-WASHER INSTL		
SHEET 2	PART NO	REV
	170495	

8

7

6

5

4

3

2

1

KEY	PART NUMBER	U/M DESCRIPTION
	170640-05-700	EA PIVOT SHAFT HARDWARE KIT

170640-05-000 & 170640-06-000
VENDOR NO.
MDPAH

KEY	PART NUMBER	U/M DESCRIPTION
	170640-07-700	EA SPRAY NOZZLE
	170640-07-701	EA CHANNEL - WASHER TUBING
	170640-07-702	EA HOSE - WIPER ARM
	170640-07-703	EA HEAD COVER - F/WIPER ARM

170640-07-000
VENDOR NO.
MDRSN
12-4TC
TV77-216
MDHC