



RELEASE		REV A	DATE		DWG NO	090868	
REV	ZONE	REVISION RECORD				DATE	DFTR-ORIG

H25T (AFTER 05-11-09) (UP TO 10-18-09)

090868-01-000

224V

229T

231C

231J

524DL

524K

524P

728B

730C

D31E

D35J


D37L


E30W

E32K

J35Z

J38N

		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.			
DFT-ORIG				ORIG. DATE	
CHKD				ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.					
M.E.					
DSNR				GEN MOTORHOMES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:			
WHOLE DIM (X) ±					
ONE-PLACE (X.X) ±					
TWO-PLACE (X.XX) ±					
ANGLE ±					
THIRD ANGLE PROJECTION					
DO NOT SCALE DRAWING					
TITLE: DOOR INSTL-REFRIG VENT					
SHEET 1 OF 4		PART NO 090868	REV		




ANGLE
099561-51-003 1


1. THE DISTANCE BETWEEN THE BOTTOM EDGE OF THE ANGLE AND THE TOP EDGE OF THE REFER DRAIN PAN MUST BE AT LEAST 6MM.

NOTES:

090868-06-000
H25T
AFTER 10-19-09

FIRST USED			GEN MOTORHOMES		
DO NOT SCALE DRAWING					
TITLE:			DOOR INSTL-REFRIG VENT		
SHEET	4	PART NO	090868	REV	





094707-04-01A

KEY	PART NUMBER	U/M	DESCRIPTION	VENDOR NO.
1	094707-04-701	EA	MOTOR "AM 214" F/IMGL STEPS	1101428
1	094707-04-703	EA	GEAR BOX W/LINKAGE-CURVED	1101425
2	143709-01-700	EA	CAM STOP	1102200
10	094707-04-712	EA	HARNESS/JUMPER W/DIODE	1510000015
12	094707-04-702	EA	COTTOR PIN - W/CLEVIS PIN	905205000
13	143709-01-701	EA	BUMPER - BLACK (RUBBER STOP)	1602000
14	094707-04-700	EA	CONTROL UNIT W/OVERRIDE	909510000
16	143709-01-702	EA	TREAD/NON-SKID 6" X 21" BLK	1915260
17	094707-04-704	EA	FRAME W/DBL STEP-32REINF SRS	3202082
18	088746-01-705	EA	LIGHT-UNDER STEP	9004
	094707-03-701	EA	PLUG - 4-WAY - PACKARD	909306
	094707-04-711	EA	KWIKTEST - W/4-WAY PIGTAIL	909518000
			CONTACT WINNEBAGO PART SALES FOR UNLISTED COMPONENT(S)	

SUPPORT-LID, ENTRANCE STEP
123330-10-CHT
SCREW
G11-10-12D(7)



TREAD-STEP,RUBBER
133114-09-CHT
ADHESIVE
142550-02-000

104005-12-XXX
H25T

CABINET ASM-LID, ENT STEP
172491-01-XXX



TRIM-LED,ENTRANCE
172635-01-CHT
SCREW
000G67-08-12U(5)

BRACKET-CATCH,LID
146747-01-CHT(2)
SCREW
G11-10-12D(4)




1. CENTER TREAD-STEP.RUBBER ON BOARD.



FIRST USED		04 300-SERIES	
DO NOT SCALE DRAWING			
TITLE: LID ASM-ENTRANCE STEP			
SHEET 12	PART NO	104005	REV



DETAIL G




DETAIL F



VIEW H
VIEW P
(OPPOSITE)
(2 PLCS)

DOOR W/O LOCK POCKET




LOCK ASM J
SPACER
144734-01-000
WASHER-FLAT
110506-43-000
GASKET
110506-44-000
LOCK ASM-KEYED:
CASE ASM
138637-53-000
CAM
138637-65-000
ADAPTER
144474-01-000
OR
LOCK-TWIST:
CASE
110506-55-000
CAM
110506-66-000



ANGLE
34154-01-000 (2)
RIVET
H13-04-07B (8)

SPACER
144734-01-000

LOCK ASM K
CLIP-E
110506-40-000
WASHER-TENSION
110506-41-000
NUT
110506-42-000
WASHER-FLAT
110506-43-000
GASKET
110506-44-000
LOCK ASM-KEYED:
CASE ASM
138637-53-000
CAM
138637-65-000
ADAPTER
144474-01-000
OR
LOCK-TWIST:
CASE
110506-55-000
CAM
110506-66-000
OR
LOCK-KEYED ALIKE:
CASE W/CAM
132890-02-000
SPACER
144734-01-000



FIRST USED		
04 F30W		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 5	PART NO	REV
	126946	



DETAIL Z


SEALER
53752-09-000 1

ADHESIVE
112901-01-000


WASHER
139277-01-000

GASKET
139337-01-000

POCKET LOCK
97111-02-CHT



DETAIL V




SECTION W-W

ANGLE

LOCK ASM J
SPACER
144734-01-000
WASHER-FLAT
110506-43-000
GASKET
110506-44-000
LOCK ASM-KEYED:
CASE ASM
138637-53-000
CAM
138637-65-000
ADAPTER
144474-01-000
OR
LOCK-TWIST:
CASE
110506-55-000
CAM
110506-66-000

SLOT
6.35 X 13.0

SLOT
3.17 X 4.76





VIEW H
VIEW P
(OPPOSITE)
(2 PLCS)

TAP-SEAL
56795-01-000 (N)


DOOR W/LOCK POCKET

P



LOCK ASM K
CLIP-E
110506-40-000
WASHER-TENSION
110506-41-000
NUT
110506-42-000
WASHER-FLAT
110506-43-000
GASKET
110506-44-000
LOCK ASM-KEYED:
CASE ASM
138637-53-000
CAM
138637-65-000
ADAPTER
144474-01-000
OR
LOCK-TWIST:
CASE
110506-55-000
CAM
110506-66-000
OR
LOCK-KEYED ALIKE:
CASE W/CAM
132890-02-000
SPACER
144734-01-000


SPACER
139325-01-000




ANGLE
34154-01-000 (2)
RIVET
H13-04-07B (8)

FIRST USED		
04 F30W		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 8	PART NO	REV
	126946	

KEY	PART NUMBER	U/M DESCRIPTION	142226-02-01A VENDOR NO
	142226-02-700	EA TAB/LOCKING - ESCAPE (RED)	9667709




ELECTRIC LOCK CONTACT DETAIL




- NOTES:
1. BRACKET ASM (172413-02) NEEDS TO BE INSTALLED IN THE TOP FRAME ASM PRIOR TO INSTALLATION FRAME ONTO THE SLUG.
 2. TORQUE STRIKER BOLT TO 47.45 Nm (35 ft/lbs) AFTER DOOR INSTALLATION AND ADJUSTMENT.
 3. DIMENSION IS CRITICAL FOR DOOR INSTALLATION.
 4. RETAINERS TO BE INSTALLED AFTER DOOR IS INSTALLED IN THE SIDEWALL.
 5. USE SHIMS 174450-01-CHT AND 174450-02-CHT AS REQUIRED TO ADJUST DOOR FRAME TO DOOR JAMB.
 6. BRACKET TO BE FLUSH WITH INNER FRAME TUBE.
 7. APPLY 072889-01-000 AND 157886-01-CHT TO DOOR FROM TO BOND DOOR FRAME TO INSERT.

094 WINDOWS - SE-GI

		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFT-ORIG		ORIG. DATE	
CHGR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.		MATERIAL:	
M.E.		FIRST USED	
DSNR		10 H25T	
UNSPECIFIED TOLERANCES ARE:		THIRD ANGLE PROJECTION	
WHOLE DIM (X) : 3		DO NOT SCALE DRAWING	
ONE-PLACE (X.X) : 1.5		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
TWO-PLACE (X.XX) : 0.50		TITLE:	
ANGLE : 1°		DOOR COMPL-ENTRANCE	
SHEET 1 OF 5		PART NO 169301	
REF:		1	



FIRST USED		
10 H25T		
DO NOT SCALE DRAWING		
TITLE:		
DOOR COMPL-ENTRANCE		
SHEET 2	PART NO	REV
	169301	




HINGE
170182-01-01A (3)

NUT SERT
72893-04-000(9)

SCREW-MACH
75908-01-000(9)


SECTION CA-CA

JAMB COVER - REF



SECTION CB-CB

BRACKET ASM-STRIKER REF




BRACKET ASM-GAS SPRING
172413-02-02B (UP TO 09-10-09)
174942-01-02B (AFTER 09-11-09)
RIVET
113133-01-CHT(4)

NUT
000D29-05-00U

BALL STUD
057460-02-000

GAS SPRING
142569-34-000

DETAIL CC



SECTION CD-CD


SEAL
075671-04-000

SEAL
075671-04-000

TOP FRAME ASM-REF

BRACKET ASM-REF

FIRST USED		10 H25T	
DO NOT SCALE DRAWING			
TITLE: DOOR COMPL-ENTRANCE			
SHEET 3		PART NO 169301	REV



DA

DETAIL DA

SEAL LINED UP
WITH GROOVE EDGE

SEAL LINED UP
WITH EDGE
(SIDES ONLY)

DB

DETAIL DB

SEAL TO BE ROUTED
AROUND BOLTS
(TOP AND BOTTOM)

SEAL LINED UP
WITH GROOVE EDGE
(TOP AND BOTTOM)

24 MIN GAP
(OUTER SEAL
ONLY)

FIRST USED			10 H25T		
DO NOT SCALE DRAWING					
TITLE: DOOR COMPL-ENTRANCE					
SHEET 4		PART NO	169301		REV

ALIGN THE TOP
RETAINER WITH THE TOP
OF THE JAMB SUPPORT
(2 PLACES)

RETAINER-JAMB COVER
173253-01-01A(10)
SCREW
000G67-10-08U(20)

JAMB SUPPORT-REF

FULL WALL
THICKNESS
TUBE (2)

SECTION ED-ED

SECTION EC-EC

SECTION EB-EB

SECTION EA-EA

FIRST USED			10 H25T
DO NOT SCALE DRAWING			
TITLE: DOOR COMPL-ENTRANCE			
SHEET 5	PART NO	169301	REV

8		7		6		5		4		3		2		1	
DWG NO	SHEET	A		WEIGHT (LBS)											
169383-01	1	900.0		12.0											
169383-02	2	1100.0		13.7											
169383-03	3	816.0		9.3											
169383-04	4	816.0		9.3											
169383-05	5	900.0		7.8											
169383-06	6	1100.0		13.7											
169383-07	7	190.0		1.9											
169383-08	8	816.0		5.8											

RELEASE

REV A

DATE


DWG NO 169383


REV ZONE

REVISION RECORD

DATE


OFTR-ORIG



WINNEBAGO® INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.			
DFT:R		ORIG. DATE			
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS			
P.E.					
M.E.		FIRST USED			
DSNR		10 H-SERIES			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:			
WHOLE DIM (X) ± 3		WEIGHT: SEE TAB			
ONE-PLACE (X.X) ± 1.5					
TWO-PLACE (X.XX) ± 0.50					
ANGLE ± 1°					
THIRD ANGLE PROJECTION					
DO NOT SCALE DRAWING					
TITLE: PANEL ASM-VALANCE					
SHEET 1 OF 8		PART NO 169383			
		REV			

SEE CHART
FOR COLOR VARIATIONS
OF THIS PART

169383-02
H25R
H25T



HINGE-VAL,DOOR
169378-02-CHT
RIVET
113133-01-CHT (4)

HINGE-VAL,DOOR
169378-03-CHT
RIVET
113133-01-CHT (4)

PANEL-VAL,INNER
169381-02-CHT

PANEL-DOOR
169376-02-CHT

PLATE-LATCH
169380-03-CHT
SEAL
169380-04-000
SCREW
G37-10-289 (4)

LATCH/PADDLE
169380-01-CHT

BOLT-SLIDE
121947-01-CHT (2)
RIVET
113133-01-CHT (4)



ROD-LATCH
169711-03-CHT
CLIP
102265-02-000

ROD-LATCH
132873-F2-000
CLIP
102265-02-000

INSERT-FOAM
169379-01-000


FIRST USED		
10 H-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
PANEL ASM-VALANCE		
SHEET 2	PART NO 169383	REV

169383-03 H25T



FIRST USED		
10 H-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
PANEL ASM-VALANCE		
SHEET 3	PART NO 169383	REV

169383-04
H25R
H25T




PANEL-VAL,INNER
170216-02-CHT 2

PLATE-LATCH
169380-03-CHT
SEAL
169380-04-000
SCREW
G37-10-289 (4)

PANEL-DOOR
170215-02-CHT 2


LATCH/PADDLE
169380-01-CHT




FIRST USED		
10 H-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
PANEL ASM-VALANCE		
SHEET 4	PART NO 169383	REV

**169383-05
H25T**

FIRST USED		
10 H-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
PANEL ASM-VALANCE		
SHEET 5	PART NO 169383	REV



169383-06
H25T



FIRST USED		
10 H-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
PANEL ASM-VALANCE		
SHEET 6	PART NO 169383	REV

4 3 TAPE
85284-F7-000
(1744)

DOOR ASM-DRIVER
170979-01-CHT

DRIVER DOOR INNER FRAME
SCREW
000G39-08-16U (59)

FRAME-DOOR
172941-01-CHT
SCREW
000G39-10-12T(7)

NUT-SELF RETAINING
147284-04-000 (2)

SUPPORT ASM-DOOR HANDLE
170905-01-CHT

SCREW
000G39-10-12U (7)

SWITCH
145638-09-CHT 6

SCREW
000G55-08-12U (9)

PANEL ASM-DOOR,DRIVER
170818-01-XXX

SCREW
000G50-04-16U (2)

APPLIQUE
167136-15-CHT 75Y


APPLIQUE
167136-14-CHT 75Y

GROMMET-WIRE
117802-01-000
WIRE ASM
171049-01-000

SWITCH-DOOR
41250-01-000
SCREW
G39-08-16E(2)
SEAL
113285-01-CHT
SPACER-SWITCH
075722-05-000(UP TO 06-21-09)
075722-04-000(AFTER 06-22-09)

FRAME-DOOR
172942-01-CHT
SCREW
000G39-10-12U(10)

TOP (FRONT OF COACH)



BOTTOM (REAR OF COACH)

FRONT VIEW REAR VIEW

DETAIL EE

6 SEE DETAIL EE
FOR SWITCH ORIENTATION.

5 DOOR PANEL MUST BE INSTALLED SO THAT THE
DOOR PANEL BRACKET ENGAGES THE BRACKET
ATTACHED TO THE DOOR FRAME.

4 INSTALL ON SIDEWALL PRIOR TO DOOR
INSTALLATION.

3 WIPE SURFACE WITH ISOPROPOL
ALCOHOL BEFORE TAPE APPLICATION.


2 SUPPLIED WITH DOOR

1. DO NOT REMOVE SHIMS BETWEEN DOOR
FRAME AND JAMB UNTIL DOOR IS INSTALLED.

NOTES:

75Y APPLIQUE-INSTRUMENT PANEL




WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE		
CHGR	ALL DIMENSIONS ARE IN MILLIMETERS		
P.E.			
M.E.	FIRST USED		
DSNR	10 H-SERIES		
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 3			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: DOOR INSTL-DRIVER			
SHEET 1 OF 2		PART NO 170819 REV	
REF:		1	



FIRST USED		
10 H-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
DOOR INSTL-DRIVER		
SHEET 2	PART NO 170819	REV

DWG NO	SHEET
170985-01	1
170985-02	2



RELEASE	REV DATE	DWG NO	170985
REV ZONE	REVISION RECORD	DATE	DTFR-ORIG



170985-01
H25T


1. ADD 426 MM OF 99069-01-000 SEALER-STRIP BETWEEN HATCH AND COMPARTMENT.

WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DTFR	ORIG. DATE	ALL DIMENSIONS ARE IN MILLIMETERS	
CHKR			
P.E.			
M.E.	FIRST USED		
DSNR	10 H25T		
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 3			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: COMPARTMENT ASM-WATER/ELEC			
SHEET 1 OF 2		PART NO 170985	REV
REF:		1	




- NOTES:
- 1. DO NOT REMOVE SHIMS BETWEEN DOOR FRAME AND JAMB UNTIL DOOR IS INSTALLED.
 - 2. SUPPLIED WITH DOOR
 - 3. WIPE SURFACE WITH ISOPROPOL ALCOHOL BEFORE TAPE APPLICATION.
 - 4. INSTALL ON SIDEWALL PRIOR TO DOOR INSTALLATION.
 - 5. DOOR PANEL MUST BE INSTALLED SO THAT THE DOOR PANEL BRACKET ENGAGES THE BRACKET ATTACHED TO THE DOOR FRAME.
 - 6. SEE DETAIL EE FOR SWITCH ORIENTATION.

COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
ALL DIMENSIONS ARE IN MILLIMETERS	
10 H-SERIES	
DO NOT SCALE DRAWING	
TITLE: DOOR INSTL-DRIVER	
SHEET 1 OF 3	REF: 1



DOOR ASM

CHANNEL-SUPPORT, DOOR HANDLE (REF)



SECTION BA-BA

SPACER-SWITCH, DOME
128131-01-01A
SCREW
000G39-10-08B (2)

FIRST USED			10 H-SERIES		
			DO NOT SCALE DRAWING		
TITLE:			DOOR INSTL-DRIVER		
SHEET 2	PART NO	174487	REV		

8

7

6

5

4


3

2

1

DWG
NO **174487**





COVER-SCREW
109235-01-01A
(4400)
SEALER TAPE
069640-20-000
(4400)




FIRST USED		
10 H-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
DOOR INSTL-DRIVER		
SHEET 3	PART NO 174487	REV

8 7 6 5 4 3 2 1

RELEASE		REV	DATE	DWG NO	169757
REV	ZONE	REVISION RECORD			DATE
					DFTR-ORIG



NOTES:

WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTR		ORIG. DATE	
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		10 H25T	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ±			
TWO-PLACE (X.XX) ±			
ANGLE ±			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE:			
BODY INSTL-SECTIONS			
SHEET 1 OF 4		PART NO 169757	REV

U-CHANNEL
124296-17-CHT(2)

SIDEWALL ASM

VALANCE-DOOR

SECTION AF-AF

BRACKET ASM-VALANCE DOOR
165341-05-CHT
NUT
000D39-06-00U (2)

BH

FLOOR ASM-UPPER

BH

BRACKET ASM-VALANCE DOOR
165341-04-CHT
NUT
000D39-06-00U (2)

SECTION AG-AG

FLUSH
SEAL-FOAM TAPE
TAPE-SEALING
SIDEWALL ASM-LH

SECTION AJ-AJ

TAPE-SEALING
SIDEWALL ASM-RH
SEAL-FOAM TAPE
FLUSH

SECTION AK-AK

ROOF ASM

BACKWALL ASM


SECTION AH-AH

TRIM-ROOF
31
REF
ROOF ASM





TAPE-SEALING

SECTION AL-AL


FIRST USED			10 H25T
DO NOT SCALE DRAWING			
TITLE:			BODY INSTL-SECTIONS
SHEET 2	PART NO	169757	REV




SECTION BD-BD
(SHOWN)
SECTION BE-BE
(OPPOSITE)



PLUG-OVAL
148331-01-CHT






PANEL ASM-CLOSEOUT,ENT DOOR
172478-01-XXX
SCREW
000G67-10-08U



PANEL ASM-CLOSEOUT,ENT DOOR
172478-02-XXX
SCREW
000G67-10-08U

FIRST USED		10 H25T	
DO NOT SCALE DRAWING			
TITLE: BODY INSTL-SECTIONS			
SHEET 3	PART NO	169757	REV



FIRST USED		10 H25T	
DO NOT SCALE DRAWING			
TITLE: BODY INSTL-SECTIONS			
SHEET 4	PART NO	169757	REV