




RELEASE		REV	DATE	DWG NO	169758
REV	ZONE	REVISION RECORD			DATE
					DFTR-ORIG

- 1B8 DOOR DRIVERS,WITHOUT
- 094 WINDOWS- SE-GI
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA
- 48E POWER VENTILATOR-BATH
- 715 VENT-POWER

		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE		
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS		
P.E.			
M.E.	FIRST USED		
DSNR	10 H25T		
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: BODY INSTL-WINDOWS & VENTS			
SHEET1 OF 1		PART NO	169758
		REF:	1

1. ESCAPE WINDOW

NOTES:

8

7

6

5

4

3

2

1

DWG NO	B	C	TRIM	QTY	TRIM	QTY	D	E	SHEET
080524-01	NOT USED	NOT USED	-----	---	-----	---	16	12	1
080524-02	NOT USED	NOT USED	-----	---	-----	---	12	10	1
080524-03	NOT USED	NOT USED	-----	---	-----	---	21	17	2
080524-04	NOT USED	NOT USED	-----	---	-----	---	22	11	N/A
080524-05	NOT USED	NOT USED	-----	---	-----	---	23	10	1
080524-06	NOT USED	NOT USED	-----	---	-----	---	12	10	1
080524-07	NOT USED	NOT USED	-----	---	-----	---	18	16	1
080524-08	138380-01-CHT	122191-01-CHT	138372-01-CHT	4	-----	---	12	16	1
080524-09	NOT USED	NOT USED	NOT USED	4	-----	---	12	16	1
080524-10	NOT USED	NOT USED	NOT USED	3	NOT USED	1	16	15	2
080524-11	138379-02-CHT	122193-02-CHT	138372-01-CHT	4	-----	---	16	16	1
080524-12	138379-02-CHT	122193-01-CHT	138372-01-CHT	4	-----	---	12	16	1
080524-13	NOT USED	-----	NOT USED	4	NOT USED	2	20	--	1
080524-14	149623-01-CHT	149624-01-CHT	138372-01-CHT	4	-----	---	12	14	1
080524-15	138379-03-CHT	156693-01-CHT	138372-01-CHT	4	-----	---	12	14	1
080524-16	138380-01-CHT	122191-02-CHT	138372-01-CHT	4	-----	---	12	16	1
080524-17	139411-01-CHT	122214-02-CHT	138372-01-CHT	3	130284-01-CHT	1	16	15	2
080524-18	170946-01-CHT	170929-01-CHT	138372-01-CHT	3	166914-01-CHT	3	15	15	2
080524-19	138380-01-CHT	170952-01-CHT	138372-01-CHT	4	-----	---	12	16	1
080524-20	149623-01-CHT	171120-01-CHT	138372-01-CHT	4	-----	---	12	14	1
080524-21	170946-02-CHT	170929-02-CHT	138372-01-CHT	3	166914-01-CHT	3	15	15	2

D35J

E26P

(UP TO 02-15-09 329B.331C)

524A,524DL,H25T

224V,229T,231C,231J

E32K

231N

730C,D31E,D37L,J35P,J35Z,J38N,P40L,R40BD,R40WD

D33C,R40CD

524K,524P,728B,J32H (AFTER 02-16-09 329B,331C)

R42AD

RELEASE

REV A

DATE


DWG NO 080524


REV ZONE

REVISION RECORD

DATE

DTFR-ORIG





1. SEALANT APPLIED ALL AROUND CENTER OF FLANGE OR GROOVE.

SECTION A-A

NOTES:

8

7

6

5

4

3

2

1

WINNEBAGO INDUSTRIES

COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.

ALL DIMENSIONS ARE IN MILLIMETERS

85 A&C BODY

DO NOT SCALE DRAWING

SKYLITE INSTL

SHEET 1 OF 2

PART NO 080524

REV

UNSPECIFIED TOLERANCES ARE:

WHOLE DIM (X) ±

ONE-PLACE (X.X) ±

TWO-PLACE (X.XX) ±

ANGLE ±

THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING

SKYLITE INSTL

SHEET 1 OF 2

PART NO 080524


REV

122882-01-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	064470-01-700	EA COVER - VENT	J7291
	064470-01-701	EA SLIDE BAR - VENT LID	JRP1291B
	122882-01-700	EA HANDLE - CRANK - BLACK	90128
	122882-01-701	EA SCREEN	JRP-1124-B
	122882-01-702	EA HANDLE - CRANK - WHITE	JRP1031B
	122882-01-703	EA SEAL - DOME - 48"	JRP2111B

122882-02-01A, 122882-03-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	064470-01-700	EA COVER - VENT	J7291
	064470-01-701	EA SLIDE BAR - VENT LID	JRP1291B
	110051-03-700	EA SWITCH-BLACK/PUSH BUTTON	27-0164
	122882-01-700	EA HANDLE - CRANK - BLACK	90128
	122882-01-701	EA SCREEN	JRP-1124-B
	122882-01-702	EA HANDLE - CRANK - WHITE	JRP1031B

122882-04-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	064469-03-708	EA GEAR-DRIVE	RP-1024-.50 PC SIZE
	064470-01-700	EA COVER - VENT	J7291
	064470-01-701	EA SLIDE BAR - VENT LID	JRP1291B
	110051-07-701	EA MOTOR-LIFT, W/BRKT-GEAR 3/16	JRP1099B
	122882-04-700	EA SCREEN	J29-670-01A

122882-05-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	064469-03-708	EA GEAR-DRIVE	RP-1024-.50 PC SIZE
	064469-03-709	EA GEAR-PINION F/LIFT MOTOR	RP-1025 - DIME SIZE
	064470-01-700	EA COVER - VENT	J7291
	064470-01-701	EA SLIDE BAR - VENT LID	JRP1291B
	110051-07-701	EA MOTOR-LIFT, W/BRKT-GEAR 3/16	JRP1099B
	122882-04-700	EA SCREEN	J29-670-01A



KEY	PART NUMBER
1	123780-22-700
2	123780-26-700
3	123780-26-701
4	123780-22-701
5	123780-22-702
6	084079-01-707
7	084079-01-702
9	084079-01-709
13	123780-21-700
15	123780-16-700
16	123780-21-703
17	123780-22-704
22	123780-22-705

U/M	DESCRIPTION
EA	COVER - VENT W/HINGE & SLIDE
EA	MOTOR & FAN BLADE W/BACKET
EA	BLADE/FAN - 12" OPAQUE WHT
EA	SEAL/RUBBER-4 1/2' W/GLUE
EA	BASE/MAIN - W/LOCK/SEAL/ARM
EA	SWITCH - SAFETY
EA	ARM LIFT ASSEMBLY, MANUAL
EA	SWITCH - MAIN - 3 SPEED
EA	FUSE HOLDER W/4AMP FUSE/KNOB
EA	KNOB-BLK/AUTOMATIC LIFT MTR
EA	SCREEN - POP N LOCK
EA	TRAVEL LOCK ASSEMBLY
EA	GARNISH-3 1/2"CLAMP STY-WHT

123780-26-01A	VENDOR NO.
	K8020-81
	XK8017-03 PANCAKE
	8138-81 - 7MM
	K1144-09
	XK8010-81 CLAMP STY
	1122-05
	101105
	1031-05
	K9018-09 NEW STYLE
	K1140-09
	2035-81
	4021-09
	XK2040-81

CONTACT WINNEBAGO PART SALES FOR UNLISTED COMPONENT(S)


169282-03-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	169828-03-701	EA GLASS/GLAZING PNL W/HNG/HNDL	BG2408
	169828-03-702	EA HINGE/STAYS W/HDL-W/O KNOB	BG2409 - PAIR
	169282-03-703	EA CLIPS (REPAIR KIT)	BG2410 (1 SET)
	169282-03-704	EA HANDLES-W/O SAFETY KNOB-RH	BG2411-RH FROM I/S
	169282-03-705	EA RUBBER-FRAME PROFILE/PREFORM	BG1356

KEY	PART NUMBER	U/M DESCRIPTION	173182-01-01A VENDOR NO
	173182-01-701	EA LATCH - RH SLIDER - BLK	.7007.002 SE-GI


KEY	PART NUMBER	U/M DESCRIPTION	173182-02-01A VENDOR NO
	173182-02-701	EA LATCH - LH SLIDER - BLK	.7007.001 SE-GI

KEY	PART NUMBER	U/M	DESCRIPTION
	173188-07-705	EA	SCREEN ASM.


173188-07-01A
VENDOR NO.
SCREEN-50316.62.15




RH SHOWN
(LH OPPOSITE)




VIEW AA
RH SHOWN
(LH OPPOSITE)




VIEW AC
RH SHOWN
(LH OPPOSITE)




VIEW AE



VIEW AB
RH SHOWN
(LH OPPOSITE)



VIEW AD
RH SHOWN
(LH OPPOSITE)



VIEW AF

5. WINDSHIELD TO BE CENTERED SIDE-TO-SIDE ± 3 .
4. SHEET 1, VIEWS SHOWN PRIOR TO GLASS INSTALLATION.
- 3 APPLY PRIMER, 13816-02-000 TO TRIMMED EDGE OF FIBERGLASS WHEN PRIMING SURFACE.
- 2 SEE ES0079 FOR BONDING GLASS TO ROOF CAP.

1. ALL SEALANTS MUST BE APPLIED PER SPECIFICATIONS IN THE MANUFACTURING SEALANT MANUAL.

NOTES:

		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 3		WEIGHT (LBS): 113.1	
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION		DO NOT SCALE DRAWING	
TITLE: WINDSHIELD INSTL			
SHEET 1 OF 2		PART NO 170493	REV

GLASS-WINDSHIELD,SIDE,RH
168496-02-000
SEALANT-URETHANE,BLACK
143813-01-000 (200 ML)
PRIMER-GLASS,CLEAR
143816-01-000 (20 ML)
PRIMER-FIBERGLASS,BLK,250ML
143816-02-000 (20 ML)

2 3

BA BA

5

BB

GLASS-WINDSHIELD,SIDE,LH
168496-03-000
SEALANT-URETHANE,BLACK
143813-01-000 (200 ML)
PRIMER-GLASS,CLEAR
143816-01-000 (20 ML)
PRIMER-FIBERGLASS,BLK,250ML
143816-02-000 (20 ML)

2 3

GLASS-WINDSHIELD
168496-01-000
SEALANT-URETHANE,BLACK
143813-01-000 (400 ML)
PRIMER-GLASS,CLEAR
143816-01-000 (40 ML)
PRIMER-FIBERGLASS,BLK,250ML
143816-02-000 (40 ML)

2 3

16
ALL AROUND




MOLDING-REVEAL,WINDSHIELD
120533-01-000 (1030)
CARRIER-REVEAL,WINDSHIELD
132375-05-000

SECTION BA-BA
RH SHOWN
(LH OPPOSITE)

16
ALL AROUND


SECTION BB-BB

FIRST USED			10 H-SERIES
			DO NOT SCALE DRAWING
TITLE:			WINDSHIELD INSTL
SHEET 2	PART NO	170493	REV



- 10 USE ADHESIVE PLEXUS MA330 112901-01-000 SPARINGLY TO BOND BUSHIND TO FIBERGLASS COWL.
- 9 TORQUE TO 12 ± 1 NM (108 ± 12 IN LBS).
- 8 TORQUE TO 27 ± 3 NM (240 ± 24 IN LBS).
- 7 TORQUE TO 16 ± 1 NM (144 ± 12 IN LBS).
- 6 TORQUE TO 47 NM (420 IN LBS). RE-TORQUE 30 MINUTES AFTER INITIAL INSTALLATION.
- 5 TIGHTEN NUT 1/2 TO 3/4 TURN AFTER TORQUE SPECIFICATION HAS BEEN ACHIEVED ON .
- 4 TORQUE TO 34 ± 7 NM (300 ± 50 IN LBS).

3. APPLY LUBRICANT TO SURFACE OF ALL BALL JOINTS (4) PRIOR TO ASSEMBLY OF LINKAGES.
- 2 BLADES TO BE HORIZONTAL IN PARK POSITION.
1. FILL WASHER BOTTLE WITH FLUID 079969-01 AND CHECK SYTEM OPERATION.



WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE	ALL DIMENSIONS ARE IN MILLIMETERS	
CHGR		10 H-SERIES	
P.E.			
M.E.	FIRST USED		
DSNR			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 3			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: WIPER-WASHER INSTL			
SHEET 1 OF 2		PART NO 170495	REV
REF:		1	

8

7

6

5

4

3

2

1

DWG NO 170495

D

D

C


C

B

B


A

A




SECTION BA-BA

SPRINTER
WASHER
HOSE



SECTION BC-BC



SECTION BB-BB

FIRST USED		
10 H-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
WIPER-WASHER INSTL		
SHEET 2	PART NO 170495	REV

8

7

6

5

4

3

2

1

KEY	PART NUMBER	U/M DESCRIPTION
	170640-05-700	EA PIVOT SHAFT HARDWARE KIT

170640-05-000 & 170640-06-000
VENDOR NO.
MDPAH

KEY	PART NUMBER	U/M DESCRIPTION
	170640-07-700	EA SPRAY NOZZLE
	170640-07-701	EA CHANNEL - WASHER TUBING
	170640-07-702	EA HOSE - WIPER ARM
	170640-07-703	EA HEAD COVER - F/WIPER ARM

170640-07-000
VENDOR NO.
MDRSN
12-4TC
TV77-216
MDHC