





21. USE GAS SPRING 142569-31-000, INSTALL WITH ROD FACING REARWARD.
20. USE GAS SPRING 142569-06-000, INSTALL WITH ROD FACING REARWARD.
19. SEE DRAWING 169434 FOR SECTIONS BE THRU BH FOR ALL SIDE HINGE DOORS AND MOUNTING HARDWARE.
18. USE RIVET 165072-01-CHT SPACED ALONG EDGE.
17. USE SCREW 000G55-08-16B SPACED ALONG EDGE NO MORE THAN 5 INCHES APART.
16. PLACE SEAL 099418-01-000 BETWEEN RETAINER TRIM AND DOOR (7000) SEE SECTION BA-BA FOR PROPER PLACEMENT. PREP SURFACE WITH 087211-01-000. APPLY 15 PSI FORCE TO SEAL.
15. USE GAS SPRING 142569-13-000 ONE PER DOOR, AND BRACKET 126263-02-CHT, INSTALL WITH ROD DOWN.
14. FOR ALL LEFT SIDE DOORS USE CABLE 76767-14-000 SCREW 113563-01-CHT, SCREW 000G39-10-12T.
13. USE SEAL 107721-07-000 AROUND COMPARTMENT OPENINGS. PREP SURFACE WITH 087211-01-000. APPLY 15 PSI FORCE TO SEAL.
12. USE STRIKER 130053-01-CHT (2) SCREW 000G39-10-12T (4); SHIM-DOOR 143739-01-CHT (A/R)
11. USE SEAL 132892-08-CHT IN COMPARTMENT OPENINGS.
10. USE GAS SPRING 142569-17-000 ONE PER DOOR, INSTALL WITH ROD DOWN AND BRACKET 126263-02-CHT.
9. USE GAS SPRING 142569-12-000 ONE PER DOOR, INSTALL WITH ROD DOWN AND BRACKET 126263-02-CHT.
8. SEE DRAWING 169434 FOR SECTIONS BA THRU BZ.
7. DOOR TO HINGE DOWN.
6. ADD TO SIDEWALL SO DEADBOLT HITS BUMPER
5. DRILL 3.57 DIA (9/64) PILOT HOLES FOR DOOR ATTACHMENT SCREWS THRU EXISTING HOLES IN DOOR JAMB.
4. SEE SEALANT MANUAL
3. TRI/MARK "KEY ONE" SEAL: P/N 138292-01-000 USED ON ENTERANCE DOOR KEY: P/N 138288-11 THRU -20 ENTERANCE DOOR CYLINDER LOCK: P/N 138287-11 THRU -20 VAL DOOR, WATER FILL, DRIVER DOOR: P/N 138289-11 THRU -20 EXAMPLE: V.I.N. # TAB # USE: 138287-15-000 138288-15-000 138289-15-000
2. USE ADHESIVE 67788-01-000 OR 119938-02-000 WITH 9CARPT-04-000 (A/R)
1. APPLY SEAL 104692-01-000 TO FLOOR EDGE PRIOR TO INSTALLATION OF SIDEWALLS.

1D5 EXTERIOR ENTERTAINMENT CENTER

094 WINDOWS - SE-GI

WINNEBAGO INDUSTRIES		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFTB	ORIG. DATE		
CHRR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.	FIRST USED		
DSNR		10 J32H	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 3			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: BODY INSTL-DOORS & COMPTS			
SHEET 1 OF 2	PART NO	170796	REV
REF:		1	1/12/2010



090868-02-000

524A

524J

D33C

E26P

J32H

J35P

J37F

P34Y

P39N

P40L

P40T

MODELS W/FEATURE 79W

R40BD

R40CD

R40WD

R42AD


SIDEWALL ASM

DOOR-VENT
137395-01-01A

ANGLE
099561-51-003

1

FIRST USED		
GEN MOTORHOMES		
DO NOT SCALE DRAWING		
TITLE: DOOR INSTL-REFRIG VENT		
SHEET 2	PART NO 090868	REV



FIRST USED		96 M&Q SERIES	
		DO NOT SCALE DRAWING	
TITLE:		LID ASM-STEP,ENTRANCE	
SHEET 1	PART NO	120234	REV

RIVET
H13-04-07B (8)
ANGLE
34154-01-000 (2)

SEAL

ADHESIVE
112901-02-000

SIDEWALL
JAMB

DOOR JAMB

LOCKED POSITION

LOCK ASM
138290-02-000
SPACER
139325-01-000

WASHER
139277-01-000

GASKET
139337-01-000

INSERT

DETAIL B
SCALE: 1.0

DOOR W/KEYED LOCK

TAPE-SEAL
56795-01-000
(1400)

LOCKED POSITION

SEALER
53752-09-000


SEAL
156386-01-CHT
(1400)

HINGE
081801-XX-000
RIVET
H13-04-07B

SECTION A-A

FIRST USED		98 329WC	
DO NOT SCALE DRAWING			
TITLE:			
DOOR ASM-STORAGE			
SHEET 1	PART NO	126945	REV

RIVET
H13-04-07B (8)
ANGLE
34154-01-000 (2)



LOCK ASM-TWIST
110506-27-000
CLIP-E
110506-40-000
WASHER-TENSION
110506-41-000
NUT
110506-42-000
WASHER-FLAT
110506-43-000
GASKET
110506-44-000
CASE
110506-55-000
CAM
110506-66-000
SPACER
144734-01-000

TAPE-SEAL
56795-01-000
(1300)

LOCKED
POSITION

SEAL
156386-01-CHT
(1250)

DOOR W/TWIST LOCK

SEALER
53752-09-000

HINGE
081801-XX-000
RIVET
H13-04-07B

SECTION A-A

FIRST USED		98 329WC	
DO NOT SCALE DRAWING			
TITLE:			
DOOR ASM-STORAGE			
SHEET 2	PART NO	126945	REV

SECTION
SEE SHEET 5
SECTION H 700 SERIES
SECTION J 200,300,D,E,J-SERIES
SECTION N 500 SERIES

JAMB ASM
121898-14-CHT D,J SERIES,E30W & E32K
121898-16-CHT 200,E26P
121898-18-CHT 300 SERIES,E30W & E32K W/ 64V
121898-21-CHT 500,700 SERIES

SCREW
G39-08-24U (EXT) (22)

CAP
139054-01-CHT 200,300,500,700,E26P,E30W & E32K W/ 64V
139054-19-CHT D,J SERIES E30W & E32K

SCREW
G11-08-16U (17)

SCREW
G39-08-16U (4)

SEALANT

FRAME-BOTTOM
121893-01-CHT 200,300,500,700 SERIES,E26P,E30W & E32k W/ 64V
121893-03-CHT E30W & E32K,D,J SERIES


SHIM
125724-02-000
(BETWEEN FRAME AND JAMB)

SHIM
125724-02-000
(BETWEEN FRAME AND JAMB)

SECTION
SEE SHEET 5
SECTION H 700 SERIES
SECTION J 200,300,D,E,J-SERIES
SECTION N 500 SERIES






FRAME-DOOR
121894-27-CHT D,J SERIES,E30W,E32K
121894-28-CHT E26P,200 SERIES
121894-30-CHT 300 SERIES, E30W,E32K W/ 64V
121894-31-CHT 500,700 SERIES

SHIM
125724-01-000 (3)
(BETWEEN FRAME AND JAMB)



SECTION A-A

FIRST USED		00 MOTORHOMES	
DO NOT SCALE DRAWING			
TITLE: DOOR COMPL-ENTRANCE,MID			
SHEET 1		PART NO 132206	REV



FIRST USED		00 MOTORHOMES	
DO NOT SCALE DRAWING			
TITLE: DOOR COMPL-ENTRANCE,MID			
SHEET 2	PART NO	132206	REV

DETAIL D
200 SERIES
E26P
E30W & E32K W/O 64V
D SERIES
J SERIES

LATCH ASM-EXTERIOR
112782-20-CHT
GASKET
112782-04-CHT

EXTR-C-CHANNEL
134990-51-002
(INSERT INTO FOAM
UNTIL TOP SURFACE
EVEN WITH CUTOUT)

CATCH
SCREW
G11-08-08T (3)

BOLT-STRIKER
92927-20-000

PLUG-PLASTIC
61420-14-000

LATCH-SINGLE ROTARY
112782-22-CHT
SCREW
140040-01-000 (3)


STIFFENER M
132207-01-CHT
NUTSERT
72893-04-000 (8)
SCREW
75908-01-000 (8)

LATCH-INTERIOR PLATE
112782-27-CHT
CAP-VINYL
112782-05-CHT
SCREW
112782-08-CHT (3)


SPACER-NOTCHED
137230-01-CHT
(INSERT INTO FOAM UNTIL
TOP SURFACE EVEN WITH CUTOUT)

CHANNEL-W/NOTCH
171283-01-CHT
(INSERT INTO FOAM
UNTIL TOP SURFACE
EVEN WITH CUTOUT)


FIRST USED		00 MOTORHOMES	
DO NOT SCALE DRAWING			
TITLE: DOOR COMPL-ENTRANCE,MID			
SHEET 3		PART NO 132206	REV




FIRST USED			00 MOTORHOMES					
DO NOT SCALE DRAWING								
TITLE:								
DOOR COMPL-ENTRANCE,MID								
SHEET 5		PART NO		132206				
				REV				



**E30W & E32K W/O 64V
D-SERIES
J-SERIES
132206-02-XXX**




FIRST USED		
00 G-SERIES, 00 L-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-SCREEN		
SHEET 1	PART NO	REV
	132208	



J32H
140983-18-XXX


6	12351206CHT	BRACKET-DOOR	2
5	15075511CHT	PANEL-VALANC	1
4	13979303CHT	HINGE-VAL,DC	2
3	14118692XXX	FRAME ASM-WH	1
2	07632221000	TAPE-FOAM DE	1
1	07632222000	TAPE-FOAM DE	3
ITEM	PART NUMBER	DESCRIPTION	QTY

FIRST USED			08 F32H
DO NOT SCALE DRAWING			
TITLE:			PANEL ASM-VALANCE
SHEET 3	PART NO	140983	REV




6	16655705CHT	ANGLE-ATTACH	1
5	000G391010U	SCREW-PAN,HE	4
4	16655703CHT	ANGLE-ATTACH	1
3	07632222000	TAPE-FOAM DE	4
2	14118691XXX	FRAME ASM-VA	1
1	15075510CHT	PANEL-VALANC	1
ITEM	PART NUMBER	DESCRIPTION	QTY
FIRST USED			
10 J32H			
DO NOT SCALE DRAWING			
TITLE:			
PANEL ASM-VALANCE			
SHEET	8	PART NO	140983
		REV	

KEY	PART NUMBER	U/M DESCRIPTION	142226-02-01A VENDOR NO
	142226-02-700	EA TAB/LOCKING - ESCAPE (RED)	9667709




143709-02-01A

KEY	PART NUMBER	U/M	DESCRIPTION	VENDOR NO.
	143709-01-700	EA	CAM STOP	1102200
	143709-01-701	EA	BUMPER - BLACK (RUBBER STOP)	1602000
15	143709-01-702	EA	TREAD/NON-SKID _6" X 21" BLK	1915260
	143709-01-703	EA	FRAME ONLY PAINTED BLACK 25	908025000
17	143709-02-700	EA	LINK/ASSEMBLY 24/25 SERIES	3380050
18	143709-02-701	EA	MOTOR ASM W/TABLE 24/25 STEP	3392152
18	143709-02-702	EA	MOTOR "AM 214" F/IMGL TRIPLE	1820124
	088746-01-705	EA	LIGHT-UNDER STEP	9004
	094707-03-701	EA	PLUG - 4-WAY - PACKARD	909306
	094707-04-700	EA	CONTROL UNIT W/OVERRIDE	909510000
	094707-04-711	EA	KWIKTEST - W/4-WAY PIGTAIL	909518000
			CONTACT WINNEBAGO PART SALES FOR UNLISTED COMPONENT(S)	




RELEASE	REV DATE	DWG NO	160900
REV ZONE	REVISION RECORD	DATE	DTFR-ORIG

- NOTES:
- 3 SCREWS MUST BE TIGHT ENOUGH TO PREVENT HANDLE FROM MOVING.
 - 2 USE ADHESIVE 077029-01-000, ON THE BACKSIDE OF THE PART TO SECURE IT IN PLACE.
 - 1 ATTACH BRACKET TO INSIDE SURFACE OF DOOR PANEL.

WINNERBAGO® INDUSTRIES		COPYRIGHT 2009 WINNERBAGO INDUSTRIES, INC.		
D/T/R		ORIG. DATE		
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS		
P.E.				
M.E.		FIRST USED		
DBNR		08 F-SERIES		
UNSPECIFIED TOLERANCES ARE:				MATERIAL:
WHOLE DIM (X) ± 3				
ONE-PLACE (X.X) ± 1.5				
TWO-PLACE (X.XX) ± 0.50				
ANGLE ± 1°				
THIRD ANGLE PROJECTION				
DO NOT SCALE DRAWING				
TITLE:				
PANEL ASM-DOOR,DRIVER				
SHEET 1 OF 1		PART NO	REV	
		160900		

162133-01-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
1	162133-01-703	EA OUTER FRAME ASM (JAMB) WHT	491984
2	162133-01-700	FT SEAL - DOOR	4685020000
3	162133-01-704	EA STRIKER BOLT	5493020011
4	162133-01-705	EA CAGED NUT ASM.	248-041151
5	162133-01-706	EA STRAP BRACKET	491939
6	162133-01-707	EA SHIM - DOOR WEDGE	K134
8	162133-01-708	EA HINGE ASM - WHITE	492114
10	162133-01-740	EA SCREEN	410-037200
11	162133-01-709	EA SURROUND/FRAME-LOWER DR-WHT	491986
12	162133-01-710	EA SURROUND/FRAME-UPPER DR-WHT	491988
14	128913-13-701	EA SCREW/BUMPER RETAINING	274-040492
15	162133-01-721	EA ROTARY LATCH & LINKAGE	248-041150
16	162133-01-722	EA ROTARY LOCK SPACER	491069
17	162133-01-723	EA ROD CLIP - RIGHT	248-041153
18	106469-01-705	EA ROD-LATCH, HORIZONTAL	203-041139
19	162133-01-724	EA LOCK ROD - HORIZONTAL	491981
20	162133-01-725	EA MOUNTING PLATE-INNER HANDLE	V123-72
22	162133-01-726	EA INNER HANDLE HARDWARE	492075
23	162133-01-702	EA PADDLE/LATCH-DRVR DR-W/O LCK	492074/22668-02
28	162133-01-728	EA LATCH ROD - VERTICAL	491943
29	162133-01-729	EA LOCK ROD - VERTICAL	491944
30	162133-01-730	EA LOCK NUT - 1/4 X 20	420238
31	162133-01-731	EA NUT/HEX - 1/4 X 20	234-041294
32	162133-01-732	EA HAT BRACKET	491941
34	162133-01-701	EA WINDOW ASM/SLIDER-DRVR DOOR	492024
35	162133-01-733	EA PANEL MOUNTING BRACKET	491940
39	162133-01-734	EA SCREW/BUTTON HEAD 1/4-20X1.5	491969
40	162133-01-735	EA SCREW/TRUSS HD 1/4-20X1/2BLK	6055202005
42	128913-04-700	FT TAPE/BUTYL - FOAM CORE	154-041549
	112795-01-700	EA LATCH ASM/WDO-BLK (BOLT ON)	DH287-CK
		CONTACT WINNEBAGO PART SALES FOR UNLISTED COMPONENT(S)	

ART NOT YET AVAILABLE



FRAME-DOOR
125725-14-CHT
SCREW
000G39-10-089 (6)

ANGLE-SUPPORT
125804-02-CHT
SCREW
000G39-10-20T (6)

FRAME-DOOR
125725-13-CHT
SCREW
000G39-10-089 (9)

DOOR ASM-DRIVER
162133-01-CHT
SCREW
000G62-08-16T (31)

SWITCH-MIRROR,REMOTE
088246-01-000

SWITCH-MIRROR,HEATED
145638-02-CHT

SWITCH-SUNVISOR
145638-12-CHT(2) 28J 15A 28F

APPLIQUE-DOOR
156292-14-CHT 28K
156292-17-CHT 28J 15A
156292-22-CHT 28F

SHIFTER-TRANS 1LL

INSERT-ASM,SWITCH
145926-22-CHT 28K
145926-26-CHT 28J 15A 28F
NUT
000D65-08-00B (4)

GROMMET-WIRE
117802-01-000
WIRE ASM-DRIVERS DOOR
129436-15-000 28K 28J
129436-16-000 28F
(UP TO 11-15-09)
129436-15-000 28F
(AFTER 11-15-09)

CONNECTOR
058028-01-000 (2)

STRAP-CHECK
109378-01-000
RETAINER-STRAP
(SUPPLIED WITH DOOR)(2)
SCREW, 1-1/2" LONG
(SUPPLIED WITH DOOR)(4)

PANEL ASM-DOOR,DRIVER
160900-01-XXX
160900-02-XXX 1LL 1LI
SCREW
000G55-08-16B (7)

SPACER-STRIKE,DOOR
126534-01-CHT


FRAME-DOOR
125725-08-CHT
SCREW
000G39-10-089 (4)

FRAME-DOOR
125725-03-CHT
SCREW
000G39-10-089 (5)

TAPE
085284-F7-000
(2438)(INSIDE SIDEWALL)

- 9 SEE DETAIL EE
FOR SWITCH ORIENTATION.
- 8 INSTALL APPLIQUE AS CLOSE
AS POSSIBLE TO THE DOOR
PANEL ALONG THIS EDGE.
- 7 REMOVE BOLT-STRIKE,INSTALL BRACKET-STRIKER
AND RE-TORQUE BOLT TO 47-45 Nm (35 LBS/FT).
- 6 DOOR PANEL MUST BE INSTALLED SO THAT THE
DOOR PANEL BRACKET ENGAGES THE BRACKET
ATTACHED TO THE DOOR FRAME.
- 5 INSTALL ON SIDEWALL PRIOR TO DOOR
INSTALLATION.
- 4 WIPE SURFACE WITH ISOPROPOL
ALCOHOL BEFORE TAPE APPLICATION.
- 3 MOUNT RETAINER TO FLOOR FORWARD
OF STEPWELL TRIM.
- 2 SUPPLIED WITH DOOR
1. DO NOT REMOVE SHIMS BETWEEN DOOR
FRAME AND JAMB UNTIL DOOR IS INSTALLED.

COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DO NOT SCALE DRAWING	
TITLE: DOOR INSTL-DRIVER	
SHEET 1 OF 2	REF: 1



TOP OF DOOR

TAPE
093681-40-CHT
(2438)
(OUTSIDE SIDEWALL)

SCREW
000G55-08-08B (4)

EXTR-VINYL,INSERT
162473-01-CHT
(4500)

956

SPACER-SWITCH,DOME

EXTR-TUBE,SQUARE
076448-51-018 (2)

SEALER-TAPE,1/2"X1/8"
069640-20-000
(1575)
069640-18-000
(2800)

SEAL-PILE, DRIVER DOOR
118929-02-CHT
(4270)
(ALL AROUND DOOR, PINCH CHANNEL TO
SECURE PILE SEAL ON MITERED CORNERS)

SPACER-STRIKE

SCREW
000G39-10-12B (4)

BRACKET-STRIKE 2

SCREW
000G39-10-08B (2)


"B" PILLAR

SCREW
000G62-10-16B (4)

DOOR

SPACER-SWITCH,DOME
123563-25-CHT
SCREW
000G39-10-08B (2)

JAMB




SECTION C-C

FIRST USED		
09 J-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
DOOR INSTL-DRIVER		
SHEET 2	PART NO 165647	REV

J32H
J35Z
J38N

165880-02

FIRST USED		
09 K-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 2	PART NO	REV
	165880	



J32H
J38N
165880-03

LATCH/PADDLE-COMPT DOOR
154900-01-CHT

COVER-LATCH,WHITE
137359-01-CHT
SCREW
G37-08-129 (4)

FIRST USED		
09 K-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 3	PART NO 165880	REV

INSERT-FOAM,VAL DOOR
140988-35-000

HINGE-VAL,DOOR
139793-01-CHT
RIVET
113133-01-CHT (11)

PANEL-DOOR, VALANCE
167167-03-CHT

PANEL-VALANCE,INNER
167166-03-CHT

HINGE-VAL,DOOR
139793-03-CHT
RIVET
113133-01-CHT (6)

INSERT-FOAM,VAL DOOR
140988-34-000

HINGE-VAL,DOOR
139793-05-CHT
RIVET
113133-01-CHT (9)

A
REF

INSERT-FOAM,VAL DOOR
138296-09-000

ROD-LATCH
135624-A6-CHT

ROD-LATCH
132873-D3-000


REINFORCEMENT-CORNER
135276-01-CHT
RIVET
113133-01-CHT

REINFORCEMENT-CORNER
135276-02-CHT
RIVET
113133-01-CHT


BOLT-SLIDE,LATCH,STEEL
121947-01-CHT (2)
RIVET
113133-01-CHT (4)

J32H
165880-05


FIRST USED		
09 K-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 5	PART NO 165880	REV



J32H 165880-08




FIRST USED		
09 K-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 8	PART NO 165880	REV



**J32H
J37F
J35P
165880-09**


FIRST USED		
09 K-SERIES		
DO NOT SCALE DRAWING		
TITLE: DOOR ASM-WATER HEATER		
SHEET 9	PART NO 165880	REV



J32H
J37F
J35P
165880-10

FIRST USED		
09 K-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 10	PART NO	REV
	165880	



J32H
J35P
J37F
J38N
165880-13




FIRST USED		
09 K-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 12	PART NO 165880	REV

DWG NO	SHEET	WEIGHT
166416-01	1	13.5 LBS
166416-02	NOT USED	
166416-03	2	15.5 LBS
166416-04	3	14.3 LBS
166416-05	NOT USED	

RELEASE	REV DATE	DWG NO	166416
REV ZONE	REVISION RECORD	DATE	DFTG-ORIG




J35P
J35Z
J37F
166416-01



1 CLEAN AND APPLY ADHESIVE PROMOTER 900680-04-000 TO BOTH SURFACES AND BOND WITH TAPE 76322 ALONG ENTIRE LENGTH OF SURFACE(S).


WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTG	ORIG. DATE	ALL DIMENSIONS ARE IN MILLIMETERS	
CHKR			
P.E.			
M.E.	FIRST USED	09 J SERIES	
DSNR			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 3			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: PANEL ASM-WHEEL LIP			
SHEET 1 OF 3	PART NO 166416	REV	




FIRST USED		
09 J SERIES		
DO NOT SCALE DRAWING		
TITLE:		
PANEL ASM-WHEEL LIP		
SHEET 3	PART NO 166416	REV


8			7	6	5	4	3	2	1
DWG NO	SHEET	WEIGHT(LBS.)							
166491-01	1	8.8	J32H						
166491-02									
166491-03	2	10.0	J38N						
166491-04									
166491-05	3	9.0	J35Z						
166491-06									
166491-07									
166491-08	4	16.4	J37F						
166491-09	5	14.0	J35P						

RELEASE		REV	DATE	DWG NO	166491
REV	ZONE	REVISION RECORD			DATE
					DFTG-ORIG



166491-01
J32H


WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFT#R		ORIG. DATE	
CHK#R		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		09 J-SERIES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3		PLASTIC-ABS	
ONE-PLACE (X.X) ± 1.5		ES0035.1	
TWO-PLACE (X.XX) ± 0.50		SM/SM	
ANGLE ± 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: PANEL ASM-WHEEL LIP REAR, RH			
SHEET 1 OF 5		PART NO	REV
		166491	



PANEL ASM-WHEEL LIP,LR


DWG NO	SHEET
167912-01	1
167912-02	NOT USED
167912-03	2
167912-04	3

J32H
J37F
J35P



J32H
167912-01

11	16791501XXX	FRAME ASM-VALANCE,FUEL FILL	1
10	13190503XXX	PANEL-DOOR,FUEL FILL	1
9	13389401CHT	STRAP-DOOR,FUEL	1
8	000H160404R	RIVET	3
7	16791301CHT	PANEL-VALANCE,FUEL FILL	1
6	13878901CHT	ANGLE-MONUNT,WHEEL LIP	2
5	16666701CHT	ANGLE-MOUNT,WHEEL LIP	2
4	11356301CHT	SCREW SHOULD/WSHR HD	6
3	16666702CHT	ANGLE-MOUNT,WHEEL LIP	2
2	07632222000	TAPE-FOAM DBL COATED	11
1	000G391008U	SCREW-PAN,HEAD	12
ITEM	PART NUMBER	DESCRIPTION	QTY



DO NOT SCALE DRAWING

TITLE: PANEL ASM-VALANCE,FUEL FILL

SHEET 1 OF 3	PART NO 167912	REV
--------------	--------------------------	-----

REF:	1	11/19/2009
------	---	------------


1 CLEAN AND APPLY ADHESIVE PROMOTER 87244-01-000 TO BOTH SURFACES AND BOND WITH TAPE 76322 ALONG ENTIRE LENGTH OF SURFACE.

NOTES:

DWG NO	SHEET	WEIGHT
170992-01	1	8.4 LBS
170992-02	1	12.7 LBS
170992-03	1	10.7 LBS
170992-04	1	11.6 LBS
170992-05	2	9.6 LBS
170992-06	2	13.3 LBS

J32H,J35P,37F
J32H,J35P,37F
J32H,J35P,37F
J32H
J37F
J37F

RELEASE	REV DATE	DWG NO	170992
REV ZONE	REVISION RECORD	DATE	DFT-ORIG



SEALER-RIBBON
069640-14-000 (6) (50)

BRACE-DOOR,INNER,BOTTOM
149531-33-02B

HINGE-PIANO,COMPT DOOR
171172-01-01A(2)

BRACE-DOOR,INNER,TOP
149531-34-02B

COVER-LATCH,WHITE
137359-02-01A
SCREW
000G37-08-129 (4)

LATCH-SINGLE ROTOR,MINI,LH
149359-08-01A

SCREW 1/4-20 X 1 PPH
143618-04-01A(2)

BRACE ASM-LATCH
149412-04-02B
NUT
000D46-04-00A

LATCH/PADDLE-COMP DOOR
154900-03-01A

NUT-SERT-1/4 STL
039715-07-000 (8)

SCREW 1/4-20 X 1/2 PPH
143618-03-01A (8)

SECTION A-A
(TYPICAL ALL DOORS)

SECTION B-B
(TYPICAL ALL DOORS)

4. COVER PAINTED PANELS W/FILM 900720-02-000.

3. BOND WITH ADHESIVE 133118-03-000.

2. INSTALL 2 RIVETS AND NUT-SERTS INTO PANEL BEFORE
INSTALLING RIVETS ON TOP AND SCREWS ON BOTTOM.

1. FASTEN INNER DOOR BRACES WITH ADHESIVE 112901-03-000.

NOTES:

170992-01
170992-02
170992-03
170992-04







COPYRIGHT 2010
WINNEBAGO
INDUSTRIES, INC.

DFT-ORIG	ORIG. DATE
CHK-OR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	FIRST USED
M.E.	10 K32H
DSNR	
UNSPECIFIED TOLERANCES ARE:	MATERIAL:
WHOLE DIM (X) : 3	
ONE-PLACE (X.X) : 1.5	
TWO-PLACE (X.XX) : 0.50	
ANGLE : 1°	
THIRD ANGLE PROJECTION	


DO NOT SCALE DRAWING

TITLE:	PANEL ASM-VALANCE
SHEET 1 OF 2	PART NO 170992 REV



REF: 1 1/22/2010




FIRST USED		
10J32H/10K32H		
DO NOT SCALE DRAWING		
TITLE:		
BODY INSTL-SECTIONS		
SHEET 3	PART NO 169434	REV



SECTION BG-BG



SECTION BF-BF



SECTION BE-BE

FIRST USED		
10J32H/10K32H		
DO NOT SCALE DRAWING		
TITLE: BODY INSTL-SECTIONS		
SHEET 4	PART NO 169434	REV