


8			7			6			5			4			3			2			1		



RELEASE		REV	DATE	DWG NO	170812
REV	ZONE	REVISION RECORD			DATE
					DTFR-ORIG

- NOTES:
1. SLOPE OF HORIZONTAL PIPING TO BE MINIMUM OF 3 PER 305 mm.
 2. SLOPE OF TRAP ARM MUST BE 6 PER 305 mm.
 3. ALL PIPE AND FITTINGS TO BE ASSEMBLED WITH SOLVENT 004020-01-000 (USA), 004020-02-000 (CAN)
 4. ATTACH TANK BRACKET TO RISER.
 5. SEAL AROUND SHOWER WITH SILICONE.
 6. VENT PIPE MUST PROJECT 51 MIN AND 64 MAX ABOVE ROOF FOR PROPER FIT AND FUNCTION.
 7. SECURE VENT PIPE TO FLOOR WITH CLAMP 062401-02-000 (2),SCREW 000G67-10-12B (2), BRACKET 136878-01-CHT (2).
 8. SECURE DRAINAGE PIPES TO CABINET USING WIRE TIE 108046-02-000, AND SCREW 000G67-10-12B AT INTERVALS OF NOT MORE THAN 4 FEET APART.
 9. APPLY PRIMER 126427-02-000 AND CEMENT 126427-01-000 BETWEEN ELBOW AND FLEX PIPE.
 10. USE SMOOTH PLUMBERS PUTTY 167459-01-000 TO SEAL STRAINER (0.2 PER STRAINER).

X-X

FOR
DRAINAGE
CALLOUTS
SEE DWG NO
116229-01-000

- 1B1 CODES/STANDARDS-USA
- 265 CODES/STANDARDS-CSA/CMVSS

WINNEBAGO® INDUSTRIES, INC.		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DTFR		ORIG. DATE	
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.			
DSNR		FIRST USED	
		10 J32H	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
TITLE:			
DRAINAGE SYSTEM INSTL			
SHEET 1 OF 4		PART NO 170812	REV

SINK-LAV
164615-01-02A
SCREW
000G37-08-10B (6)
SEAL
(A/R)
STRAINER ASM
106116-01-03A
GASKET
106116-02-01A

CAP ASM-VENT PIPE, ROOF
150034-02-02A

1 1/2 PLASTIC COUPLING
010115-01-000

P TRAP-PLAS 1 1/4 W/EXT ARM (1B1)
107538-02-000
TRAP-PLAS 1.5 OR 1.5 X 1.25 (265)
011071-01-000
CONNECTOR-1 1/2P X 1 1/2MPT (1B1)
152146-01-000

WYE-PLAS-1 1/2 X 45
010073-01-000

ELBOW-PLAS
1/8BD 1 1/2 X 45 DEG.
010006-01-000

FLANGE-PLASTIC-4"X3"
024676-01-000

GROMMET-HOLDING TANK
061607-02-000

ELBOW-PLAS
1/4BD 1 1/2X90 XLT
010008-01-000

GROMMET-HOLDING TANK
061607-01-000

1 1/2" - 22.5 DEG. ELBOW-PLAS
010005-01-000

1 1/2 PLASTIC COUPLING
010115-01-000

GROMMET-HOLDING TANK
061607-01-000

DETAIL D
(SHOWN W/OUT FLOOR & CABINETS)

VIEW A


VIEW G

TOP OF SLIDEOUT
ROOM FLOOR


75

1

FIRST USED		10 J32H	
DO NOT SCALE DRAWING			
TITLE: DRAINAGE SYSTEM INSTL			
SHEET 2	PART NO	170812	REV




FIRST USED		
10 J32H		
DO NOT SCALE DRAWING		
TITLE:		
DRAINAGE SYSTEM INSTL		
SHEET 3	PART NO	REV
	170812	



TOP VIEW
(SHOWING TANKS AND DRAINS)

FIRST USED				10 J32H			
DO NOT SCALE DRAWING							
TITLE: DRAINAGE SYSTEM INSTL							
SHEET 4				PART NO 170812		REV	

KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	070916-01-700	EA VALVE ONLY	136143-01-000 T1003B4



160815-01-01A

KEY	PART NUMBER	U/M	DESCRIPTION
1	160815-01-700	EA	SEAT & COVER ASSEMBLY
2	152829-01-710	EA	FLUSH NOZZLE - WHITE
3	152829-01-708	EA	VACUUM BREAKER
4	152829-01-707	EA	SEAL - F/WASTE BALL
5	152829-01-706	EA	WASTE BALL - WHITE
6	063740-01-706	EA	BOLT PACKAGE-FLOOR FLANGE
7	160815-01-701	EA	PEDAL - TALL - WHITE
8	160815-01-702	EA	INSERT/PEDAL COVER - WHITE
9	160815-01-703	EA	WATER VALVE
10	160815-01-704	EA	WASTE BALL DRIVE ARM
11	147421-01-707	EA	CAP (UNIVERSAL BOLT) - WHITE
12	132389-01-708	EA	HAND SPRAY KIT-CHROME HEAD

VENDOR NO.
42036
34124
34122
34120
34117
12524 THETFORD
42067
42080
42049
42048
31713
19289

160815-02-01A

KEY	PART NUMBER	U/M	DESCRIPTION
1	160815-01-700	EA	SEAT & COVER ASSEMBLY
2	152829-01-710	EA	FLUSH NOZZLE - WHITE
3	152829-01-708	EA	VACUUM BREAKER
4	152829-01-707	EA	SEAL - F/WASTE BALL
5	152829-01-706	EA	WASTE BALL - WHITE
6	063740-01-706	EA	BOLT PACKAGE-FLOOR FLANGE
7	160815-02-700	EA	PEDAL - SHORT - WHITE
8	160815-01-702	EA	INSERT/PEDAL COVER - WHITE
9	160815-01-703	EA	WATER VALVE
10	160815-01-704	EA	WASTE BALL DRIVE ARM
11	147421-01-707	EA	CAP (UNIVERSAL BOLT) - WHITE

VENDOR NO.
42036
34124
34122
34120
34117
12524 THETFORD
42078
42080
42049
42048
31713

D

C

B


A

NOTES:


- 10 NO TAPE ON BOTTOM ROW OF TILES.
- 9 DO NOT PLACE TAPE ON RADIUS OR ANY OTHER RAISED FEATURE.
- 8 PRE-DRILL 17MM HOLES DURING ASSEMBLY.
- 7 TAPE IS NOT TO BE USED BEHIND SEAT BRACKET.
- 6 PRE-DRILL 2MM HOLES DURING ASSEMBLY.
- 5 FASTEN DURING INSTALLATION.
- 4 CLEAN AND APPLY ADHESIVES PROMOTER 87211-01-000 TO BOTH SURFACES AND BOND WITH TAPE 076322-26-000.
- 3 VERTICALLY CENTERED (1±100) BETWEEN END/CORNER TAPE STRIPS.
- 2 DO NOT SCREW THRU SURROUND-SHOWER.
- 1 SHOWER PAN NOT TO BE SUPPORTED BY SCREWS.

RETAINER-SCREW
149753-01-CHT (14)
CAP-RETAINER
149753-02-CHT (14)
SCREW
G11-08-12B (8)
G39-08-12B (6)



SECTION A-A



43K 7 8 SEAT-SHOWER
SCREW
139340-01-000 (5)
NUT-INSERT
39715-05-000 (5)
WASHER-LOCK
E11-04-00F (5)



SECTION D-D




SURROUND-SHOWER
164683-01-CHT D33C,35J
164683-02-CHT J32H,P34Y
164683-05-CHT 329B

RETAINER-SHELF,SHOWER
113714-02-CHT(2)
SCREW G11-08-12B (4)
COVER
166569-01-CHT (4)

CLIP-XMAS TREE
94362-02-000 (3) 5

SHOWER-PAN 1
M02630-80-XXX 329B,D33C,35J
M09530-02-XXX J32H
M09530-12-XXX P34Y




SECTION C-C

SCREW 2
G11-08-12B (2)
G39-08-12B (2)
(FOR ATTACHING
SHOWER PAN)

HINGE-LIVING,SHOWER
160924-01-CHT (2)
(510)
SCREW
G39-08-12B (6)

CORNER-SHOWER
160925-01-CHT(2)
CAP-CORNER SHOWER
160925-02-CHT (2)
SCREW
G13-08-16B (2)


HINGE-LIVING,SHOWER
160924-01-CHT
(810)
SCREW
G11-08-12B (4)



43K SHOWER SEAT-FOLD-DOWN

WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFT:R		ORIG. DATE	
CHK:R		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.:		FIRST USED	
M.E.:		09 MOTORHOMES	
DSNR:			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ±			
ONE-PLACE (X.X) ±			
TWO-PLACE (X.XX) ±			
ANGLE ±			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: SHOWER INSTL-ENCLOSURE			
SHEET 1 OF 1		PART NO 164684	
REF:		1	

[illegible]




- 6

USE IN PLACE OF SUPPLIED SCREWS TO ATTACH BRACKET TO WALL.
- 5

ADD TEFLON TAPE 010405-02-000.
- 4

ADD TEFLON TAPE 010405-01-000.
3. ALL TUBING TO BE SECURED AT 1200 INTERVALS MAXIMUM WITH CLAMP 010495-01-000 AND SCREW 000G67-10-12B OR EQUIVALENT.
2. TUBING TO BE INSTALLED WITH SUFFICIENT SLOPE TO PROVIDE DRAINAGE TO NEAREST VALVE.
1. PLASTIC FITTINGS TO BE SEALED WITH SEALANT 084456-01-000.

NOTES:



6
SHOWER HEAD-W/HOSE & BRKT
129390-04-01A
SCREW
000G12-10-16F (2)

PANEL-SHOWER FAUCET
167738-02-01A

FAUCET-SHOWER
163269-01-02A

FAUCET-LAV
165730-01-01A

SUPPORT-BEND, WATER LINE
124184-01-000 (2)

ADAPTER-1/2 P
114430-01-000

TEE
1/2 P X 1/2 P X 1/2 P
114428-01-000 (2)

SUPPORT-BEND, WATER LINE
124184-01-000

ELBOW-1/2"CTS X 1/2" FPT SWV
164906-02-000
CLAMP-HOSE WORMGEAR
062401-03-000
UNION-HOSE BARB, CTS X 1/2"B
166212-01-000

4
ELBOW-1/2"CTS X 1/2" FPT SWV
164906-02-000 (2)

TUBING-PEX, 1/2IDX20FT, RED
124188-02-000

TUBING-PEX, 1/2IDX20FT, BLUE
124188-01-000

DETAIL N

TO TOILET
TUBING-VINYL
REINFORCED 1/2 ID
112176-01-000

15U 79W
VALVE-TEE, 1/4"OD CTS
171754-01-000

TUBING-POLYBUTY-1/4ODX20FT
039800-04-000

TUBING-PEX
1/2IDX20FT, RED
124188-02-000

SUPPORT-BEND, WATER LINE
124184-01-000 (2)

SUPPORT-BEND, WATER LINE
124184-01-000 (2)

TEE-1/2 P X 1/2 P X 1/2 P
114428-01-000

TEE- 1/2 X 1/2 X 1/4
160949-02-000

FAUCET-WATER PURIFIER
103635-01-000

FAUCET-GALLEY, SGL CONTROL
165743-01-01A

DETAIL M

DETAIL L

CLAMP-HOSE WORMGEAR
062401-03-000
UNION-HOSE BARB, CTS X 1/2"B
166212-01-000

5

BREAKER-VACUUM
125697-04-000
MUST BE MOUNTED ABOVE
TOILET FLOOD LEVEL
CHECK VALVE
125697-03-000

ELBOW-1/2"CTS X 1/2" FPT SWV
164906-02-000

ELBOW-1/2P X 1/2 MPT
114429-02-000

TUBING-PEX
1/2IDX20FT, BLUE
124188-01-000

TEE- 1/2 X 1/2 X 1/4
160949-01-000

FILTER-KIT
160946-01-000
SCREW
000G67-10-12B (2)

TO ICEMAKER


VIEW B
(ROTATED)

ADAPTER-1/2"CTS X 1/2"FPT SW
164907-02-000



ADAPTER-1/2 P
114430-03-000

DETAIL N
(SHOWN W/OUT CABINETS)


FIRST USED			10 J32H
DO NOT SCALE DRAWING			
TITLE: WATER SYSTEM INSTL			
SHEET 2	PART NO	170811	REV




FIRST USED			10 J32H		
DO NOT SCALE DRAWING					
TITLE: WATER SYSTEM INSTL					
SHEET 3		PART NO 170811		REV	



FIRST USED			10 J32H
DO NOT SCALE DRAWING			
TITLE: WATER SYSTEM INSTL			
SHEET 4	PART NO	170811	REV




TOP VIEW
(ONLY SHOWING TANKS AND PIPING TO TANKS)



VIEW K

FIRST USED		10 J32H	
DO NOT SCALE DRAWING			
TITLE: WATER SYSTEM INSTL			
SHEET 5		PART NO 170811	REV



051393-01-000


KEY	PART NUMBER	U/M	DESCRIPTION	VENDOR NO.
1	051393-01-701	EA	SWITCH PACKAGE	91959
2	051391-04-701	EA	THERMOSTAT 12V DC-120 PRESET	91470
3	051393-01-721	EA	ECO & THERMOSTAT ASM - FRT MT - 140°	91447
4	051391-01-705	EA	FASTENER - CAMLOC	92609
5	051391-01-704	EA	VALVE - RELIEF - 1/2" FITTING	91604
6	051393-01-723	EA	SWITCH - ENERGY CUT-OFF	93866
7	051393-01-724	EA	CIRCUIT BOARD - W/ SPADE TERMINAL	93867
8	051393-01-725	EA	ELECTRODE - SINGLE SPADE CNT	93868
9	051391-04-703	EA	BURNER - MAIN	91638
10	051391-01-717	EA	GRILLE	92640
11	051391-01-710	EA	ORIFICE - MAIN BURNER	92742
12	051391-03-700	EA	ORIFICE HOLDER	91563
13	051393-01-726	EA	SOLENOID VALVE & BRACKET	93870
14	051391-01-714	EA	ELBOW - 45 DEGREE - 3/8"F X 3/8"MPT	91044
15		EA	DOOR-WATER HEATER - SEE EXTERIOR DOOR & COMPARTMENT GROUP BY MODEL	
16	051391-01-700	EA	HINGE KIT - W/CLIP	92568 & 92559
17	051391-04-704	EA	TANK - INNER	91642
18	051391-01-715	EA	DRAIN PLUG	91857
19	051391-04-707	EA	FLUE & GASKET	90960
	111129-01-711	EA	BRACKET-CORNER, SET OF FOUR	91928

KEY	PART NUMBER	U/M	DESCRIPTION	VENDOR NO.
	103635-01-703	EA	CARTRIDGE - 10"	ADC-959201

KEY	PART NUMBER	U/M	DESCRIPTION	VENDOR NO.
	051391-01-705	EA	FASTENER - CAMLOCK	92609


129390-03-02A			
KEY	PART NUMBER	U/M	DESCRIPTION
	129390- 03- 702	EA	CONNECTOR-SWIVEL - CHROME
	129390- 03- 703	EA	VACUUM BREAKER - CHROME
	129390- 03- 705	EA	BRACKET-HANGER/SHOWER HEAD
VENDOR NO.			
			A-4002-CPK
			A-4900C
			AS5001PK - CHROME

129390-04-01A			
KEY	PART NUMBER	U/M	DESCRIPTION
	129390-04-700	EA	CONNECTOR-SWIVEL - WHITE
VENDOR NO.			
			A-4002PK




145541-01-000

KEY	PART NUMBER	U/M	DESCRIPTION	VENDOR NO.
1	145541-01-700	EA	TANK - W/INSULATION - 10 GAL	91028
2	051391-04-707	EA	KIT-EXHAUST, (FLUE & GASKET)	90960
3	051391-01-715	EA	PLUG-DRAIN, 1 EA = 2 PER PKG	91857
4	051391-01-704	EA	VALVE-RELIEF, 1/2" FITTING	91604
9	051393-01-726	EA	VALVE/SOLENOID - W/O BRACKET	93870
11	145541-01-701	EA	SWITCH - ON/OFF - WHITE	91859
12	145541-01-702	EA	CIRCUIT BOARD	91226
15	145541-01-703	EA	SWITCH - THERMAL CUT OFF	93866
16	051393-01-725	EA	ELECTRODE-SGL SPADE CONNECT.	93868
17	051393-01-721	EA	THERMOSTAT W/ECO, 140 FRT MT	91447
	051391-05-706	EA	ELEMENT-HEATING 1500 WATT	92249 W/GASKET
	051393-01-701	EA	SWITCH - REMOTE - W/LIGHT	91959
	145541-01-704	EA	RELAY	90061
	145541-01-705	EA	JUNCTION BOX(PLASTIC) 10 GAL	91224
			CONTACT WINNEBAGO PARTS SALES FOR UNLISTED COMPONENT(S)	



J32H,J35P,J38N **149476-05**

FIRST USED			09 J & K SERIES					
DO NOT SCALE DRAWING								
TITLE: PANEL ASM-WATER PUMP								
SHEET 2		PART NO		149476		REV		



J32H,J35P
149491-14

FIRST USED		
09 J & K SERIES		
DO NOT SCALE DRAWING		
TITLE:		
PANEL ASM-WATER HEATER		
SHEET 3	PART NO 149491	REV

KEY	PART NUMBER	U/M	DESCRIPTION
	165730-02-700	EA	CARTRIDGE

165730-01-01A, 165730-02-01A
VENDOR NO.
CFG-40002