







20. USE GAS SPRING 142569-31-000 INSTALL WITH ROD FACING REARWARD.
19. USE GAS SPRING 142569-25-000 (305 lg, 60 lb) ONE PER DOOR, INSTALL WITH ROD DOWN AND BRACKET 126263-02-CHT.
18. USE GAS SPRING 142569-06-000 INSTALL WITH ROD FACING REARWARD.
17. FOR ALL SIDE HINGE DOORS SEE DRAWING 169434 FOR SECTIONS BE THRU BH FOR MOUNTING HARDWARE.
16. PLACE SEAL 99418-01-000 BETWEEN RETAINER TRIM AND DOOR (7000) SEE SECTION BA-BA FOR PROPER PLACEMENT. PREP SURFACE WITH 087211-01-000. APPLY 15 PSI FORCE TO SEAL.
15. USE GAS SPRING 142569-13-000 (381 lg, 60 lb) ONE PER DOOR, AND BRACKET 126263-02-CHT, INSTALL WITH ROD DOWN.
14. USE CABLE 76767-14-000, SCREW 113563-01-CHT, SCREW G39-10-12T.
13. USE SEAL 107721-07-000 AROUND COMPARTMENT OPENINGS. PREP SURFACE WITH 087211-01-000. APPLY 15 PSI FORCE TO SEAL.
12. USE STRIKER 130053-01-CHT (2) SCREW G39-10-12T (4); SHIM-DOOR 143739-01-CHT (A/R)
11. USE SEAL 132892-08-CHT IN COMPARTMENT OPENINGS.
10. USE GAS SPRING 142569-17-000 (305 lg, 90 lb) ONE PER DOOR, INSTALL WITH ROD DOWN AND BRACKET 126263-02-CHT.
9. USE GAS SPRING 142569-12-000 (381 lg, 90 lb) ONE PER DOOR, INSTALL WITH ROD DOWN AND BRACKET 126263-02-CHT.
8. SEE DRAWING 169434 FOR SECTIONS BA THRU BZ.
7. DOOR TO HINGE DOWN.
6. ADD TO SIDEWALL SO DEADBOLT HITS BUMPER
5. DRILL 3.57 DIA (9/64) PILOT HOLES FOR DOOR ATTACHMENT SCREWS THRU EXISTING HOLES IN DOOR JAMB.
4. SEE SEALANT MANUAL
3. TRI/MARK "KEY ONE" SEAL: P/N 138292-01-000 USED ON ENTERANCE DOOR KEY: P/N 138288-11 THRU -20 ENTERANCE DOOR CYLINDER LOCK: P/N 138287-11 THRU -20 VAL DOOR, WATER FILL, DRIVER DOOR: P/N 138289-11 THRU -20 EXAMPLE: V.I.N. # TAB # USE: 138287-15-000 138288-15-000 138289-15-000
2. USE ADHESIVE 67788-01-000 OR 119938-02-000 WITH 9CARPT-04-000 (A/R)
1. APPLY SEAL 104692-01-000 TO FLOOR EDGE PRIOR TO INSTALLATION OF SIDEWALLS.

094 WINDOWS - SE-GI

1D5 ENTERTAINMENT CENTR/EXT W/CD

WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFT-ORIG	ORIG. DATE		
CHGR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.	FIRST USED		
DSNR		10 J35P	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 3			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: BODY INSTL-DOORS & COMPTS			
SHEET 1 OF 2	PART NO	171355	REV
REF:		1	10/17/2009



1D5 ENTERTAINMENT CENTR/EXT W/CD

FIRST USED		
10 J35P		
DO NOT SCALE DRAWING		
TITLE: BODY INSTL-DOORS & COMPTS		
SHEET 2	PART NO 171355	REV

090868-02-000

524A

524J

D33C

E26P

J32H

J35P

J37F

P34Y

P39N

P40L

P40T

MODELS W/FEATURE 79W

R40BD

R40CD

R40WD

R42AD


SIDEWALL ASM

DOOR-VENT
137395-01-01A

ANGLE
099561-51-003

1

FIRST USED		
GEN MOTORHOMES		
DO NOT SCALE DRAWING		
TITLE: DOOR INSTL-REFRIG VENT		
SHEET 2	PART NO 090868	REV



FIRST USED		96 M&Q SERIES	
DO NOT SCALE DRAWING			
TITLE: LID ASM-STEP,ENTRANCE			
SHEET 1	PART NO	120234	REV

RIVET
H13-04-07B (8)
ANGLE
34154-01-000 (2)

SEAL

ADHESIVE
112901-02-000

SIDEWALL
JAMB

DOOR JAMB

LOCKED POSITION

LOCK ASM
138290-02-000
SPACER
139325-01-000

WASHER
139277-01-000

GASKET
139337-01-000

INSERT

DETAIL B
SCALE: 1.0

TAPE-SEAL
56795-01-000
(1400)

LOCKED POSITION

DOOR W/KEYED LOCK

SEALER
53752-09-000

SEAL
156386-01-CHT
(1400)

HINGE
081801-XX-000
RIVET
H13-04-07B

SECTION A-A

FIRST USED		
98 329WC		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 1	PART NO 126945	REV

SECTION
SEE SHEET 5
SECTION H 700 SERIES
SECTION J 200,300,D,E,J-SERIES
SECTION N 500 SERIES

JAMB ASM
121898-14-CHT D,J SERIES,E30W & E32K
121898-16-CHT 200,E26P
121898-18-CHT 300 SERIES,E30W & E32K W/ 64V
121898-21-CHT 500,700 SERIES

SCREW
G39-08-24U (EXT) (22)

CAP
139054-01-CHT 200,300,500,700,E26P,E30W & E32K W/ 64V
139054-19-CHT D,J SERIES E30W & E32K

SCREW
G11-08-16U (17)

SCREW
G39-08-16U (4)

SEALANT

FRAME-BOTTOM
121893-01-CHT 200,300,500,700 SERIES,E26P,E30W & E32k W/ 64V
121893-03-CHT E30W & E32K,D,J SERIES


SHIM
125724-02-000
(BETWEEN FRAME AND JAMB)

SHIM
125724-02-000
(BETWEEN FRAME AND JAMB)

SECTION
SEE SHEET 5
SECTION H 700 SERIES
SECTION J 200,300,D,E,J-SERIES
SECTION N 500 SERIES






FRAME-DOOR
121894-27-CHT D,J SERIES,E30W,E32K
121894-28-CHT E26P,200 SERIES
121894-30-CHT 300 SERIES, E30W,E32K W/ 64V
121894-31-CHT 500,700 SERIES

SHIM
125724-01-000 (3)
(BETWEEN FRAME AND JAMB)



SECTION A-A

FIRST USED			00 MOTORHOMES
DO NOT SCALE DRAWING			
TITLE:			DOOR COMPL-ENTRANCE,MID
SHEET 1	PART NO	132206	REV



FIRST USED		00 MOTORHOMES	
DO NOT SCALE DRAWING			
TITLE: DOOR COMPL-ENTRANCE,MID			
SHEET 2	PART NO	132206	REV

DETAIL D
200 SERIES
E26P
E30W & E32K W/O 64V
D SERIES
J SERIES

LATCH ASM-EXTERIOR
 112782-20-CHT
 GASKET
 112782-04-CHT

EXTR-C-CHANNEL
 134990-51-002
 (INSERT INTO FOAM
 UNTIL TOP SURFACE
 EVEN WITH CUTOUT)

CATCH
 SCREW
 G11-08-08T (3)

BOLT-STRIKER
 92927-20-000

PLUG-PLASTIC
 61420-14-000

LATCH-SINGLE ROTARY
 112782-22-CHT
 SCREW
 140040-01-000 (3)

STIFFENER M
 132207-01-CHT
 NUTSERT
 72893-04-000 (8)
 SCREW
 75908-01-000 (8)

LATCH-INTERIOR PLATE
 112782-27-CHT
 CAP-VINYL
 112782-05-CHT
 SCREW
 112782-08-CHT (3)

SPACER-NOTCHED
 137230-01-CHT
 (INSERT INTO FOAM UNTIL
 TOP SURFACE EVEN WITH CUTOUT)

CHANNEL-W/NOTCH
 171283-01-CHT
 (INSERT INTO FOAM
 UNTIL TOP SURFACE
 EVEN WITH CUTOUT)

FIRST USED		00 MOTORHOMES	
DO NOT SCALE DRAWING			
TITLE: DOOR COMPL-ENTRANCE,MID			
SHEET 3	PART NO	132206	REV

700 SERIES

200 300 D E J SERIES

500 SERIES

SECTION H-H

SECTION J-J

SECTION N-N

HINGE
106719-01-CHT (3)
NUT-SERT
39715-01-000 (18)
SCREW-MACHINE
154777-02-CHT (18)
SCREW
G39-08-24U (6)

HINGE
106719-01-CHT (3)
NUT-SERT
39715-01-000 (18)
SCREW-MACHINE
154777-02-CHT (18)
SCREW
G39-08-24U (6)

HINGE
106719-01-CHT (3)
NUT-SERT
39715-01-000 (18)
SCREW-MACHINE
154777-02-CHT (18)
SCREW
G39-08-24U (6)

SEAL
75671-04-000
(ALL SIDES)
SEALER TAPE
69640-18-000
(5485)

SEAL
75671-04-000
(ALL SIDES)
SEALER TAPE
69640-18-000
(5485)

SEALER TAPE
69640-18-000
(5485)

TUBE-SUPPORT (2)
(REF)
SEAL
118929-01-CHT
SCREW
G39-08-08U (12)
CONTACT ASM

TUBE-SUPPORT (2)
(REF)
SEAL
118929-01-CHT
SCREW
G39-08-08U (12)

TUBE-SUPPORT (2)
(REF)
SEAL
118929-01-CHT
SCREW
G39-08-08U (12)
CONTACT ASM

DOOR ASM-SCREEN
P32208-06-XXX

DOOR ASM-SCREEN
P32208-02-XXX E30W & E32K
D, J SERIES
P32208-04-XXX E30W & E32K W/64V
E26P, 200, 300 SERIES

DOOR ASM-SCREEN
P32208-06-XXX

FOAM-SCREEN DOOR, RETAINER
130096-05-000

FOAM-SCREEN DOOR, RETAINER
130096-05-000

FOAM-SCREEN DOOR, RETAINER
130096-05-000

SEAL
118929-01-CHT
SEAL
104692-01-000
BRACKET ASM-DOOR
137401-01-CHT


SEAL
118929-01-CHT
SEAL
104692-01-000
BRACKET ASM-DOOR
137401-01-CHT

SEAL
118929-01-CHT
SEAL
104692-01-000
BRACKET ASM-DOOR
137401-01-CHT


SEAL
168053-01-000
(2050)
SEAL
75671-05-000
(3050)

F
F


FIRST USED			00 MOTORHOMES
TITLE:			DO NOT SCALE DRAWING
SHEET 5			DOOR COMPL-ENTRANCE,MID
PART NO		132206	REV



**E30W & E32K W/O 64V
D-SERIES
J-SERIES
132206-02-XXX**




FIRST USED		
00 G-SERIES, 00 L-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-SCREEN		
SHEET 1	PART NO	REV
	132208	



J35P
140983-19-XXX

5	16655703CHT	ANGLE-ATTACH	2
4	000G391010U	SCREW-PAN,HE	4
3	07632222000	TAPE-FOAM DE	4
2	16791504XXX	FRAME ASM-VA	1
1	15075513CHT	PANEL-VALANC	1
ITEM	PART NUMBER	DESCRIPTION	QTY


FIRST USED		
09 K35P		
DO NOT SCALE DRAWING		
TITLE:		
PANEL ASM-VALANCE		
SHEET 4	PART NO 140983	REV



J35P
140983-20-XXX

8	16943701CHT	ZEE-VALANCE	1
7	000G391010U	SCREW-PAN,HE	2
6	15450008CHT	ANGLE-W/SLOT	1
5	15450013CHT	ANGLE-W/SLOT	1
4	15075514CHT	PANEL-VALANC	1
3	16791505XXX	FRAME ASM-VA	1
2	07632221000	TAPE-FOAM DE	1
1	07632222000	TAPE-FOAM DE	3
ITEM	PART NUMBER	DESCRIPTION	QTY


FIRST USED			09 K35P
DO NOT SCALE DRAWING			
TITLE:			PANEL ASM-VALANCE
SHEET 5	PART NO 140983	REV	



J32H
J35P
J37F
140983-26-XXX


6	16655705CHT	ANGLE-ATTACH	1
5	000G391010U	SCREW-PAN,HE	4
4	16655703CHT	ANGLE-ATTACH	1
3	07632222000	TAPE-FOAM DE	4
2	14118691XXX	FRAME ASM-VA	1
1	15075510CHT	PANEL-VALANC	1
ITEM	PART NUMBER	DESCRIPTION	QTY
FIRST USED			
10 J32H			
DO NOT SCALE DRAWING			
TITLE:			
PANEL ASM-VALANCE			
SHEET	8	PART NO	140983
		REV	

KEY	PART NUMBER	U/M DESCRIPTION	142226-02-01A VENDOR NO
	142226-02-700	EA TAB/LOCKING - ESCAPE (RED)	9667709




143709-02-01A

KEY	PART NUMBER	U/M	DESCRIPTION	VENDOR NO.
	143709-01-700	EA	CAM STOP	1102200
	143709-01-701	EA	BUMPER - BLACK (RUBBER STOP)	1602000
15	143709-01-702	EA	TREAD/NON-SKID _6" X 21" BLK	1915260
	143709-01-703	EA	FRAME ONLY PAINTED BLACK 25	908025000
17	143709-02-700	EA	LINK/ASSEMBLY 24/25 SERIES	3380050
18	143709-02-701	EA	MOTOR ASM W/TABLE 24/25 STEP	3392152
18	143709-02-702	EA	MOTOR "AM 214" F/IMGL TRIPLE	1820124
	088746-01-705	EA	LIGHT-UNDER STEP	9004
	094707-03-701	EA	PLUG - 4-WAY - PACKARD	909306
	094707-04-700	EA	CONTROL UNIT W/OVERRIDE	909510000
	094707-04-711	EA	KWIKTEST - W/4-WAY PIGTAIL	909518000
			CONTACT WINNEBAGO PART SALES FOR UNLISTED COMPONENT(S)	



RELEASE	REV DATE	DWG NO	160900
REV ZONE	REVISION RECORD	DATE	DFTR.Orig




NOTES:

WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFT#		ORIG. DATE	
CHK#		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.		FIRST USED	
M.E.		08 F-SERIES	
DSNR			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			
THIRD ANGLE PROJECTION			
			
DO NOT SCALE DRAWING			
TITLE: PANEL ASM-DOOR,DRIVER			
SHEET1 OF 1		PART NO	REV
		160900	

ART NOT YET AVAILABLE

				162133-01-02A
KEY	PART NUMBER	U/M	DESCRIPTION	VENDOR NO.
2	162133-01-700	FT	SEAL - DOOR	4685020000
3	162133-01-704	EA	STRIKER BOLT	5493020011
4	162133-01-705	EA	CAGED NUT ASM.	248-041151
5	162133-01-706	EA	STRAP BRACKET	491939
6	162133-01-707	EA	SHIM - DOOR WEDGE	K134
8	162133-01-736	EA	HINGE ASM - BLACK	492115
10	162133-01-737	EA	OUTER FRAME ASM (JAMB) BLK	491947
10	162133-01-740	EA	SCREEN	410-037200
11	162133-01-739	EA	SURROUND/FRAME-LOWER DR-BLK	491965
12	162133-01-738	EA	SURROUND/FRAME-UPPER DR-BLK	491966
14	128913-13-701	EA	SCREW/BUMPER RETAINING	274-040492
15	162133-01-721	EA	ROTARY LATCH & LINKAGE	248-041150
16	162133-01-722	EA	ROTARY LOCK SPACER	491069
17	162133-01-723	EA	ROD CLIP - RIGHT	248-041153
18	106469-04-705	EA	ROD-LATCH, HORIZONTAL	203-041139
19	162133-01-724	EA	LOCK ROD - HORIZONTAL	491981
20	162133-01-725	EA	MOUNTING PLATE-INNER HANDLE	V123-72
22	162133-01-726	EA	INNER HANDLE HARDWARE	492075
23	162133-01-702	EA	PADDLE/LATCH-DRVR DR-W/O LCK	492074/22668-02
28	162133-01-728	EA	LATCH ROD - VERTICAL	491943
29	162133-01-729	EA	LOCK ROD - VERTICAL	491944
30	162133-01-730	EA	LOCK NUT - 1/4 X 20	420238
31	162133-01-731	EA	NUT/HEX - 1/4 X 20	234-041294
32	162133-01-732	EA	HAT BRACKET	491941
34	162133-01-701	EA	WINDOW ASM/SLIDER-DRVR DOOR	492024
35	162133-01-733	EA	PANEL MOUNTING BRACKET	491940
39	162133-01-734	EA	SCREW/BUTTON HEAD 1/4-20X1.5	491969
40	162133-01-735	EA	SCREW/TRUSS HD 1/4-20X1/2BLK	6055202005
42	128913-04-700	FT	TAPE/BUTYL - FOAM CORE	154-041549
	112795-01-700	EA	LATCH ASM/WDO-BLK (BOLT ON)	DH287-CK
				CONTACT WINNEBAGO PART SALES FOR UNLISTED COMPONENT(S)



FRAME-DOOR
125725-14-CHT
SCREW
000G39-10-089 (6)

ANGLE-SUPPORT
125804-02-CHT
SCREW
000G39-10-20T (6)

FRAME-DOOR
125725-13-CHT
SCREW
000G39-10-089 (9)

DOOR ASM-DRIVER
162133-01-CHT
SCREW
000G62-08-16T (31)

SWITCH-MIRROR,REMOTE
088246-01-000

SWITCH-MIRROR,HEATED
145638-02-CHT

SWITCH-SUNVISOR
145638-12-CHT(2) 28J 15A 28F

APPLIQUE-DOOR
156292-14-CHT 28K
156292-17-CHT 28J 15A
156292-22-CHT 28F

SHIFTER-TRANS 1LL

INSERT-ASM,SWITCH
145926-22-CHT 28K
145926-26-CHT 28J 15A 28F
NUT
000D65-08-00B (4)

GROMMET-WIRE
117802-01-000
WIRE ASM-DRIVERS DOOR
129436-15-000 28K 28J
129436-16-000 28F
(UP TO 11-15-09)
129436-15-000 28F
(AFTER 11-15-09)

CONNECTOR
058028-01-000 (2)

STRAP-CHECK
109378-01-000
RETAINER-STRAP
(SUPPLIED WITH DOOR)(2)
SCREW, 1-1/2" LONG
(SUPPLIED WITH DOOR)(4)

PANEL ASM-DOOR,DRIVER
160900-01-XXX
160900-02-XXX 1LL 1LI
SCREW
000G55-08-16B (7)

SPACER-STRIKE,DOOR
126534-01-CHT

FRAME-DOOR
125725-08-CHT
SCREW
000G39-10-089 (4)


FRAME-DOOR
125725-03-CHT
SCREW
000G39-10-089 (5)

TAPE
085284-F7-000
(2438)(INSIDE SIDEWALL)

- 9 SEE DETAIL EE FOR SWITCH ORIENTATION.
- 8 INSTALL APPLIQUE AS CLOSE AS POSSIBLE TO THE DOOR PANEL ALONG THIS EDGE.
- 7 REMOVE BOLT-STRIKE,INSTALL BRACKET-STRIKER AND RE-TORQUE BOLT TO 47-45 Nm (35 LBS/FT).
- 6 DOOR PANEL MUST BE INSTALLED SO THAT THE DOOR PANEL BRACKET ENGAGES THE BRACKET ATTACHED TO THE DOOR FRAME.
- 5 INSTALL ON SIDEWALL PRIOR TO DOOR INSTALLATION.
- 4 WIPE SURFACE WITH ISOPROPOL ALCOHOL BEFORE TAPE APPLICATION.
- 3 MOUNT RETAINER TO FLOOR FORWARD OF STEPWELL TRIM.
- 2 SUPPLIED WITH DOOR

1. DO NOT REMOVE SHIMS BETWEEN DOOR FRAME AND JAMB UNTIL DOOR IS INSTALLED.

COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DTFR	ORIG. DATE
CHRR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	FIRST USED
M.E.	09 J-SERIES
DSNR	
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	: 3
ONE-PLACE (X.X)	: 1.5
TWO-PLACE (X.XX)	: 0.50
ANGLE	: 1°
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: DOOR INSTL-DRIVER	
SHEET 1 OF 2	PART NO 165647



TOP OF DOOR

TAPE
93681-40-CHT
(2438)
(OUTSIDE SIDEWALL)

SCREW
G55-08-08U (4)

EXTR-VINYL,INSERT
162473-01-CHT
(4500)

EXTR-TUBE,SQUARE
76448-51-018 (2)

SEALER-TAPE,1/2"X1/8"
69640-20-000
(1575)
69640-18-000
(2800)

SEAL-PILE, DRIVER DOOR
118929-02-CHT
(4270)
(ALL AROUND DOOR, PINCH CHANNEL TO
SECURE PILE SEAL ON MITERED CORNERS)

SPACER-STRIKE

SCREW
G39-10-12B (4)

BRACKET-STRIKE 2

SCREW
G39-10-08B (2)


"B" PILLAR

SCREW
G62-10-16U (4)

DOOR


SPACER-SWITCH, DOME
123563-25-CHT
SCREW
G39-10-08B (2)

JAMB



SECTION C-C

FIRST USED		
09 J-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
DOOR INSTL-DRIVER		
SHEET 2	PART NO	REV
	165647	




J35P
165880-01


- 8 LATCH IS NOT CENTERED.
- 7 BOND WITH ADHESIVE 112901-03-000.
- 6 BOND WITH ADHESIVE 133118-03-000.
- 5 NON LOCKING PANEL ASSEMBLY.
- 4 ROD TENSION MUST BE SUCH THAT BOLT SPRING MUST BE COMPRESSED BY A MINIMUM OF 1.0 AND A MAXIMUM OF 3.0.
- 3 CLEAN AND APPLY ADHESIVE PROMOTER 87211-01-000 TO BOTH SURFACES AND BOND WITH TAPE 76322-13-000 ALONG ENTIRE LENGTH OF SURFACE.
2. CLEAN AND FINISH PER ES0025.8.
1. COVER PAINTED PANELS W/FILM 900720-02-000.

WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE		
CHGR	ALL DIMENSIONS ARE IN MILLIMETERS		
P.E.			
M.E.	FIRST USED		
DSNR	09 K-SERIES		
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 1.5			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) :			
ANGLE :			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: DOOR ASM-STORAGE			
SHEET 1 OF 42		PART NO 165880	REV

J35P
165880-04


FIRST USED			09 K-SERIES
DO NOT SCALE DRAWING			
TITLE:			DOOR ASM-STORAGE
SHEET 4	PART NO	165880	REV





**J32H
J37F
J35P
165880-09**

FIRST USED		
09 K-SERIES		
DO NOT SCALE DRAWING		
TITLE: DOOR ASM-WATER HEATER		
SHEET 9	PART NO 165880	REV




J32H
J37F
J35P
165880-10

FIRST USED		
09 K-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 10	PART NO	REV
	165880	

J35P
J38N
165880-12

FIRST USED		
09 K-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 11	PART NO	REV
	165880	



BOLT-SLIDE,LATCH,STEEL
121947-01-CHT (2)
RIVET
113133-01-CHT (4)

REINFORCEMENT-CORNER
135276-02-CHT
RIVET
113133-01-CHT

INSERT-FOAM
140988-13-000

ROD-LATCH
132873-21-000

INSERT-FOAM
140988-25-000

ROD-LATCH
135624-75-CHT

COVER-LATCH,WHITE
137359-01-CHT
SCREW
G37-08-129 (4)

LATCH/PADDLE-COMPT DOOR
154900-01-CHT


REINFORCEMENT-CORNER
135276-01-CHT
RIVET
113133-01-CHT

56.6
REF

A
REF


J32H
J35P
J37F
J38N
165880-13

FIRST USED		
09 K-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 12	PART NO 165880	REV




J35P
J37F
165880-18

FIRST USED		
09 K-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 17	PART NO	REV
	165880	




J35P
165880-29



FIRST USED		
09 K-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 24	PART NO 165880	REV


J35P
165880-30




FIRST USED		
09 K-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 25	PART NO 165880	REV

DWG NO	SHEET	WEIGHT
166416-01	1	13.5 LBS
166416-02	NOT USED	
166416-03	2	15.5 LBS
166416-04	3	14.3 LBS
166416-05	NOT USED	


RELEASE	REV DATE	DWG NO	166416
REV ZONE	REVISION RECORD	DATE	DFTG-ORIG



J35P
J35Z
J37F
166416-01




VIEW AA-AA



1 CLEAN AND APPLY ADHESIVE PROMOTER 900680-04-000 TO BOTH SURFACES AND BOND WITH TAPE 76322 ALONG ENTIRE LENGTH OF SURFACE(S).

WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTG	ORIG. DATE	ALL DIMENSIONS ARE IN MILLIMETERS	
CHKR			
P.E.			
M.E.	FIRST USED		
DSNR		09 J SERIES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 3			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: PANEL ASM-WHEEL LIP			
SHEET 1 OF 3	PART NO 166416	REV	

NOTES:



SECTION A-A
TYPICAL ORIENTATION
FOR ALL SUPPORTS


1 CLEAN AND APPLY ADHESIVE PROMOTER 900680-04-000
TO BOTH SURFACES AND BOND WITH TAPE 76322 ALONG
ENTIRE LENGTH OF SURFACE(S).

WINNEBAGO



INDUSTRIES

COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DFTR	ORIG. DATE
CHRR	
P.E.	ALL DIMENSIONS ARE IN MILLIMETERS
M.E.	FIRST USED
DSNR	09 J SERIES
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	: 3
ONE-PLACE (X.X)	: 1.5
TWO-PLACE (X.XX)	: 0.50
ANGLE	: 1°
THIRD ANGLE PROJECTION	WEIGHT: 14.4 LBS
DO NOT SCALE DRAWING	
TITLE: PANEL ASM-WHEEL LIP,LF	
SHEET 1 OF 2	PART NO 166418
REF:	1



FIRST USED		
09 J SERIES		
DO NOT SCALE DRAWING		
TITLE:		
PANEL ASM-WHEEL LIP,LF		
SHEET	PART NO	REV
2	166418	



ANGLE-W/SLOTS
154850-01-CHT (2)
SCREW-PAN,HEAD
000G39-10-08U (2)
TAPE-FOAM,DBL COATED.045X1.0
076322-23-000 (2)(REF LENGTH 50)

CAP-WHEEL LIP,RH
166447-01-CHT
TAPE-FOAM,DBL COATED.045X.75
076322-22-000 (REF LENGTH 705)

FRAME ASM-WHEEL LIP,RR
166666-19-XXX
TAPE-FOAM,DBL COATED.045X1.0
076322-23-000 (REF LENGTH 1146)

HINGE-VAL,DOOR
139793-03-CHT (2)
SCREW-PAN,HEAD
000G39-10-08U (6)

RIVET
145723-01-000(4)

166491-09
J35P


CAP-WHEEL LIP,LH
166447-04-CHT
TAPE-FOAM,DBL COATED.045X.75
076322-22-000 (REF LENGTH 705)

ANGLE-ATTACHMENT
166557-01-CHT (2)
SCREW-PAN,HEAD
000G39-10-08U (6)
TAPE-FOAM,DBL COATED.045X1.0
076322-23-000 (4)(REF LENGTH 370)

RIVET
113133-02-CHT (2)


PANEL-WHEEL LIP,RR
166490-09-CHT

SCREW-8X.62LG SHOULD/WSHR HD
113563-01-CHT (4)




FIRST USED		
10 J35P		
DO NOT SCALE DRAWING		
TITLE: PANEL ASM-WHEEL LIP REAR,RH		
SHEET 5	PART NO 166491	REV

J35P
166493-09



FIRST USED			10 K35P
DO NOT SCALE DRAWING			
TITLE:			PANEL ASM-WHEEL LIP,LR
SHEET 4	PART NO	166493	REV



J35P


12	16791511XXX	FRAME ASM-VALANCE,FUEL FILL	1
11	16803503CHT	PANEL-VALANCE,FUEL FILL	1
10	11304119CHT	ANGLE-MOUNT,BUMPER	2
9	13190503XXX	PANEL-DOOR,FUEL FILL	1
8	13389401CHT	STRAP-DOOR,FUEL	1
7	000H160404R	RIVET	3
6	13878901CHT	ANGLE-MONUNT,WHEEL LIP	1
5	16666701CHT	ANGLE-MOUNT,WHEEL LIP	2
4	11356301CHT	SCREW SHOULD/WSHR HD	6
3	16666702CHT	ANGLE-MOUNT,WHEEL LIP	2
2	07632221000	TAPE-FOAM DBL COATED	7
1	000G391008U	SCREW-PAN,HEAD	13
ITEM	PART NUMBER	DESCRIPTION	QTY

FIRST USED			10 J35P
DO NOT SCALE DRAWING			
TITLE:			PANEL ASM-VALANCE,FUEL FILL
SHEET 3	PART NO	167912	REV

DWG NO	SHEET	WEIGHT
170992-01	1	8.4 LBS
170992-02	1	12.7 LBS
170992-03	1	10.7 LBS
170992-04	1	11.6 LBS
170992-05	2	9.6 LBS
170992-06	2	13.3 LBS

J32H,J35P,37F
J32H,J35P,37F
J32H,J35P,37F
J32H
J37F
J37F

RELEASE	REV DATE	DWG NO	170992
REV ZONE	REVISION RECORD	DATE	DTFR-ORIG



SEALER-RIBBON
069640-14-000 (6) (50)

BRACE-DOOR,INNER,BOTTOM
149531-33-02B

HINGE-PIANO,COMPT DOOR
171172-01-01A(2)

BRACE-DOOR,INNER,TOP
149531-34-02B

COVER-LATCH,WHITE
137359-02-01A
SCREW
000G37-08-129 (4)

LATCH-SINGLE ROTOR,MINI,LH
149359-08-01A

SCREW 1/4-20 X 1 PPH
143618-04-01A(2)

BRACE ASM-LATCH
149412-04-02B
NUT
000D46-04-00A

LATCH/PADDLE-COMP DOOR
154900-03-01A


2 NUT-SERT-1/4 STL
039715-07-000 (8)

SCREW 1/4-20 X 1/2 PPH
143618-03-01A (8)

SECTION A-A
(TYPICAL ALL DOORS)

BRACKET-GAS SPRING/RH
168513-01-02B
BRACKET-GAS SPRING/LH
168513-02-02B

RIVET-POP-AL 3/16
113133-01-01A(4)



SECTION B-B
(TYPICAL ALL DOORS)

4. COVER PAINTED PANELS W/FILM 900720-02-000.

3. BOND WITH ADHESIVE 133118-03-000.

2. INSTALL 2 RIVETS AND NUT-SERTS INTO PANEL BEFORE
INSTALLING RIVETS ON TOP AND SCREWS ON BOTTOM.

1. FASTEN INNER DOOR BRACES WITH ADHESIVE 112901-03-000.

NOTES:

170992-01
170992-02
170992-03
170992-04



COPYRIGHT 2010
WINNEBAGO
INDUSTRIES, INC.

DTFR	ORIG. DATE
CHRR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	10 K32H
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	± 3
ONE-PLACE (X.X)	± 1.5
TWO-PLACE (X.XX)	± 0.50
ANGLE	± 1°
THIRD ANGLE PROJECTION	

DO NOT SCALE DRAWING

TITLE:	PANEL ASM-VALANCE
SHEET 1 OF 2	PART NO 170992

REF: 1 1/22/2010

SECTION
H (700 SERIES)
J (300,E,D,J SERIES)

JAMB ASM
121898-14-CHT E30W,E32K,D,J SERIES
121898-16-CHT E26P
121898-18-CHT 300 SERIES
121898-21-CHT 700 SERIES

SCREW
000G39-08-24U (EXT) (22)

SCREW
000G11-08-16U (17)

SCREW
000G39-08-16U (4)

CAP
139054-01-CHT 300,700 SERIES,E26P
139054-19-CHT E30W & E32K,D,J SERIES

SEALANT

G SHT 3

FRAME-BOTTOM
121893-01-CHT 300,700 SERIES,E26P
121893-03-CHT E30W & E32K,D,J SERIES


SHIM
125724-02-000
(BETWEEN FRAME AND JAMB)

DETAIL
D (E,D,J SERIES)
L (300,700 SERIES)

SECTION
H (700 SERIES)
J (300,E,D,J SERIES)

FRAME-DOOR
121894-27-CHT E30W & E32K,D,J SERIES
121894-280CHT E26P
121894-30-CHT 300 SERIES
121894-31-CHT 700 SERIES

SHIM
125724-01-000 (3)
(BETWEEN FRAME AND JAMB)



DECOR PANELING

9BATTO-01-000
DECOR BATT STRIP

SECTION A-A

FIRST USED		10 MOTORHOMES	
DO NOT SCALE DRAWING			
TITLE: DOOR COMPL-ENTRANCE,MID			
SHEET 1		PART NO 173577	REV

LATCH-SCREEN DOOR
132915-01-CHT
SCREW
000G11-08-12S (2)

SCREEN DOOR

STRIKE-DOOR,SCREEN
148364-01-CHT
SCREW
000G52-06-06U (2)
NUT
000D10-06-00B(2)

STRIKER-SLIDER

FRAME-BOTTOM
(REF)

BUMPER-RUBBER
081914-02-000(2)

5.0

2.0 (ENTRANCE DOOR OPEN
AND SCREEN DOOR CLOSED)

JAMB ASM

VIEW F-F

TAPE-ANTI SLIP
038327-01-000
(600)

SEAL-PILE
075673-05-000

SECTION G-G

17 ± 1

SPACER-STRIKE BOLT
147900-01-CHT(A/R)

SECTION K-K

101.3
(2)

14.2
(2)

SECTION M-M


HINGE (REF)

TAPE
154585-01-CHT
(55mm LONG)

SECTION S-S
(3 PLACES)

FIRST USED			10 MOTORHOMES		
TITLE:			DO NOT SCALE DRAWING		
			DOOR COMPL-ENTRANCE,MID		
SHEET 2		PART NO	173577	REV	

DETAIL D E SERIES D SERIES J SERIES



FIRST USED		10 MOTORHOMES	
DO NOT SCALE DRAWING			
TITLE: DOOR COMPL-ENTRANCE,MID			
SHEET 3		PART NO 173577	REV

TUBE-SUPPORT (2)
(REF)

SEAL
118929-01-CHT

HINGE
106719-01-CHT (3)
NUT-SERT
039715-01-000 (18)
SCREW-MACHINE
154777-02-CHT (18)
SCREW
000G39-08-24U (6)

SCREW
000G39-08-08U (12)

CONTACT ASM

DOOR ASM-SCREEN
P32208-06-XXX

700
SERIES

FOAM-SCREEN DOOR,RETAINER
130096-05-000

SEAL
075671-04-000
(ALL SIDES)

SEAL
118929-01-CHT

SEAL
104692-01-000 

BRACKET ASM-DOOR
137401-01-CHT

SECTION H-H

HINGE
106719-01-CHT (3)
NUT-SERT
039715-01-000 (18)
SCREW-MACHINE
154777-02-CHT (18)
SCREW
000G39-08-24U (6)

TUBE-SUPPORT (2)
(REF)

SEAL
118929-01-CHT

SCREW
000G39-08-08U (12)

DOOR ASM-SCREEN
P32208-02-XXX E30W & E32K,D,J SERIES
P32208-04-XXX 300 SERIES,E26P

300
E
D
J
SERIES

FOAM-SCREEN DOOR,RETAINER
130096-05-000

SEAL
075671-04-000
(ALL SIDES)

SEALER TAPE
069640-18-000
(5485)








SEAL
118929-01-CHT

SEAL
104692-01-000 

BRACKET ASM-DOOR
137401-01-CHT

SECTION J-J


FIRST USED		10 MOTORHOMES	
DO NOT SCALE DRAWING			
TITLE:			
DOOR COMPL-ENTRANCE,MID			
SHEET 5		PART NO	REV
		173577	



- NOTES:
1. DRILL A 4.88-4.98 DIA HOLE USING THE HOLES LOCATED EITHER SIDE OF THE TOOLING HOLES AS A TEMPLATE. INSTALL RIVET 142980-01-CHT (46).
 2. USE VENDOR SUPPLIED SCREWS.
 3. SEE ES0061 FOR CARPET ATTACHMENT AT BACKWALL.
 4. DIMENSIONS ARE FROM THE EDGE OF THE DOOR CUTOUT AND THE TOP OF THE FEATURE STRIP TO THE UPPER HOLE OF THE LOWEST SET OF HOLES CLOSEST TO THE DOOR.
 5. THIS IS A NOMINAL DIMENSION. ADJUST AS REQUIRED SUCH THAT DOORS LINE UP IN THE OPEN POSITION.
 6. SCREW MUST BE LOCATED WITHIN 50 mm OF RAIL-AWNING SPLICE. DRILL ADDITIONAL HOLES AND ADD SCREWS AS REQUIRED.
 7. LEFT SIDEWALL ONLY.
 8. VIEW TYPICAL FOR ALL SIDE HINGE DOORS.


- ITA ITASCA ONLY
WIN WINNEBAGO ONLY
27G EXTERIOR GRAPHICS PACKAGE #1
24B EXT FULL BODY PAINT PKG #4
24C EXT FULL BODY PAINT PKG #3
92A EXT FULL BODY PAINT PKG #2
27A EXT FULL BODY PAINT PKG #1

Winnebago Industries		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE		
CHRR	ALL DIMENSIONS ARE IN MILLIMETERS		
P.E.	FIRST USED		
M.E.	10J32H/10K32H		
DSNR	MATERIAL:		
UNSPECIFIED TOLERANCES ARE:		THIRD ANGLE PROJECTION	
WHOLE DIM (X) : 3		DO NOT SCALE DRAWING	
ONE-PLACE (X.X) : 1.5		TITLE: BODY INSTL-SECTIONS	
TWO-PLACE (X.XX) : 0.50		SHEET 1 of 4	
ANGLE : 1°		PART NO 169434	
REF:		REV	




SECTION AH-AH 4

24B 24C 27A 92A




SECTION AH-AH 4


27G



VIEW AJ-AJ




SECTION AL-AL



VIEW AK-AK 4

WIN ITA
24B 24C 27A 92A







VIEW AK-AK 4


WIN 27G

- 27G EXTERIOR GRAPHICS PACKAGE #1
- 92A EXT FULL BODY PAINT PKG # 2
- 27A EXT FULL BODY PAINT PKG #1
- 24C EXT FULL BODY PAINT PKG # 3
- 24B EXT FULL BODY PAINT PKG #4
- ITA ITASCA ONLY
- WIN WINNEBAGO ONLY


FIRST USED		
10J32H/10K32H		
DO NOT SCALE DRAWING		
TITLE:		
BODY INSTL-SECTIONS		
SHEET 2	PART NO 169434	REV




FIRST USED		
10J32H/10K32H		
DO NOT SCALE DRAWING		
TITLE:		
BODY INSTL-SECTIONS		
SHEET 3	PART NO 169434	REV




SECTION BG-BG 8



DETAIL BH 8



SECTION BF-BF 8



SECTION BE-BE 8

FIRST USED		
10J32H/10K32H		
DO NOT SCALE DRAWING		
TITLE:		
BODY INSTL-SECTIONS		
SHEET 4	PART NO	REV
	169434	