





16. USE GAS SPRINGS 142569-02-000 (2) PER DOOR AND BRACKET 126263-02-CHT (2). INSTALL WITH ROD DOWN.
15. USE GAS SPRINGS 142569-13-000 (2) PER DOOR AND BRACKET 126263-02-CHT. INSTALL WITH ROD DOWN.
14. PLACE SEAL 99418-01-000 BETWEEN RETAINER TRIM AND DOOR (8800.) SEE SECTION BB-BB FOR PROPER PLACEMENT. PREP SURFACE WITH 087211-01-000. APPLY 15 PSI FORCE TO SEAL.
13. THIS IS A NOMINAL DIMENSION ADJUST LOCATION AS REQUIRED TO CONTACT PANEL ASM-SLIDEOUT WHEN ROOM IS EXTENDED.
12. USE SCREW G39-10-12T (A/R)
11. USE GAS SPRING 142569-13-000 (1) PER DOOR AND BRACKET 126263-02-CHT. INSTALL WITH ROD DOWN.
10. USE SEAL 107721-07-000 AROUND COMPT OPENING. PREP SURFACE WITH 087211-01-000. APPLY 15 PSI FORCE TO SEAL.
9. USE STRIKER 130053-01-CHT AND 130053-02-CHT SCREWS G39-10-12T (4); SHIM DOOR 143793-01-CHT (A/R)
8. USE SEAL 132892-08-CHT IN COMPT. OPENINGS.
7. USE STRIKER 130053-02-CHT (2 PER DOOR) SCREW G39-10-12T (4); SHIM-DOOR 143793-01-CHT (A/R)


6. TRI/MARK "KEY ONE" SEAL: P/N 138292-01-000 USED ON ENTERANCE DOOR KEY: P/N 138288-11 THRU -20 ENTERANCE DOOR CYLINDER LOCK: P/N 138287-11 THRU -20 VAL DOOR, DRIVER DOOR, WATER FILL: P/N 138289-11 THRU -20
- MATCH LAST DIGIT OF V.I.N. # WITH TAB NUMBER
EXAMPLE: V.I.N. # TAB NUMBER
USE: 138287-05-000
138288-05-000
138289-05-000
5. USE GAS SPRING 142569-17-000 (1) PER DOOR AND BRACKET 126263-02-CHT. INSTALL WITH ROD DOWN.
4. USE GAS SPRING 142569-12-000 (1) PER DOOR AND BRACKET 126263-02-CHT. INSTALL WITH ROD DOWN.
3. USE ADHESIVE 67788-01-000 OR 119938-02-000 WITH 9CARPT-04-000 (A/R)
2. SEE DRAWING 170731 FOR SECTIONS BA THRU BZ.
1. LOCATE BUMPERS JUST ABOVE DOOR STRIKE.

NOTES:



DETAIL A

FIRST USED		
10 J38N		
DO NOT SCALE DRAWING		
TITLE: BODY INSTL-DOOR & COMPT		
SHEET 2	PART NO 170287	REV




RELEASE		REV	DATE	DWG NO	090868
REV	ZONE	REVISION RECORD			DATE

090868-01-000

224V
229T
231C
231J
524DL
524K
524P
728B
730C
D31E
D35J
D37L
E30W
E32K
J35Z
J38N

WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.			
DFTD		ORIG. DATE			
CHKD		ALL DIMENSIONS ARE IN MILLIMETERS			
P.E.					
M.E.		FIRST USED			
DSNR		GEN MOTORHOMES			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:			
WHOLE DIM (X) ±					
ONE-PLACE (X.X) ±					
TWO-PLACE (X.XX) ±					
ANGLE ±					
THIRD ANGLE PROJECTION					
DO NOT SCALE DRAWING					
TITLE:					
DOOR INSTL-REFRIG VENT					
SHEET 1 OF 4		PART NO	REV		
		090868			

NOTES:



FIRST USED		96 M&Q SERIES	
DO NOT SCALE DRAWING			
TITLE: LID ASM-STEP,ENTRANCE			
SHEET 1	PART NO	120234	REV

RIVET
H13-04-07B (8)
ANGLE
34154-01-000 (2)

SEAL

ADHESIVE
112901-02-000

SIDEWALL
JAMB

DOOR JAMB

LOCKED POSITION

LOCK ASM
138290-02-000
SPACER
139325-01-000

WASHER
139277-01-000

GASKET
139337-01-000

INSERT

DETAIL B
SCALE: 1.0

TAPE-SEAL
56795-01-000
(1400)

LOCKED POSITION

DOOR W/KEYED LOCK

SEALER
53752-09-000


SEAL
156386-01-CHT
(1400)

HINGE
081801-XX-000
RIVET
H13-04-07B

SECTION A-A

FIRST USED			98 329WC
DO NOT SCALE DRAWING			
TITLE:			
DOOR ASM-STORAGE			
SHEET	1	PART NO	126945
			REV

RIVET
H13-04-07B (8)
ANGLE
34154-01-000 (2)



LOCK ASM-TWIST
110506-27-000
CLIP-E
110506-40-000
WASHER-TENSION
110506-41-000
NUT
110506-42-000
WASHER-FLAT
110506-43-000
GASKET
110506-44-000
CASE
110506-55-000
CAM
110506-66-000
SPACER
144734-01-000

TAPE-SEAL
56795-01-000
(1300)

LOCKED
POSITION

SEAL
156386-01-CHT
(1250)

DOOR W/TWIST LOCK

SEALER
53752-09-000

HINGE
081801-XX-000
RIVET
H13-04-07B

SECTION A-A

FIRST USED		98 329WC	
DO NOT SCALE DRAWING			
TITLE:			
DOOR ASM-STORAGE			
SHEET 2	PART NO	126945	REV

SECTION
SEE SHEET 5
SECTION H 700 SERIES
SECTION J 200,300,D,E,J-SERIES
SECTION N 500 SERIES

JAMB ASM
121898-14-CHT D,J SERIES,E30W & E32K
121898-16-CHT 200,E26P
121898-18-CHT 300 SERIES,E30W & E32K W/ 64V
121898-21-CHT 500,700 SERIES

SCREW
G39-08-24U (EXT) (22)

CAP
139054-01-CHT 200,300,500,700,E26P,E30W & E32K W/ 64V
139054-19-CHT D,J SERIES E30W & E32K

SCREW
G11-08-16U (17)

SCREW
G39-08-16U (4)

SEALANT

FRAME-BOTTOM
121893-01-CHT 200,300,500,700 SERIES,E26P,E30W & E32k W/ 64V
121893-03-CHT E30W & E32K,D,J SERIES


SHIM
125724-02-000
(BETWEEN FRAME AND JAMB)

SHIM
125724-02-000
(BETWEEN FRAME AND JAMB)

SECTION
SEE SHEET 5
SECTION H 700 SERIES
SECTION J 200,300,D,E,J-SERIES
SECTION N 500 SERIES






FRAME-DOOR
121894-27-CHT D,J SERIES,E30W,E32K
121894-28-CHT E26P,200 SERIES
121894-30-CHT 300 SERIES, E30W,E32K W/ 64V
121894-31-CHT 500,700 SERIES

SHIM
125724-01-000 (3)
(BETWEEN FRAME AND JAMB)



SECTION A-A

FIRST USED		00 MOTORHOMES	
DO NOT SCALE DRAWING			
TITLE: DOOR COMPL-ENTRANCE,MID			
SHEET 1		PART NO 132206	REV



FIRST USED		00 MOTORHOMES	
DO NOT SCALE DRAWING			
TITLE: DOOR COMPL-ENTRANCE,MID			
SHEET 2	PART NO	132206	REV

DETAIL D
200 SERIES
E26P
E30W & E32K W/O 64V
D SERIES
J SERIES

LATCH ASM-EXTERIOR
112782-20-CHT
GASKET
112782-04-CHT

EXTR-C-CHANNEL
134990-51-002
(INSERT INTO FOAM
UNTIL TOP SURFACE
EVEN WITH CUTOUT)

CATCH
SCREW
G11-08-08T (3)

BOLT-STRIKER
92927-20-000

PLUG-PLASTIC
61420-14-000

LATCH-SINGLE ROTARY
112782-22-CHT
SCREW
140040-01-000 (3)

STIFFENER M
132207-01-CHT
NUTSERT
72893-04-000 (8)
SCREW
75908-01-000 (8)

LATCH-INTERIOR PLATE
112782-27-CHT
CAP-VINYL
112782-05-CHT
SCREW
112782-08-CHT (3)

SPACER-NOTCHED
137230-01-CHT
(INSERT INTO FOAM UNTIL
TOP SURFACE EVEN WITH CUTOUT)

CHANNEL-W/NOTCH
171283-01-CHT
(INSERT INTO FOAM
UNTIL TOP SURFACE
EVEN WITH CUTOUT)

FIRST USED			00 MOTORHOMES
TITLE:			DO NOT SCALE DRAWING
DOOR COMPL-ENTRANCE,MID			
SHEET 3	PART NO	132206	REV

700 SERIES

200 300 D E J SERIES

500 SERIES

SECTION H-H

SECTION J-J

SECTION N-N

HINGE
106719-01-CHT (3)
NUT-SERT
39715-01-000 (18)
SCREW-MACHINE
154777-02-CHT (18)
SCREW
G39-08-24U (6)

HINGE
106719-01-CHT (3)
NUT-SERT
39715-01-000 (18)
SCREW-MACHINE
154777-02-CHT (18)
SCREW
G39-08-24U (6)

HINGE
106719-01-CHT (3)
NUT-SERT
39715-01-000 (18)
SCREW-MACHINE
154777-02-CHT (18)
SCREW
G39-08-24U (6)

TUBE-SUPPORT (2)
(REF)
SEAL
118929-01-CHT
SCREW
G39-08-08U (12)
CONTACT ASM

TUBE-SUPPORT (2)
(REF)
SEAL
118929-01-CHT
SCREW
G39-08-08U (12)

TUBE-SUPPORT (2)
(REF)
SEAL
118929-01-CHT
SCREW
G39-08-08U (12)
CONTACT ASM

DOOR ASM-SCREEN
P32208-06-XXX

DOOR ASM-SCREEN
P32208-02-XXX E30W & E32K
D, J SERIES
P32208-04-XXX E30W & E32K W/64V
E26P, 200, 300 SERIES

DOOR ASM-SCREEN
P32208-06-XXX

FOAM-SCREEN DOOR, RETAINER
130096-05-000

FOAM-SCREEN DOOR, RETAINER
130096-05-000

FOAM-SCREEN DOOR, RETAINER
130096-05-000

SEAL
75671-04-000
(ALL SIDES)
SEALER TAPE
69640-18-000
(5485)

SEAL
118929-01-CHT
SEAL
104692-01-000
BRACKET ASM-DOOR
137401-01-CHT


SEAL
75671-04-000
(ALL SIDES)
SEALER TAPE
69640-18-000
(5485)

SEAL
118929-01-CHT
SEAL
104692-01-000
BRACKET ASM-DOOR
137401-01-CHT




SEALER TAPE
69640-18-000
(5485)

SEAL
118929-01-CHT
SEAL
104692-01-000
BRACKET ASM-DOOR
137401-01-CHT


FIRST USED			00 MOTORHOMES
DO NOT SCALE DRAWING			
TITLE: DOOR COMPL-ENTRANCE,MID			
SHEET 5	PART NO	132206	REV



**E30W & E32K W/O 64V
D-SERIES
J-SERIES
132206-02-XXX**



FIRST USED		
00 G-SERIES, 00 L-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-SCREEN		
SHEET 1	PART NO	REV
	132208	




DWG NO 140983


J38N
140983-04-XXX

5	07632223000	TAPE-FOAM D	2
4	12271203CHT	TUBE-SUPPOR	1
3	11956801CHT	STANDOFF-VA	2
2	13265411CHT	SUPPORT-WHE	1
1	13531608CHT	PANEL-VALAN	1
ITEM	PART NUMBER	DESCRIPTION	QTY

FIRST USED			05 G38J
DO NOT SCALE DRAWING			
TITLE: PANEL ASM-VALANCE			
SHEET 1	PART NO 140983	REV	




KEY	PART NUMBER	U/M DESCRIPTION	142226-02-01A VENDOR NO
	142226-02-700	EA TAB/LOCKING - ESCAPE (RED)	9667709



143709-02-01A

KEY	PART NUMBER	U/M	DESCRIPTION	VENDOR NO.
	143709-01-700	EA	CAM STOP	1102200
	143709-01-701	EA	BUMPER - BLACK (RUBBER STOP)	1602000
15	143709-01-702	EA	TREAD/NON-SKID _6" X 21" BLK	1915260
	143709-01-703	EA	FRAME ONLY PAINTED BLACK 25	908025000
17	143709-02-700	EA	LINK/ASSEMBLY 24/25 SERIES	3380050
18	143709-02-701	EA	MOTOR ASM W/TABLE 24/25 STEP	3392152
18	143709-02-702	EA	MOTOR "AM 214" F/IMGL TRIPLE	1820124
	088746-01-705	EA	LIGHT-UNDER STEP	9004
	094707-03-701	EA	PLUG - 4-WAY - PACKARD	909306
	094707-04-700	EA	CONTROL UNIT W/OVERRIDE	909510000
	094707-04-711	EA	KWIKTEST - W/4-WAY PIGTAIL	909518000
			CONTACT WINNEBAGO PART SALES FOR UNLISTED COMPONENT(S)	



RELEASE	REV DATE	DWG NO	160900
REV ZONE	REVISION RECORD	DATE	DFT-ORIG

- NOTES:
- 3 SCREWS MUST BE TIGHT ENOUGH TO PREVENT HANDLE FROM MOVING.
 - 2 USE ADHESIVE 077029-01-000, ON THE BACKSIDE OF THE PART TO SECURE IT IN PLACE.
 - 1 ATTACH BRACKET TO INSIDE SURFACE OF DOOR PANEL.


UNSPECIFIED TOLERANCES ARE:		MATERIAL:
WHOLE DIM (X)	: 3	
ONE-PLACE (X.X)	: 1.5	
TWO-PLACE (X.XX)	: 0.50	
ANGLE	: 1°	
THIRD ANGLE PROJECTION		
DO NOT SCALE DRAWING		
TITLE: PANEL ASM-DOOR, DRIVER		
SHEET 1 OF 1	PART NO 160900	REV

ART NOT YET AVAILABLE

				162133-01-01A
KEY	PART NUMBER	U/M	DESCRIPTION	VENDOR NO.
1	162133-01-703	EA	OUTER FRAME ASM (JAMB) WHT	491984
2	162133-01-700	FT	SEAL - DOOR	4685020000
3	162133-01-704	EA	STRIKER BOLT	5493020011
4	162133-01-705	EA	CAGED NUT ASM.	248-041151
5	162133-01-706	EA	STRAP BRACKET	491939
6	162133-01-707	EA	SHIM - DOOR WEDGE	K134
8	162133-01-708	EA	HINGE ASM - WHITE	492114
10	162133-01-740	EA	SCREEN	410-037200
11	162133-01-709	EA	SURROUND/FRAME-LOWER DR-WHT	491986
12	162133-01-710	EA	SURROUND/FRAME-UPPER DR-WHT	491988
14	128913-13-701	EA	SCREW/BUMPER RETAINING	274-040492
15	162133-01-721	EA	ROTARY LATCH & LINKAGE	248-041150
16	162133-01-722	EA	ROTARY LOCK SPACER	491069
17	162133-01-723	EA	ROD CLIP - RIGHT	248-041153
18	106469-04-705	EA	ROD-LATCH, HORIZONTAL	203-041139
19	162133-01-724	EA	LOCK ROD - HORIZONTAL	491981
20	162133-01-725	EA	MOUNTING PLATE-INNER HANDLE	V123-72
22	162133-01-726	EA	INNER HANDLE HARDWARE	492075
23	162133-01-702	EA	PADDLE/LATCH-DRVR DR-W/O LCK	492074/22668-02
28	162133-01-728	EA	LATCH ROD - VERTICAL	491943
29	162133-01-729	EA	LOCK ROD - VERTICAL	491944
30	162133-01-730	EA	LOCK NUT - 1/4 X 20	420238
31	162133-01-731	EA	NUT/HEX - 1/4 X 20	234-041294
32	162133-01-732	EA	HAT BRACKET	491941
34	162133-01-701	EA	WINDOW ASM/SLIDER-DRVR DOOR	492024
35	162133-01-733	EA	PANEL MOUNTING BRACKET	491940
39	162133-01-734	EA	SCREW/BUTTON HEAD 1/4-20X1.5	491969
40	162133-01-735	EA	SCREW/TRUSS HD 1/4-20X1/2BLK	6055202005
42	128913-04-700	FT	TAPE/BUTYL - FOAM CORE	154-041549
	112795-01-700	EA	LATCH ASM/WDO-BLK (BOLT ON)	DH287-CK
				CONTACT WINNEBAGO PART SALES FOR UNLISTED COMPONENT(S)

ART NOT YET AVAILABLE

				162133-01-02A
KEY	PART NUMBER	U/M	DESCRIPTION	VENDOR NO.
2	162133-01-700	FT	SEAL - DOOR	4685020000
3	162133-01-704	EA	STRIKER BOLT	5493020011
4	162133-01-705	EA	CAGED NUT ASM.	248-041151
5	162133-01-706	EA	STRAP BRACKET	491939
6	162133-01-707	EA	SHIM - DOOR WEDGE	K134
8	162133-01-736	EA	HINGE ASM - BLACK	492115
10	162133-01-737	EA	OUTER FRAME ASM (JAMB) BLK	491947
10	162133-01-740	EA	SCREEN	410-037200
11	162133-01-739	EA	SURROUND/FRAME-LOWER DR-BLK	491965
12	162133-01-738	EA	SURROUND/FRAME-UPPER DR-BLK	491966
14	128913-13-701	EA	SCREW/BUMPER RETAINING	274-040492
15	162133-01-721	EA	ROTARY LATCH & LINKAGE	248-041150
16	162133-01-722	EA	ROTARY LOCK SPACER	491069
17	162133-01-723	EA	ROD CLIP - RIGHT	248-041153
18	106469-04-705	EA	ROD-LATCH, HORIZONTAL	203-041139
19	162133-01-724	EA	LOCK ROD - HORIZONTAL	491981
20	162133-01-725	EA	MOUNTING PLATE-INNER HANDLE	V123-72
22	162133-01-726	EA	INNER HANDLE HARDWARE	492075
23	162133-01-702	EA	PADDLE/LATCH-DRVR DR-W/O LCK	492074/22668-02
28	162133-01-728	EA	LATCH ROD - VERTICAL	491943
29	162133-01-729	EA	LOCK ROD - VERTICAL	491944
30	162133-01-730	EA	LOCK NUT - 1/4 X 20	420238
31	162133-01-731	EA	NUT/HEX - 1/4 X 20	234-041294
32	162133-01-732	EA	HAT BRACKET	491941
34	162133-01-701	EA	WINDOW ASM/SLIDER-DRVR DOOR	492024
35	162133-01-733	EA	PANEL MOUNTING BRACKET	491940
39	162133-01-734	EA	SCREW/BUTTON HEAD 1/4-20X1.5	491969
40	162133-01-735	EA	SCREW/TRUSS HD 1/4-20X1/2BLK	6055202005
42	128913-04-700	FT	TAPE/BUTYL - FOAM CORE	154-041549
	112795-01-700	EA	LATCH ASM/WDO-BLK (BOLT ON)	DH287-CK
				CONTACT WINNEBAGO PART SALES FOR UNLISTED COMPONENT(S)



FRAME-DOOR
125725-14-CHT
SCREW
000G39-10-089 (6)

ANGLE-SUPPORT
125804-02-CHT
SCREW
000G39-10-20T (6)

FRAME-DOOR
125725-13-CHT
SCREW
000G39-10-089 (9)

DOOR ASM-DRIVER
162133-01-CHT
SCREW
000G62-08-16T (31)

SWITCH-MIRROR,REMOTE
088246-01-000

SWITCH-MIRROR,HEATED
145638-02-CHT

SWITCH-SUNVISOR
145638-12-CHT(2) 28J 15A 28F

APPLIQUE-DOOR
156292-14-CHT 28K
156292-17-CHT 28J 15A
156292-22-CHT 28F

SHIFTER-TRANS 1LL

INSERT-ASM,SWITCH
145926-22-CHT 28K
145926-26-CHT 28J 15A 28F
NUT
000D65-08-00B (4)

GROMMET-WIRE
117802-01-000
WIRE ASM-DRIVERS DOOR
129436-15-000 28K 28J
129436-16-000 28F
(UP TO 11-15-09)
129436-15-000 28F
(AFTER 11-15-09)

CONNECTOR
058028-01-000 (2)

STRAP-CHECK
109378-01-000
RETAINER-STRAP
(SUPPLIED WITH DOOR)(2)
SCREW, 1-1/2" LONG
(SUPPLIED WITH DOOR)(4)

PANEL ASM-DOOR,DRIVER
160900-01-XXX 1LL 1LI
160900-02-XXX
SCREW
000G55-08-16B (7)

SPACER-STRIKE,DOOR
126534-01-CHT

FRAME-DOOR
125725-08-CHT
SCREW
000G39-10-089 (4)


FRAME-DOOR
125725-03-CHT
SCREW
000G39-10-089 (5)

TAPE
085284-F7-000
(2438)(INSIDE SIDEWALL)

- 9 SEE DETAIL EE FOR SWITCH ORIENTATION.
- 8 INSTALL APPLIQUE AS CLOSE AS POSSIBLE TO THE DOOR PANEL ALONG THIS EDGE.
- 7 REMOVE BOLT-STRIKE,INSTALL BRACKET-STRIKER AND RE-TORQUE BOLT TO 47-45 Nm (35 LBS/FT).
- 6 DOOR PANEL MUST BE INSTALLED SO THAT THE DOOR PANEL BRACKET ENGAGES THE BRACKET ATTACHED TO THE DOOR FRAME.
- 5 INSTALL ON SIDEWALL PRIOR TO DOOR INSTALLATION.
- 4 WIPE SURFACE WITH ISOPROPOL ALCOHOL BEFORE TAPE APPLICATION.
- 3 MOUNT RETAINER TO FLOOR FORWARD OF STEPWELL TRIM.
- 2 SUPPLIED WITH DOOR

1. DO NOT REMOVE SHIMS BETWEEN DOOR FRAME AND JAMB UNTIL DOOR IS INSTALLED.

COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
INDUSTRIES	
DFTR	ORIG. DATE
CHGR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	FIRST USED
M.E.	09 J-SERIES
DSNR	
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	: 3
ONE-PLACE (X.X)	: 1.5
TWO-PLACE (X.XX)	: 0.50
ANGLE	: 1°
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: DOOR INSTL-DRIVER	
SHEET 1 OF 2	PART NO 165647
REF:	1



TOP OF DOOR

TAPE
093681-40-CHT
(2438)
(OUTSIDE SIDEWALL)

956

SCREW
000G55-08-08B (4)

EXTR-VINYL, INSERT
162473-01-CHT
(4500)

SPACER-SWITCH, DOME

EXTR-TUBE, SQUARE
076448-51-018 (2)

SEALER-TAPE, 1/2"X1/8"
069640-20-000
(1575)
069640-18-000
(2800)

SEAL-PILE, DRIVER DOOR
118929-02-CHT
(4270)
(ALL AROUND DOOR, PINCH CHANNEL TO
SECURE PILE SEAL ON MITERED CORNERS)

SPACER-STRIKE

SCREW
000G39-10-12B (4)

BRACKET-STRIKE 2

SCREW
000G39-10-08B (2)


"B" PILLAR

SCREW
000G62-10-16B (4)

DOOR


SPACER-SWITCH, DOME
123563-25-CHT
SCREW
000G39-10-08B (2)


JAMB




SECTION C-C


FIRST USED		
09 J-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
DOOR INSTL-DRIVER		
SHEET 2	PART NO 165647	REV









DOOR ASM-STORAGE



DOOR ASM-STORAGE



J32H
J35P
J37F
J38N
165880-13

DOOR ASM-STORAGE

HINGE-VAL,DOOR
139793-05-01A
RIVET
113133-01-01A BLK/03A WHT (9)

PANEL-DOOR, VALANCE
167167-13-01A BLK/02A WHT

HINGE-VAL,DOOR
139793-03-01A
RIVET
113133-01-01A BLK/03A WHT (6)

HINGE-VAL,DOOR
139793-01-01A
RIVET
113133-01-01A BLK/03A WHT (11)

PANEL-VALANCE,INNER
167166-13-01A

J38N
165880-14

COVER-LATCH,WHITE
137359-01-01A
SCREW
G37-08-129 (4)

LATCH/PADDLE-COMPT DOOR
154900-02-01A BLK/02A WHT

55.3 REF

REINFORCEMENT-CORNER
135276-02-01A
RIVET
113133-01-01A BLK/03A WHT


INSERT-FOAM,VAL DOOR
140988-33-000

ROD-LATCH
132873-01-000(MODIFY)

ROD-LATCH
135624-71-01B(MODIFY)

REINFORCEMENT-CORNER
135276-01-01A
RIVET
113133-01-01A BLK/03A WHT

BOLT-SLIDE,LATCH,STEEL
121947-01-01A (2)
RIVET
113133-01-01A BLK/03A WHT (4)



PANEL-VALANCE,INNER
6 167166-14-01A


COVER-LATCH,WHITE
137359-01-01A
SCREW
G37-08-129 (4)



J35Z
J38N
165880-15

LATCH/PADDLE-COMPT DOOR
154900-01-01A BLK/02A WHT

55.3 REF

DOOR ASM-STORAGE








SECTION TA-TA

J38N
165880-17


DOOR ASM-WATER HEATER



J38N
166416-02



FIRST USED		
09 J SERIES		
DO NOT SCALE DRAWING		
TITLE: PANEL ASM-WHEEL LIP		
SHEET 2	PART NO 166416	REV





166418-01

SECTION A-A
TYPICAL ORIENTATION
FOR ALL SUPPORTS


1 CLEAN AND APPLY ADHESIVE PROMOTER 900680-04-000 TO BOTH SURFACES AND BOND WITH TAPE 76322 ALONG ENTIRE LENGTH OF SURFACE(S).

WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DTFR		ORIG. DATE	
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		09 J SERIES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 3			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION		WEIGHT: 14.4 LBS	
DO NOT SCALE DRAWING			
TITLE: PANEL ASM-WHEEL LIP,LF			
SHEET 1 OF 2		PART NO 166418 REV	
REF:		1	





FIRST USED		
09 J-SERIES		
DO NOT SCALE DRAWING		
TITLE: PANEL ASM-WHEEL LIP REAR,RH		
SHEET 2	PART NO 166491	REV



J38N
166493-03

PANEL ASM-WHEEL LIP,LR

KEY			172626-01-01A
	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	084104-01-700	EA LOCK-MALE, FASTENER	201-721-010
	084104-01-701	EA LOCK-FEMALE, FASTENER	201-802-010

SECTION
H (700 SERIES)
J (300,E,D,J SERIES)

JAMB ASM
121898-14-CHT E30W,E32K,D,J SERIES
121898-16-CHT E26P
121898-18-CHT 300 SERIES
121898-21-CHT 700 SERIES

SCREW
000G39-08-24U (EXT) (22)

SCREW
000G11-08-16U (17)

SCREW
000G39-08-16U (4)

CAP
139054-01-CHT 300,700 SERIES,E26P
139054-19-CHT E30W & E32K,D,J SERIES

SEALANT

G SHT 3

FRAME-BOTTOM
121893-01-CHT 300,700 SERIES,E26P
121893-03-CHT E30W & E32K,D,J SERIES

SHIM
125724-02-000
(BETWEEN FRAME AND JAMB)


SHIM
125724-02-000
(BETWEEN FRAME AND JAMB)

DETAIL
D (E,D,J SERIES)
L (300,700 SERIES)

SECTION
H (700 SERIES)
J (300,E,D,J SERIES)

FRAME-DOOR
121894-27-CHT E30W & E32K,D,J SERIES
121894-280CHT E26P
121894-30-CHT 300 SERIES
121894-31-CHT 700 SERIES

SHIM
125724-01-000 (3)
(BETWEEN FRAME AND JAMB)



SECTION A-A

FIRST USED		10 MOTORHOMES	
DO NOT SCALE DRAWING			
TITLE: DOOR COMPL-ENTRANCE,MID			
SHEET 1		PART NO 173577	REV

LATCH-SCREEN DOOR
132915-01-CHT
SCREW
000G11-08-12S (2)

SCREEN DOOR

STRIKE-DOOR,SCREEN
148364-01-CHT
SCREW
000G52-06-06U (2)
NUT
000D10-06-00B(2)

STRIKER-SLIDER

FRAME-BOTTOM
(REF)

BUMPER-RUBBER
081914-02-000(2)

2.0 (ENTRANCE DOOR OPEN
AND SCREEN DOOR CLOSED)


JAMB ASM

VIEW F-F


TAPE-ANTI SLIP
038327-01-000
(600)

SEAL-PILE
075673-05-000


SECTION G-G



SECTION M-M




SECTION K-K



SECTION S-S
(3 PLACES)

FIRST USED			10 MOTORHOMES		
TITLE:			DO NOT SCALE DRAWING		
			DOOR COMPL-ENTRANCE,MID		
SHEET 2		PART NO	173577	REV	

DETAIL D E SERIES D SERIES J SERIES



FIRST USED		10 MOTORHOMES	
DO NOT SCALE DRAWING			
TITLE: DOOR COMPL-ENTRANCE,MID			
SHEET 3		PART NO 173577	REV

TUBE-SUPPORT (2)
(REF)

SEAL
118929-01-CHT

HINGE
106719-01-CHT (3)
NUT-SERT
039715-01-000 (18)
SCREW-MACHINE
154777-02-CHT (18)
SCREW
000G39-08-24U (6)

SCREW
000G39-08-08U (12)

CONTACT ASM

DOOR ASM-SCREEN
P32208-06-XXX

700
SERIES

FOAM-SCREEN DOOR,RETAINER
130096-05-000

SEAL
075671-04-000
(ALL SIDES)

SEAL
118929-01-CHT

SEAL
104692-01-000 

BRACKET ASM-DOOR
137401-01-CHT

SECTION H-H

HINGE
106719-01-CHT (3)
NUT-SERT
039715-01-000 (18)
SCREW-MACHINE
154777-02-CHT (18)
SCREW
000G39-08-24U (6)

TUBE-SUPPORT (2)
(REF)

SEAL
118929-01-CHT

SCREW
000G39-08-08U (12)

DOOR ASM-SCREEN
P32208-02-XXX E30W & E32K,D,J SERIES
P32208-04-XXX 300 SERIES,E26P

300
E
D
J
SERIES

FOAM-SCREEN DOOR,RETAINER
130096-05-000

SEAL
075671-04-000
(ALL SIDES)

SEALER TAPE
069640-18-000
(5485)


SEAL
118929-01-CHT

SEAL
104692-01-000 


BRACKET ASM-DOOR
137401-01-CHT

SECTION J-J


FIRST USED		10 MOTORHOMES	
DO NOT SCALE DRAWING			
TITLE:			
DOOR COMPL-ENTRANCE,MID			
SHEET 5		PART NO	173577
			REV




SECTION AA-AA




SECTION AD-AD





SECTION AF-AF




SECTION AB-AB




SECTION AE-AE



SECTION AC-AC



SECTION AH-AH



SECTION AG-AG

- NOTES:
1. DRILL A 4.88-4.98 DIA. HOLE USING THE HOLES LOCATED EITHER SIDE OF THE TOOLING HOLES AS A TEMPLATE. INSTALL RIVET 142980-01-CHT (A/R)
 2. USE VENDOR SUPPLIED SCREWS.
 3. SEE ES0061 FOR CARPET ATTACHMENT AT BACKWALL.
 4. DIMENSIONS ARE FROM THE EDGE OF THE DOOR CUTOUT AND THE TOP OF THE FEATURE STRIP TO THE UPPER HOLE OF THE LOWEST SET OF HOLES CLOSEST TO THE DOOR.
 5. SCREW MUST BE LOCATED WITHIN 50MM OF RAIL-AWNING SPLICE. DRILL ADDITIONAL HOLES AND ADD SCREWS AS REQUIRED.

WINNEBAGO INDUSTRIES

COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.

DFT-ORIG	ORIG. DATE
CHK-REV	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	10 J-SERIES
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	±
ONE-PLACE (X.X)	±
TWO-PLACE (X.XX)	±
ANGLE	±
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: BODY INSTL-SECTIONS	
SHEET 1 OF 2	PART NO 170731
REF:	1

