






SECTION A-A



SECTION B-B


J35P
J37F
J38N



SECTION C-C

FIRST USED		
10 J-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
AWNING INSTL J-SERIES		
SHEET 2	PART NO 170828	REV


J38N




DOMETIC A&E AWNINGS
2-STEP

52F


FIRST USED			10 J-SERIES
DO NOT SCALE DRAWING			
TITLE:			AWNING INSTL J-SERIES
SHEET 3	PART NO	170828	REV




SECTION AA-AA




SECTION AD-AD




SECTION AF-AF




SECTION AB-AB




SECTION AE-AE




SECTION AC-AC



SECTION AH-AH



SECTION AG-AG




- NOTES:
1. DRILL A 4.88-4.98 DIA. HOLE USING THE HOLES LOCATED EITHER SIDE OF THE TOOLING HOLES AS A TEMPLATE. INSTALL RIVET 142980-01-CHT (A/R)
 2. USE VENDOR SUPPLIED SCREWS.
 3. SEE ES0061 FOR CARPET ATTACHMENT AT BACKWALL.
 4. DIMENSIONS ARE FROM THE EDGE OF THE DOOR CUTOUT AND THE TOP OF THE FEATURE STRIP TO THE UPPER HOLE OF THE LOWEST SET OF HOLES CLOSEST TO THE DOOR.
 5. SCREW MUST BE LOCATED WITHIN 50MM OF RAIL-AWNING SPLICE. DRILL ADDITIONAL HOLES AND ADD SCREWS AS REQUIRED.

WINNEBAGO


INDUSTRIES

COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DFT-ORIG	ORIG. DATE
CHK-OR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	10 J-SERIES
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	±
ONE-PLACE (X.X)	±
TWO-PLACE (X.XX)	±
ANGLE	±
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: BODY INSTL-SECTIONS	
SHEET 1 OF 2	PART NO 170731
REF:	1






FIRST USED		
10 J-SERIES		
DO NOT SCALE DRAWING		
TITLE: BODY INSTL-SECTIONS		
SHEET 2	PART NO 170731	REV



5. BUMPER MUST CONTACT HOOD IN THE CLOSED POSITION.
4. DRIVER SIDE BUMPER TO BE REMOVED WHEN USED WITH FORD CHASSIS.
3. AFTER HOOD ADJUSTMENT, THE BUMPER MUST CONTACT HINGE LINK IN THE CLOSED POSITION.
2. MINIMUM 2 SCREWS PER MOUNTING FLANGE WITH A SCREW WITHIN 20.0 EF EACH FLANGE END.
1. TOP OF PANEL ASM-FRONT, LOWER TO BE ALIGNED WITH BOTTOM EDGE OF WINDSHIELD.

		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFT:R		ORIG. DATE	
CHK:R		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.:		FIRST USED	
M.E.:		09 J-SERIES	
DSNR		MATERIAL:	
UNSPECIFIED TOLERANCES ARE:		THIRD ANGLE PROJECTION	
WHOLE DIM (X) : 3		DO NOT SCALE DRAWING	
ONE-PLACE (X.X) : 1.5		TITLE: BODY PANEL INSTL-FRONT	
TWO-PLACE (X.XX) : 0.50		SHEET 1 of 4	
ANGLE : 1°		PART NO 164444	
		REF: 1	



SECTION BA-BA

FIRST USED		
09 J-SERIES		
DO NOT SCALE DRAWING		
TITLE: BODY PANEL INSTL-FRONT		
SHEET 2	PART NO 164444	REV

BRACKET-SUPPORT,STRIKER
156216-04-CHT
SCREW
G39-10-12T (2)

TUBE-TIMING,HOOD
154091-03-CHT
SCREW-MACH
G16-04-24B (2)
NUT
D29-04-00B (2)

BRACKET-SUPPORT,STRIKER
156216-03-CHT
SCREW
G39-10-12T(2)

HINGE-ASM
137072-09-CHT (RH)
137072-10-CHT (LH)

ANGLE-STRIKER,HOOD
144209-02-CHT (2)
SCREW
G19-10-10B (4)
NUT
D24-10-00B (4)
WASHER
E13-10-00B (4)

STRIKER-DOOR,LUGGAGE
130053-01-CHT (2)
SCREW
G19-10-10B (4)
NUT
D24-10-00B (4)
WASHER
E13-10-00B (4)

WASHER
E13-15-00U (4)

NUT
D39-05-00U (4)

WASHER
E13-15-00U (4)

NUT
D39-05-00U (4)

VIEW CC

SECTION CB-CB

SECTION CA-CA

WINDSHIELD

PANEL ASM
-FRONT,
LOWER

FIRST USED		
09 J-SERIES		
DO NOT SCALE DRAWING		
TITLE: BODY PANEL INSTL-FRONT		
SHEET 3	PART NO 164444	REV

BRACKET-GAS SPRING
163122-01-CHT (RH)
163122-02-CHT (LH)
SCREW
G39-10-12T (4)
BALL STUD
57460-02-000 (2)
NUT
D39-05-00B (2)

SPRING-GAS
142569-07-000 (2)

TIMING BAR

HOOD

BOLT-HOOD ADJUSTING
58786-01-000 (2)
NUT
D39-05-00U (4)

SUPPORT-BUMPER,HOOD
156212-01-CHT (RH)
156212-02-CHT (LH)

SCREW-PAN,HEAD
G39-10-12T (6)

PANEL ASM-FRONT

SCREW-PAN,HEAD
G39-10-12T (6)

A-PILLAR

SECTION DB-DB


SECTION DA-DA

60.0

96.9

106.2




FIRST USED		
09 J-SERIES		
DO NOT SCALE DRAWING		
TITLE: BODY PANEL INSTL-FRONT		
SHEET 4	PART NO 164444	REV



5. BUMPER MUST CONTACT HOOD IN THE CLOSED POSITION.
4. DRIVER SIDE BUMPER TO BE REMOVED WHEN USED WITH FORD CHASSIS.
3. AFTER HOOD ADJUSTMENT, THE BUMPER MUST CONTACT HINGE LINK IN THE CLOSED POSITION.
2. MINIMUM 2 SCREWS PER MOUNTING FLANGE WITH A SCREW WITHIN 20.0 EF EACH FLANGE END.
1. TOP OF PANEL ASM-FRONT, LOWER TO BE ALIGNED WITH BOTTOM EDGE OF WINDSHIELD.

NOTES:

WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTD		ORIG. DATE	
CHRR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.		FIRST USED	
M.E.		09 J-SERIES, FL	
DSNR			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 3			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: BODY PANEL INSTL-FRONT			
SHEET 1 OF 4		PART NO 169237	
REF:		1	



SECTION BA-BA

FIRST USED		
09 J-SERIES,FL		
DO NOT SCALE DRAWING		
TITLE:		
BODY PANEL INSTL-FRONT		
SHEET 2	PART NO 169237	REV

BRACKET-SUPPORT,STRIKER
156216-04-02B
SCREW
G39-10-12T (2)

TUBE-TIMING,HOOD
154091-03-CHT
SCREW-MACH
G16-04-24B (2)
NUT
D29-04-00B (2)

BRACKET-SUPPORT,STRIKER
156216-03-02B
SCREW
G39-10-12T(2)

HINGE-ASM
137072-15-01A(RH)
137072-16-01A(LH)

ANGLE-STRIKER,HOOD
144209-02-02B(2)
SCREW
G19-10-10B (4)
NUT
D24-10-00B (4)
WASHER
E13-10-00B (4)

STRIKER-DOOR,LUGGAGE
130053-01-01A(2)
SCREW
G19-10-10B (4)
NUT
D24-10-00B (4)
WASHER
E13-10-00B (4)

WASHER
E13-15-00U (4)

NUT
D39-05-00U (4)

WASHER
E13-15-00U (4)

NUT
D39-05-00U (4)

VIEW CC

SECTION CB-CB

SECTION CA-CA

WINDSHIELD

PANEL ASM
-FRONT,
LOWER

FIRST USED		09 J-SERIES,FL	
DO NOT SCALE DRAWING			
TITLE: BODY PANEL INSTL-FRONT			
SHEET 3	PART NO	169237	REV

BRACKET-GAS SPRING
163122-03-02B(RH)
163122-04-02B(LH)
SCREW
G39-10-12T (4)
BALL STUD
057460-02-000 (2)
NUT
D39-05-00B (2)

SPRING-GAS
142569-28-000 (2)

TIMING BAR

BOLT-HOOD ADJUSTING
058786-01-000 (2)
NUT
D39-05-00U (4)

SUPPORT-BUMPER,HOOD
156212-01-02B(RH)
156212-02-02B(LH)

SCREW-PAN,HEAD
G39-10-12T (6)

PANEL ASM-FRONT

SCREW-PAN,HEAD
G39-10-12T (6)

A-PILLAR

SECTION DB-DB

60.0

96.9

106.2


SECTION DA-DA

FIRST USED		09 J-SERIES,FL	
DO NOT SCALE DRAWING			
TITLE: BODY PANEL INSTL-FRONT			
SHEET 4	PART NO	169237	REV

FORD/WH
152473-06

24	15703802XXX	SUPPORT ASM.	1
23	12356324CHT	PLATE-W/HOLE	4
22	15708001CHT	BOOT-COWL	2
21	15399806CHT	SUPPORT-HING	1
20	15955001CHT	REINFORCEMEN	2
19	15542301CHT	ANGLE-SUPPOR	2
18	14356106CHT	BRACKET ASM.	1
17	14356105CHT	BRACKET ASM.	1
16	13286401CHT	SUPPORT-FRON	2
15	08723401000	NUT-JACK	2
14	000G500412U	SCREW	2
13	15394313CHT	ANGLE-SUPPOR	2
12	15394303CHT	ANGLE-SUPPOR	1
11	15394305CHT	ANGLE-SUPPOR	3
10	15394304CHT	ANGLE-SUPPOR	2
9	15394301CHT	ANGLE-SUPPOR	2
8	15317802CHT	NOT DEFINED	1
7	15401601CHT	SUPPORT-FRON	1
6	15399808CHT	SUPPORT ASM.	1
5	15401602CHT	SUPPORT-FRON	1
4	15305704CHT	SUPPORT ASM.	1
3	15317801CHT	BRACKET-FOGL	1
2	15305702CHT	SUPPORT ASM.	1
1	15247305CHT	PANEL-FRONT	1
ITEM	PART NUMBER	DESCRIPTION	QTY

FIRST USED		
09 J SERIES		
DO NOT SCALE DRAWING		
TITLE: PANEL-FRONT,LOWER		
SHEET 1	PART NO 152473	REV



SECTION AB-AB
2 PLACES


SECTION AC-AC
2 PLACES

SECTION AD-AD

FREIGHTLINER
152473-07

24	15401603CHT	SUPPORT-FRON	1
23	15703802XXX	SUPPORT ASM.	1
22	12356324CHT	PLATE-W/HOLE	4
21	15708001CHT	BOOT-COWL	2
20	15399806CHT	SUPPORT-HING	1
19	15955001CHT	REINFORCEMEN	2
18	15542301CHT	ANGLE-SUPPOR	2
17	14356106CHT	BRACKET ASM.	1
16	14356105CHT	BRACKET ASM.	1
15	13286401CHT	SUPPORT-FRON	2
14	08723401000	NUT-JACK	2
13	000G500412U	SCREW-MACH	2
12	15394313CHT	ANGLE-SUPPOR	2
11	15394303CHT	ANGLE-SUPPOR	1
10	15394305CHT	ANGLE-SUPPOR	3
9	15394304CHT	ANGLE-SUPPOR	2
8	15394301CHT	ANGLE-SUPPOR	2
7	15317802CHT	NOT DEFINED	1
6	15399808CHT	SUPPORT ASM.	1
5	15401602CHT	SUPPORT-FRON	1
4	15305704CHT	SUPPORT ASM.	1
3	15317801CHT	BRACKET-FOGL	1
2	15305702CHT	SUPPORT ASM.	1
1	15247305CHT	PANEL-FRONT	1
ITEM	PART NUMBER	DESCRIPTION	QTY


FIRST USED			
09 J SERIES			
DO NOT SCALE DRAWING			
TITLE:			
PANEL-FRONT,LOWER			
SHEET 2	PART NO	152473	REV



SECTION AE-AE
2 PLACES

SECTION AF-AF
2 PLACES

SECTION AG-AG



16	15338501CHT	PANEL-HOOD,C	1
15	14634710CHT	PLATE-STUD	2
14	04436402000	NUT-SPEED, F	4
13	15408801CHT	HOOD ASM-INN	1
12	15620001CHT	ADJUSTER-HOC	2
11	10226501000	CLIP-ROD END	2
10	05871602000	WASHER-FLAT	4
9	000E131600U	WASHER	4
8	000C120564U	BOLT	2
7	000D290500A	NUT	2
6	000G390808U	SCREW-PAN,HE	24
5	14738801CHT	LATCH-PADDLE	1
4	14552105CHT	ROD-HOOD,LAT	1
3	14738802CHT	LATCH-PADDLE	1
2	11390802000	PLUNGER ASM	2
1	14552106CHT	ROD-HOOD,LAT	1
ITEM	PART NUMBER	DESCRIPTION	QTY

COPYRIGHT 2010
WINNEBAGO
INDUSTRIES, INC.

DFT-ORIG

ORIG. DATE

CHKD

ALL DIMENSIONS ARE
IN MILLIMETERS

P.E.

FIRST USED

M.E.

06 G-SERIES,W

DSNR

UNSPECIFIED TOLERANCES ARE:

MATERIAL:

WHOLE DIM (X) : 3

ONE-PLACE (X.X) :

TWO-PLACE (X.XX) :

ANGLE :

THIRD ANGLE
PROJECTION

DO NOT SCALE DRAWING

TITLE:

HOOD COMPL-FRONT

SHEET 1 OF 2

PART NO 154089




REV

REF:


1


3. USE ADHESIVE-RESIN 112481-03-000 AND
ADHESIVE-CURATIVE 112481-04-000 FOR BONDING PARTS.
2. DO NOT APPLY GLUE.
1. LUBRICATE WITH WHITE LITHIUM GREASE.

SEE CHART
FOR COLOR VARIATIONS
OF THIS PART



FIRST USED			06 G-SERIES,W		
DO NOT SCALE DRAWING					
TITLE:			HOOD COMPL-FRONT		
SHEET 2	PART NO	154089	REV		






(27A)
2010 ADVENTURER - ALMOND PEARL

(92A)
2010 ADVENTURER - PEARL SILVER


(24C)
2010 ADVENTURER - DARK SAGE






(24B)
2010 ADVENTURER - AMBER FIRE

FIRST USED		
2010 J-SERIES ADVENTURER		
SPECIFICATION PRINT		
DO NOT SCALE		
TITLE:		
GRAPHICS INSTL - FBP		
SHEET	2	PART NO
		171268
		REV





RELEASE		REV	DATE	DWG NO	161023
REV	ZONE	REVISION RECORD			DATE
					DFTR-ORIG


WINNEBAGO® INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFT#		ORIG. DATE	
CHK#		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		08 F-SERIES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE:			
LADDER INSTL			
SHEET 1 OF 1		PART NO	161023
REF:		1	



8. MUDFLAPS/AND/OR ROCKGUARD TO BE 40mm MIN FROM TIRE WHEN INSTALLED.
7. FOR WHEEL LINERS, LUG WRENCHES AND VALVE EXT. TIGHTNEING LUG NUTS SEE DRAWING 143921-01-000.
6. PRE DRILL SIDEWALL SKIN BEFORE FASTENING WITH SCREWS.
5. SEAL ALL METAL PANELS UNDER SLIDEOUT.
4. DATUM FROM EDGE OF CAB FLOOR.
3. APPLY URETHANE ADHESIVE TO TOP OF CHASSIS FLOOR FRAME STRUCTURE PER ES0077.
2. INNER REAR WHEELS ARE STEEL.
1. SEE DRAWING 170731 FOR SECTIONS AA THRU AZ

- | | |
|-----|--------------------------------|
| 094 | WINDOWS - SE-GI |
| 42Z | LOUNGE SEATING-THEATER STYLE |
| 42H | REST EASY-DUAL CONTROL |
| 41Z | RESTEASY DUAL CTL ULTRALE RH |
| 41H | REST EASY, ULTRALEATHER |
| 41F | REST EASY MULTI POS LOUNGE |
| 11L | FRTL (FRED) CHASSIS 27K - 22.5 |
| 74J | REARVIEW MONITOR SYS W/AUDIO |
| 1A5 | REARVIEW MONITOR SYSTEM W/O |

		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFT#		ORIG. DATE	
CHRR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		10 J38N	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ±			
ONE-PLACE (X.X) ±			
TWO-PLACE (X.XX) ±			
ANGLE ±			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE:			
BODY INSTL-PANEL & TRIM			
SHEET 1 OF 1		PART NO	REV
		170288	




140923-01
331C
500-SERIES
(524A PASSENGER)
(524K PASSENGER)
700-SERIES
D-SERIES
E-SERIES
H SERIES
J SERIES

4	000C260512U	BOLT	4
3	000D390500U	NUT	4
2	14092201CHT	PLATE-MUDFLAP	1
1	01751601000	MUD FLAP-BLACK	1
ITEM	PART NUMBER	DESCRIPTION	QTY

COPYRIGHT 2010
WINNEBAGO
INDUSTRIES, INC.

DFTR	ORIG. DATE
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	02 MOTORHOMES
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	:
ONE-PLACE (X.X)	:
TWO-PLACE (X.XX)	:
ANGLE	:
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: MUD FLAP COMPL	
SHEET 1 OF 5	PART NO 140923 REV

REF: 1 2/16/2010



140923-06
J-SERIES
USED TO PROTECT
MOTORAID LINES


5	13269501CHT	ANGLE-MUDFL	1
4	000C260512U	BOLT	4
3	000D390500U	NUT	4
2	14092201CHT	PLATE-MUDFL	1
1	01751601000	MUD FLAP-BL	1
ITEM	PART NUMBER	DESCRIPTION	QTY
FIRST USED			
02 MOTORHOMES			
DO NOT SCALE DRAWING			
TITLE:			
MUD FLAP COMPL			
SHEET 4		PART NO 140923	REV

DWG NO	PANEL ASM
164116-01	164035-03-XXX
164116-02	164035-04-XXX


1A5
74J 19R

RELEASE	REV	DATE	DWG NO	164116
	A			
REV	ZONE	REVISION RECORD	DATE	DFTR-ORIG

D
C
B
A



SECTION A-A



PANEL ASM-REAR CAP
(SEE TAB)
SCREW
G11-08-08U(4)
SEAL
104692-03-000 (A/R)

TRIM-CAP,ROOF
174826-02-CHT
SCREW
G12-08-12U (26)

TRIM-REAR, CAP TO SDW
92041-01-CHT (2)
MOLDING TRIM
91985-01-CHT (2)
(REF LENGTH 2112 EA)
SCREW
G62-08-08A (30)
SCREW
G55-08-16U (4)


ANGLE
150703-01-CHT
SCREW
G39-08-08B (6)

BRACE-REAR CAP,LOWER
149152-01-CHT
NUT
D39-06-00U

BRACE-REAR CAP,LOWER
149152-02-CHT
NUT
D39-06-00U

ANGLE
138789-01-CHT
SCREW
G39-08-08B (6)





- 19R RADIO/REARVIEW MONITOR SYS
- 1A5 REAR MONITOR SYS W/O
- 74J REAR VIEW MONITOR SYSTEM

WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTD		ORIG. DATE	
CHKD		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		09 F-SERIES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE:			
REAR CAP INSTL			
SHEET 1 of 1		PART NO	REV
		164116	

1. RE-TORQUE BOLTS TO 75 FT-LBS AFTER ATTACHING
THE REAR CAP BRACE TO THE REAR CLIP.

NOTES:

8 7 6 5 4 3 2 1



SECTION GE-GE

SECTION GD-GD

DETAIL GC

DETAIL GF

SEE DRAWING 169480
FOR CUTOUT INFO

TOP OF
CHASSIS RAIL

FRONT
AXLE

DATUM

SLUG ASM-SLIDEOUT
170303-11-XXX

TRIM-SIDEWALL
133100-05-CHT

GG

TRIM-SIDEWALL
133100-06-CHT

TRIM-SIDEWALL, ENT STEP
152800-01-CHT

GD

GD

TRIM-SIDEWALL

SECTION GG-GG

DETAIL GH (422)

9. DOOR INSERT 136177-10-XXX IS MADE FROM CUTOUT
8. SAW CUT THROUGH FIBERGLASS
7. THRU INTERIOR SURFACE AND FOAM.
6. THRU EXTERIOR SURFACE AND FOAM.
5. THRU EXTERIOR PANELING ONLY.
4. THRU INNER PANELING ONLY.

3. ALL RADII 9.5 UNLESS OTHERWISE SPECIFIED.
2. PANEL SHOWN FROM INTERIOR SIDE.
1. TOLERANCE FOR CUTOUT ± 1.5 .

NOTES:

- (422) LOUNGE SEATING-THEATER STYLE
- (1D5) ENTERTAINMENT CENTR/EXT W/CD
- (61K) TV(REAR)-26" COLOR STEREO
- (54E) WASHER/DRYER
- (21M) WASHER/DRYER PREP

NOTICE
CHANGES TO THIS SHEET
MAY AFFECT OTHERS

FIRST USED		10 J38N
DO NOT SCALE DRAWING		
TITLE:		SIDEWALL ASM-RIGHT
SHEET 7	PART NO	170303

ANGLE-PLASTIC
114248-02-CHT
STAPLE (A/R)

EXTERIOR

SECTION BB-BB

EXTERIOR

ANGLE

SECTION BA-BA

Ø 13 (2)
TOOLING HOLE


DATUM

R 11433
(#8 SWEEP)

ANGLE-BACKWALL
81557-51-025

Ø 13 (2)
MFG HOLE

FIRST USED		
10 J/K SERIES		
DO NOT SCALE DRAWING		
TITLE:		
BACKWALL ASM		
SHEET 1	PART NO 171488	REV



19. FOR MANUAL RETRACT REMOVE SET SCREW AND TURN ROD WITH WRENCH 143738-01-000 CLOCKWISE ON EACH ARM EVENLY UNTIL ROOM IS FULLY RETRACTED. ROD MUST BE FULLY UNSCREWED TO ALLOW ROOM TO OPERATE. WRENCH IS LOCATED IN THE INFO CASE.

18. THE VALVES ON THE HYDRAULIC PUMP MUST BE OPEN TO MANUALLY RETRACT ROOM.

17. THIS AREA IS TO BE FREE FROM OBSTRUCTION FOR SYNCH CYLINDER OPERATION.

16. LOCATE REAR BRACKET PER PROVIDED SYNCHRONIZING CYLINDER.

15. TRIM PLASTIC CORNERS SO THAT THEY ARE HIDDEN UNDER CARPET.

14. SCREW BULB SEAL TO BOTTOM OF FLOOR ASM-UPPER THRU REAR LEG OF SEAL.

13. LOCATE FOAM OVER DRAIN HOLES IN EXTRUSION.

12. TORQUE ALL BOLTS PER ES0018 UNLESS OTHERWISE SPECIFIED. (SEE TABLE BELOW)

SIZE	TORQUE VALUE (FT-LBS)
1/4 - 20 (.250)	76 (IN-LBS)
5/16 - 18 (.3125)	13 (FT-LBS)
3/8 - 16 (.375)	23 (FT-LBS)
7/16 - 14 (.4375)	37 (FT-LBS)
1/2 - 13 (.500)	57 (FT-LBS)

11. USE POLY-CLEAR 047034-07-000 AND ATTACH IT USING WASHER 044533-01-000 TO PROTECT THE SLIDEOUT FLOOR.

10. POSITION SEAL FLUSH WITH LOWER TRIM AND TIGHT AGAINST INNER TRIM.

9. SCREWS CANNOT BE REUSED. ANY TIME A SCREW IS REMOVED IT MUST BE DISCARDED AND REPLACED WITH A NEW SCREW TO INSURE THE THREADS SEAL.

8. USE SCREW 000G39-08-08S TO HOLD EACH END OF TRIM.

7. SEE SEALANT MANUAL.

6. LOOSEN BOLTS TO ALLOW ROOM TO MOVE SIDE TO SIDE ON THE MOUNTING BRACKETS UNTIL IT IS CENTERED IN THE OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.

5. LOOSEN JAM NUTS AND ADJSUT BOLT TO MOVE ROOM UP OR DOWN TO BE CENTERED IN THE SIDEWALL OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.

4. THIS IS A NOMINAL DIMENSION; THE PARTS SHOULD BE ADJUSTED AS REQUIRED FROM THERE.

3. THE RETRACTED LENGTH IS ADJUSTED BY THREADING THE STOP BOLT IN OR OUT UNTIL THE OUTSIDE WALL OF THE ROOM SEALS AGAINST THE SIDEWALL.

2. THE EXTENDED LENGTH IS ADJUSTED BY TURNING THE LOCK NUTS ON THE PISTON RODS IN OR OUT UNTIL THE SLIDEOUT ROOM SEALS AGAINST THE SIDEWALL.

1. FOR ADDITIONAL INFORMATION SEE WIRE INSTALLATION FRONT END AND THE LEVELING JACK INSTALLATION DRAWINGS.

NOTES:

ROOM ASM-SLIDEOUT
170296-11-XXX
170296-12-XXX
170296-13-XXX
170296-14-XXX

094
1G9
1G9 094


COMPARTMENT ASM-SLIDEOUT
159486-03-XXX (UP TO 06-16-09)
159486-07-XXX (AFTER 06-17-09)
BRACKET-MOUNT SLIDEOUT
152741-03-02B
SEAL PLANE SLIDEOUT
159485-03-02B

PLUG-PLASTIC
061420-05-000 (4)

SLIDEOUT-HYDRAULIC
163494-01-000
BOLT HANGER
151323-02-000
155476-02-000

1G9 FLOORCOVERING-VINYL-FRONT
54I FLOOR-GALLEY/VINYL TILE
54M FLOOR COVERING CARPET W/PAD
094 WINDOWS - SE-GI


WINNEBAGO INDUSTRIES		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFTF		ORIG. DATE	
CHRR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.		FIRST USED	
M.E.		10 J38N	
DSNR			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ±			
TWO-PLACE (X.XX) ±			
ANGLE ±			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
TITLE: SLIDEOUT COMPL-FRONT,LEFT			
SHEET 1 OF 6		PART NO 170296	
REF:		1	




- (1G9) FLOORCOVERING-VINYL-FRONT
- (54I) FLOOR-GALLEY/VINYL TILE
- (54M) FLOOR COVERING CARPET W/PAD
- (41X) LNG CHR-HOOP,ULTRLEATHER(LH)
- (14J) LOUNGE CHAIR-EURO ULTRALTHR
- (42F) LOUNGE CHAIR-HOOP BASE (LH)

ROOM ASM-SLIDEOUT (SEE TAB)

FIRST USED			10 J38N
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-FRONT,LEFT			
SHEET 2	PART NO	170296	REV




FIRST USED			10 J38N
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-FRONT,LEFT			
SHEET 3	PART NO	170296	REV




SECTION DA-DA

TUBE-DRAIN
155262-01-01A
WIRE TIE
008343-01-000
NUT SPEED
044364-02-000
(APPLY SEALANT AROUND
SIDEWALL OPENING INSTALL
TUBE WITH EXTERIOR HOLE
FACING DOWN)



SECTION DB-DB



DETAIL DD
(BOTH ENDS)

BRACKET-CLOSEOUT, SLIDEOUT
153800-03-02B
SCREW
000G67-10-10T (2)

COVER-RAMP
162509-21-01A
SCREW
000G62-08-32B (10)

COVER-RAMP
162509-22-01A
SCREW
000G62-08-32B (6)

BRACKET-CLOSEOUT, SLIDEOUT
153800-04-02B
SCREW
000G67-10-10T (2)

RAMP ASM-SLIDEOUT

BAR-SKID

SECTION DE-DE

RAMP-SLIDEOUT



SPACER-RAMP
160824-13-01A
SCREW
000G62-10-168 (10)

SECTION DC-DC
ROTATED 90°





PLATE-RETAINER

DETAIL DD

FIRST USED		10 J38N	
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-FRONT,LEFT			
SHEET 4	PART NO	170296	REV



FIRST USED		10 J38N	
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-FRONT,LEFT			
SHEET 5	PART NO	170296	REV



FIRST USED		10 J38N	
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-FRONT,LEFT			
SHEET 6	PART NO	170296	REV

D

C

B

A

18. FOR MANUAL RETRACT REMOVE SET SCREW AND TURN ROD WITH WRENCH 143738-01-000 CLOCKWISE ON EACH ARM EVENLY UNTIL ROOM IS FULLY RETRACTED. ROD MUST BE FULLY UNSCREWED TO ALLOW ROOM TO OPERATE. WRENCH IS LOCATED IN THE INFO CASE.

17. THE VALVES ON THE HYDRUALIC PUMP MUST BE OPEN TO MANUALLY RETRACT ROOM.

16. LOCATE REAR BRACKET PER PROVIDED SYNCH CYLINDER.

15. TRIM PLASTIC CORNERS SO THAT THEY ARE HIDDEN UNDER CARPET.

14. SCREW BULB SEAL TO BOTTOM OF FLOOR ASM-UPPER THRU REAR LEG OF SEAL.

13. LOCATE FOAM OVER DRAIN HOLES IN EXTRUSION.

12. TORQUE ALL BOLTS PER ES0018 UNLESS OTHERWISE SPECIFIED. (SEE TABLE BELOW)

SIZE	TORQUE VALUE (FT-LBS)
1/4 - 20 (.250)	76 (IN-LBS)
5/16 - 18 (.3125)	13 (FT-LBS)
3/8 - 16 (.375)	23 (FT-LBS)
7/16 - 14 (.4375)	37 (FT-LBS)
1/2 - 13 (.500)	57 (FT-LBS)

11. USE POLY-CLEAR 047034-07-000 AND ATTACH IT USING WASHER 044533-01-000 TO PROTECT THE SLIDEOUT FLOOR.

10. POSITION SEAL FLUSH WITH LOWER TRIM AND TIGHT AGAINST INNER TRIM.

9. SCREWS CANNOT BE REUSED. ANY TIME A SCREW IS REMOVED IT MUST BE DISCARDED AND REPLACED WITH A NEW SCREW TO INSURE THE THREADS SEAL.

8. USE SCREW 000G39-08-08S TO HOLD EACH END OF TRIM.

7. SEE SEALANT MANUAL..

6. LOOSEN BOLTS TO ALLOW ROOM TO MOVE SIDE TO SIDE ON THE MOUNTING BRACKETS UNTIL IT IS CENTERED IN THE OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.

5. LOOSEN JAM NUTS AND ADJSUT BOLT TO MOVE ROOM UP OR DOWN TO BE CENTERED IN THE SIDEWALL OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.


4. THIS IS A NOMINAL DIMENSION; THE PARTS SHOULD BE ADJUSTED AS REQUIRED FROM THERE.

3. THE RETRACTED LENGTH IS ADJUSTED BY THREADING THE STOP BOLT IN OR OUT UNTIL THE OUTSIDE WALL OF THE ROOM SEALS AGAINST THE SIDEWALL.


2. THE EXTENDED LENGTH IS ADJUSTED BY TURNING THE LOCK NUTS ON THE PISTON RODS IN OR OUT UNTIL THE SLIDEOUT ROOM SEALS AGAINST THE SIDEWALL.

1. FOR ADDITIONAL INFORMATION SEE WIRE INSTALLATION FRONT END AND THE LEVELING JACK INSTALLATION DRAWINGS.


NOTES:



ROOM ASM-SLIDEOUT	42H	41Z	41H	41F
170297-11-XXX	42Z			
170297-12-XXX	42H	41Z	41H	41F
170297-13-XXX	42Z	094		
170297-14-XXX	42H	41Z	41H	41F
170297-15-XXX	42Z	1G9		
170297-16-XXX	42H	41Z	41H	41F
170297-17-XXX	42Z	094	1G9	
170297-18-XXX	42H	41Z	41H	41F



- 54I FLOOR-GALLEY/VINYL TILE
- 54M FLOOR COVERING CARPET W/PAD
- 1G9 FLOORCOVERING-VINYL-FRONT
- 094 WINDOWS - SE-GI
- 41F REST EASY MULTI POS LOUNGE
- 41H REST EASY, ULTRALEATHER
- 41Z RESTEASY DUAL CTL ULTRALE RH
- 42H REST EASY-DUAL CONTROL
- 42Z LOUNGE SEATING-THEATER STYLE



WINNEBAGO INDUSTRIES

COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.

DFTR	ORIG. DATE
CHRR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	10 J38N
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	: 3
ONE-PLACE (X.X)	:
TWO-PLACE (X.XX)	:
ANGLE	:
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: SLIDEOUT COMPL-FRT,RH	
SHEET 1 OF 6	PART NO 170297

D

D

C


C

B

B

A


A




- (54I) FLOOR-GALLEY/VINYL TILE
- (54M) FLOOR COVERING CARPET W/PAD
- (1G9) FLOORCOVERING-VINYL-FRONT
- (42Z) LOUNGE SEATING-THEATER STYLE
- (41F) REST EASY MULTI POS LOUNGE
- (41H) REST EASY, ULTRALEATHER
- (41Z) RESTEASY DUAL CTL ULTRALE RH
- (42H) REST EASY-DUAL CONTROL

ROOM ASM-SLIDEOUT
(SEE TAB)


FIRST USED			10 J38N
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-FRT,RH			
SHEET 2	PART NO	170297	REV




SECTION CA-CA




SECTION CB-CB




SECTION CC-CC




SECTION CE-CE




SECTION CF-CF




SECTION CD-CD



SECTION V-V
SECTION CJ-CJ




SECTION CG-CG





SECTION CH-CH
(ROTATED)


FIRST USED		10 J38N	
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-FRT,RH			
SHEET 3	PART NO	170297	REV



SECTION DA-DA




FIRST USED			10 J38N
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-FRT,RH			
SHEET 4	PART NO	170297	REV




SECTION EA-EA
(2 PLACES)

U-CHANNEL-W/HOLES
151254-01-02B
SCREW
000G39-08-08B (4)






SECTION EB-EB

BRACKET-SEAL PLANE,MOUNT
153821-01-01A (4)
SCREW
000G39-10-10T (16)



FIRST USED		10 J38N	
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-FRT,RH			
SHEET 5	PART NO	170297	REV



FIRST USED			10 J38N
DO NOT SCALE DRAWING			
TITLE:			SLIDEOUT COMPL-FRT,RH
SHEET 6	PART NO	170297	REV

D

C

B


A

D

C

B

A



13. AFTER ALL ADJUSTMENTS ARE COMPLETE, TIGHTEN JAMB NUTS.

12. TORQUE ALL BOLTS PER ES0018 UNLESS OTHERWISE SPECIFIED. (SEE TABLE BELOW)

SIZE	TORQUE VALUE (FT-LBS)
1/4 - 20 (.250)	76 (IN-LBS)
5/16 - 18 (.3125)	13 (FT-LBS)
3/8 - 16 (.375)	23 (FT-LBS)
7/16 - 14 (.4375)	37 (FT-LBS)
1/2 - 13 (.500)	57 (FT-LBS)

11. USE POLY-CLEAR 47034-07-000 AND ATTACH IT USING WASHER 44533-01-000 TO PROTECT THE SLIDEOUT FLOOR.

10. POSITION SEAL FLUSH WITH LOWER TRIM AND TIGHT AGAINST INNER TRIM.

9. SCREWS CANNOT BE REUSED. ANY TIME A SCREW IS REMOVED IT MUST BE DISCARDED AND REPLACED WITH A NEW SCREW TO INSURE THE THREADS SEAL.

8. USE SCREW G39-08-08S TO HOLD EACH END OF TRIM.

7. SEE SEALANT MANUAL.

6. LOOSEN BOLTS TO ALLOW ROOM TO MOVE SIDE TO SIDE ON THE MOUNTING BRACKETS UNTIL IT IS CENTERED IN THE OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.

5. ADJUST BOLT TO MOVE ROOM UP OR DOWN TO BE CENTERED IN THE SIDEWALL OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.

4. THIS IS A NOMINAL DIMENSION; THE PARTS SHOULD BE ADJUSTED AS REQUIRED FROM THERE.






3. THE RETRACTED LENGTH IS ADJUSTED UNTIL THE OUTSIDE TRIM OF THE ROOM SEALS AGAINST THE OUTSIDE OF THE SIDEWALL.

2. THE EXTENDED LENGTH IS ADJUSTED UNTIL THE INSIDE TRIM OF THE ROOM SEALS AGAINST THE INSIDE OF THE SIDEWALL.

1. FOR ADDITIONAL INFORMATION SEE WIRE INSTALLATION FRONT END AND THE LEVELING JACK INSTALLATION DRAWINGS.


NOTES:

WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE		
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS		
P.E.			
M.E.	FIRST USED		
DSNR	10 J38N		
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 3			
ONE-PLACE (X.X) :			
TWO-PLACE (X.XX) :			
ANGLE :			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-REAR,LH			
SHEET 1 OF 4	PART NO 170298	REV	
REF:		1	




ROOM ASM-SLIDEOUT
170298-11-XXX


FIRST USED		
10 J38N		
DO NOT SCALE DRAWING		
TITLE: SLIDEOUT COMPL-REAR,LH		
SHEET 2	PART NO 170298	REV




SECTION CA-CA




SECTION CB-CB




SECTION CC-CC




SECTION CD-CD




SECTION CE-CE



SECTION CF-CF



SECTION CG-CG



SECTION CH-CH

FIRST USED			10 J38N
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-REAR,LH			
SHEET 3	PART NO	170298	REV

KEY	PART NUMBER	U/M DESCRIPTION
	100536-14-701	EA HOSE-HYDRAULIC - 1/4"X 108"
	131360-01-701	EA HOSE-HYDRAULIC-1/4" X 125"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-09-700	EA HOSE-HYDRAULIC-324"
	100536-27-700	EA HOSE/HYDRAULIC - 1/4" X 332"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-36-701	EA HOSE-HYDRAULIC-156"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-42-700	EA HOSE-HYDRAULIC - 1/4" X 180"
	100536-42-701	EA HOSE-HYDRAULIC - 1/4" X 175"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-31-701	EA HOSE-HYDRAULIC - 1/4" X 96"
	100536-47-700	EA HOSE-HYDRAULIC - 1/4" X 416"
	100536-47-701	EA HOSE-HYDRAULIC - 1/4" X 378"
	115767-01-704	EA HOSE-HYDRAULIC - 1/4" X 146"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-51-700	EA HOSE - HYDRAULIC 1/4" X 444"
	100536-51-701	EA HOSE - HYDRAULIC 1/4" X 456"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-14-702	EA HOSE-HYDRAULIC-264"
	100536-35-701	EA HOSE - HYDRAULIC 1/4" X 252"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-09-700	EA HOSE-HYDRAULIC-324"
	100536-26-700	EA HOSE - HYDRAULIC-1/4" X 100"
	115767-01-705	EA HOSE-HYDRAULIC - 1/4" X 60"
	135250-02-700	EA HOSE-HYDRAULIC - 1/4" X 300"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-58-700	EA HOSE - HYD. 1/4" X 86"
	100536-58-701	EA HOSE - HYDRAULIC 1/4" X 74"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-27-700	EA HOSE/HYDRAULIC - 1/4" X 332"
	100536-37-701	EA HOSE/HYDRAULIC - 1/4" X 336"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-09-701	EA HOSE-HYDRAULIC-1/4" X 60"
	100536-25-700	EA HOSE-HYDRAULIC-1/4" X 306"
	100536-26-700	EA HOSE - HYDRAULIC-1/4" X 100"
	100536-29-700	EA HOSE-HYDRAULIC-1/4" X 280"

100536-15-000
VENDOR NO.
 RAP4074
 RAP91473/AP4906

100536-27-000
VENDOR NO.
 RAP91489/AP2464
 RAP91491/AP8985

100536-38-000
VENDOR NO.
 RAP90078

100536-42-000
VENDOR NO.
 RAP90120/AP5965
 RAP90350/AP7358

100536-47-000
VENDOR NO.
 RAP5352/AP5352
 RAP91507
 RAP91501
 RAP90004/AP2443

100536-51-000
VENDOR NO.
 RAP91509
 RAP6217

100536-54-000
VENDOR NO.
 RAP6216/AP6216
 RAP90121/AP7385

100536-57-000
VENDOR NO.
 RAP91489/AP2464
 RAP90077/AP7832
 RAP4073/AP4073
 RAP90806/AP4064




100536-58-000
VENDOR NO.
 RAP91470/AP4665
 RAP91467/AP5616

100536-59-000
VENDOR NO.
 RAP91491/AP8985
 RAP5561




100536-60-000
VENDOR NO.
 RAP4073/AP4073
 RAP91487/AP4904
 RAP90077/AP7832
 RAP91485/AP4729

137390-01-000			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	128599-06-700	EA HOSE/HYDRAULIC -1/8" X 72"	RAP91424/AP24635
	128599-06-701	EA HOSE/HYDRAULIC - 1/8" X 84"	RAP91240/AP24636
	128599-06-703	EA BEARING KIT - SLIDE-OUT TUBE	RAP90698
	128599-06-704	EA BEARING PAD - .8" X 2"	P14811
	137390-01-700	EA RAM/CYLINDER - SLIDEOUT ROOM	RAP90876/AP23425
	137390-01-701	EA CYLINDER NUT KIT - SLIDEOUT	RAP90947
	137390-01-702	EA SLOT COVER ASM. - RUBBER	AP26959
	137390-01-703	EA RAM/CYLINDER - SLIDEOUT RM	RAP91209/AP28686

KEY	PART NUMBER	U/M	DESCRIPTION	151323-01-000, 151323-02-000, 151323-03-000	VENDOR NO.
	151323-01-700	EA	BOLT KIT - STORE-MORE		RAP91641



FABWELL SDW






- 4 SEAL TO BE FLUSH WITH OUTER TRIM.
 3 TOLERANCE ON THE CLIP SPACING IS $\pm$ 100.0 MM.
 2 APPLY SCREWS AT EACH END AND ONE IN THE MIDDLE OF THE OUTER TRIM.
 1 APPLY SCREW THROUGH SEAL SO THAT IT HOLDS THE SEAL IN PLACE ON THE INNER TRIM.

NOTES:

FABWELL SDW

TRIM ASM-SLIDEOUT,SIDE
1 2 **151763**






FABWELL SDW

153651-02-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	153651-01-701	EA LIMIT - SWITCH	1812996
	153651-01-702	EA COVER/BOOT - SEAL	1612011
	153651-02-700	EA MOTOR/LH - F/TRAVEL LOCK	1820131
	153651-02-701	EA BRACKET/MOUNTING - MOTOR	1102223




153651-04-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	153651-01-701	EA LIMIT SWITCH	1812996
	153651-02-700	EA MOTOR "R" - F/LH TRAVEL LOCK	1820131
	153651-02-701	EA BRACKET/MOUNTING - MOTOR	1102223
	153651-04-700	EA COVER/BOOT - SEAL	1612012
	153651-04-701	EA BEZEL F/MAIN HOUSING	1612567

			155325-01-000
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	125687-01-700	EA CYLINDER/RAM - 21" STROKE	RAP90512/AP15190
			155325-02-000
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	125687-01-700	EA CYLINDER/RAM - 21" STROKE	RAP90512/AP15190
			155325-03-000
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	125687-01-702	EA CYLINDER - SYNCHRONIZING	RAP90471/AP13607


			155476-01-000
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	128599-06-700	EA HOSE/HYDRAULIC -1/8" X 72"	RAP91424/AP24635
	155476-01-700	EA HOSE - HYDRAULIC 1/4" X 66"	RAP90356/AP5351
			155476-02-000
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	100536-10-701	EA HOSE-HYDRAULIC - 1/4" X 116"	RAP90349/AP5384
	137196-01-700	EA HOSE-HYDRAULIC - 1/8" X 120"	RAP90428/AP24642
			155476-03-000
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	100536-42-701	EA HOSE-HYDRAULIC - 1/4" X 175"	RAP90350/AP7358
	122359-01-701	EA HOSE - HYDRAULIC 1/8" X 180"	RAP90322/AP24651




FIRST USED		
FABWELL SDW		
DO NOT SCALE DRAWING		
TITLE: TRIM ASM-SLIDEOUT,SIDE		
SHEET 1	PART NO 156194	REV




FIRST USED		
FABWELL SDW		
DO NOT SCALE DRAWING		
TITLE:		
TRIM ASM-SLIDEOUT, SIDE		
SHEET 2	PART NO 156194	REV




- | | | | | | | | | | | | | | | | |
|--------|--|---|--|---|--|---|--|---|--|--------------|--|-----------------|--|--------|--|
| NOTES: | | | | | | | | | | SHEET 1 OF 1 | | PART NO. 156775 | | REV. | |
| 8 | | 7 | | 6 | | 5 | | 4 | | 3 | | 2 | | REF: 1 | |

		COMPANY WINNEBAGO INDUSTRIES, INC.	
DFT# _____		ORIG. DATE _____	
CHKR _____		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E. _____		FIRST USED _____	
M.E. _____		06 R-SERIES	
DSN# _____		_____	
UNSPECIFIED TOLERANCES ARE: WHOLE DIM (X) : ONE-PLACE (X.X) : 1.5 TWO-PLACE (X.XX) : ANGLE :		MATERIAL: _____	
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE:			
TRIM ASM-SLIDEOUT, TOP			
SHEET 1 OF 1		PART NO 156775	
		REV _____	





SEAT BELT
160167-01-CHT 2 X 102" BLACK
160167-02-CHT 2 X 90" BLACK

FIRST USED		
07 MOTORHOMES		
DO NOT SCALE DRAWING		
TITLE:		
SEAT BELT INSTL		
SHEET 1	PART NO 159417	REV



2007 MOTORHOMES

TRIM KIT-EXTERIOR,SLIDEOUT



2007 MOTORHOMES

TRIM KIT-EXTERIOR,SLIDEOUT

KEY	PART NUMBER	U/M	DESCRIPTION	163102-03-000	VENDOR NO.
	163102-03-700	EA	SYNCRONIZING CYLINDER		RAP92128/AP39279

KEY	PART NUMBER	U/M	DESCRIPTION
	145494-02-705	EA	KIT - ROOM RETRACTING BOLT

163494-01-000
VENDOR NO.
RAP91357