









FIRST USED		
08 M-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
SUPPLY INSTL		
SHEET 1	PART NO 143049	REV

FIRST USED			09 P-SERIES		
			DO NOT SCALE DRAWING		
TITLE:			AWNING INSTL P-SERIES		
SHEET	1	PART NO	167670	REV	






16767000d07,sheet8			
FIRST USED		10 P39N	
DO NOT SCALE DRAWING			
TITLE:			
AWNING INSTL P-SERIES			
SHEET	6	PART NO	167670
		REV	



1 BOLT-LAG
000G45-04-24U (4)

LOWER AWNING BRACKET
(SUPPLIED W/HARDWARE KIT)




SECTION M-M


SHIM
166641-05-CHT (2)

UPPER AWNING BRACKET
(SUPPLIED W/HARDWARE KIT)

1 BOLT-LAG
113874-12-CHT (4)



SECTION L-L



DETAIL R
(SHOWN W/OUT AWNING)
16767000d07,sheet9

FIRST USED		
10 P39N		
DO NOT SCALE DRAWING		
TITLE: AWNING INSTL P-SERIES		
SHEET 7	PART NO 167670	REV

D

C

B







A

D

C

B

A



- NOTES:
1. DRILL A 4.88-4.98 DIA. HOLE USING THE HOLES LOCATED EITHER SIDE OF THE TOOLING HOLES AS A TEMPLATE. INSTALL RIVET 142980-01-01A (A/R)
 2. THIS IS A NOMINAL DIMENSION ADJUST THE GAS SPRING SUCH THAT DOORS LINE UP IN OPEN POSITION
 3. SCREWS MUST BE LOCATED WITHIN 50MM OF RAIL-AWNING SPLICE. DRILL ADDITIONAL HOLES AND ADD SCREWS AS REQUIRED.
 4. VIEW TYPICAL FOR ALL SIDE-HINGE DOORS
 5. DIMENSIONS ARE FROM EDGE OF DOOR CUTOUT AND TOP OF FEATURE STRIP TO THE UPPER HOLE OF THE LOWEST SET OF HOLES, CLOSEST TO DOOR.

COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DFTR	ORIG. DATE
CHRR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	FIRST USED
M.E.	09 M39N
DSNR	

UNSPECIFIED TOLERANCES ARE:		MATERIAL:
WHOLE DIM (X)	: 3	
ONE-PLACE (X.X)	: 1.5	
TWO-PLACE (X.XX)	: 0.50	
ANGLE	: 1°	

THIRD ANGLE
PROJECTION


DO NOT SCALE DRAWING

TITLE:
BODY INSTL-SECTIONS



SHEET 1 OF 5	PART NO 171475	REV
--------------	----------------	-----

REF: 1

11/26/2009




RETAINER-SCREW
149753-01-01A (2)
CAP-SCREW, RETAINER
149753-02-01A (2)
SCREW
000G39-10-089 (2)




SECTION AH-AH


FIRST USED		
09 M39N		
DO NOT SCALE DRAWING		
TITLE:		
BODY INSTL-SECTIONS		
SHEET 2	PART NO	REV
	171475	




SECTION BA-BA




SECTION BJ-BJ
(ROTATED)



SECTION BK-BK






SECTION BC-BC 4




VIEW BB-BB 4


FIRST USED		
09 M39N		
DO NOT SCALE DRAWING		
TITLE:		
BODY INSTL-SECTIONS		
SHEET 3	PART NO 171475	REV




FIRST USED			09 M39N
DO NOT SCALE DRAWING			
TITLE: BODY INSTL-SECTIONS			
SHEET 4	PART NO	171475	REV




DETAIL BG




SECTION BH-BH




SECTION BM-BM



VIEW DA



SECTION BL-BL
(ROTATED 180°)



SECTION DB-DB

FIRST USED		09 M39N	
DO NOT SCALE DRAWING			
TITLE: BODY INSTL-SECTIONS			
SHEET 5	PART NO	171475	REV

STRAP-ATTACHMENT,FRONT END
147496-01-02B
RIVET
000H15-06-03R (3)

ANGLE-MOUNT,FRONT END
147498-01-02B
SCREW
000G39-08-08U (2)

SECTION F-F

SCREW
000G42-04-12B(7)

ANGLE-SUPPORT,MIRROR
169815-01-02B(2)

BOLT
000C26-04-10B(4)

SECTION E-E

BRACKET ASM-BUMPER
128455-02-02B
BOLT
000C12-08-24B
WASHER
000E13-22-00B(2)
NUT
000D29-08-00B

BRACKET ASM-BUMPER
128455-01-02B
BOLT
000C12-08-24B
WASHER
000E13-22-00B(2)
NUT
000D29-08-00B

BOLT
000C12-08-24B (4)
NUT
000D39-08-00B (4)
WASHER
000E13-22-00B (4)
NUT-BOLT RETAINER
164954-01-01A (4)

HOOD COMPT-FRONT
168071-01-Y71

PANEL ASM-FRONT,LOWER
168056-04-YS1

SPACER-BUMPER
116617-02-02B (4)

TRIM-PANEL,FIBERGLASS
140447-07-02A
SCREW-PANHEAD
000G60-08-16E (3)

BRACKET ASM-BUMPER
128455-01-02B
BOLT
000C12-08-24B
WASHER
000E13-22-00B(2)
NUT
000D29-08-00B




BRACKET ASM-BUMPER
128455-02-02B
BOLT
000C12-08-24B
WASHER
000E13-22-00B(2)
NUT
000D29-08-00B

3 USE WITH P37Y & P39N


2 USE WITH P40L & P40T

1 KEY 102328-01-000 TO BE INSTALLED ON KEY RING IN MOTORHOME PLANT.


FIRST USED		09 M39 N	
DO NOT SCALE DRAWING			
TITLE: BODY PANEL INSTL-FRONT			
SHEET	1	PART NO	168055
		REV	




SECTION G-G




DETAIL H
(74C 74L)




SECTION A-A



SECTION D-D
(2PLCS)



SECTION C-C



SECTION B-B

(74L) VIDEO CAMERA SYS W/COLOR MON
(74C) VIDEO CAMERA SYSTEM

FIRST USED		
09 M39 N		
DO NOT SCALE DRAWING		
TITLE: BODY PANEL INSTL-FRONT		
SHEET 2	PART NO 168055	REV

PANEL-FRONT,LOWER
168056-03-01A

SUPPORT ASM-WIPER
157038-04-Y71

LATCH-HOOD,FRONT END
160247-01-02B(2)

BOLT-HOOD ADJUSTING
058786-04-000(4)
NUT
000D39-05-00U (4)

BRACKET-BUMPER,HOOD
160210-06-02B(4)

PLATE ASM-SUPPORT,MIRROR
169799-02-02B

BRACKETHEADLAMP,ADJUSTER,RH
168699-02-02B

BRACKET ASM-MTG,HDLP,UPR,RH
168582-02-02B

BRACKET ASM-MTG,HDLP,LWR,RH
168583-02-02B

BRACKET ASM-FOGLAMP,RH
168001-02-02B

BRACKETHEADLAMP,ADJUSTER,LH
168699-04-02B

BRACKET ASM-MTG,HDLP,UPR,LH
168582-04-02B

BRACKET ASM-FOGLAMP,LH
168001-04-02B

BRACKET ASM-MTG,HDLP,LWR,LH
168583-04-02B

SUPPORT ASM-FRONT
160130-03-02B

19 TO TOP OF
TOP TUBE

244

565

1027 (2)

516

503

666

666

516

516

240 (2)

269 (2)

70 (2)

FIRST USED			09 M39 N
DO NOT SCALE DRAWING			
TITLE:			
PANEL-FRONT,LOWER			
SHEET	1	PART NO	168056
			REV

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D

C

B

A

←

D


C

B


A

←

D



		REV	DATE		DWG NO		
REV	ZONE	REVISION RECORD				DATE	DFTR-ORIG

WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFT#		ORIG. DATE	
CHK#		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		09 M-SERIES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			
THIRD ANGLE PROJECTION		WEIGHT: 25.80 LBS	
DO NOT SCALE DRAWING			
TITLE:			
HOOD COMPL-FRONT			
SHEET 1 OF 2		PART NO	REV
		168071	

2. USE ADHESIVE RESI 112481-03-000 & ADHESIVE CURATIVE 112481-04-000 FOR BONDING PARTS
1. CENTER ON HOLE IN PART

BRACKET-GAS SPRING
126263-08-02B(2)
SCREW-PAN,HEAD
000G39-10-12U (6)

TUBE-LINKAGE
160224-04-02B(4)


17.2
34.9

SECTION BA-BA
(2 SIDES)

WASHER
000E13-20-00U
BOLT-SHOULDER,HEX
155007-01-01A
BEARING-CLIP
155042-01-01A
WASHER
000E13-20-00U
NUT
000D29-06-00U
BEARING-CLIP
155042-01-01A
SECTION BB-BB
(2 PLCS)

BEARING-CLIP
155042-01-01A
BOLT-SHOULDER,HEX SOCKET
155007-01-01A
WASHER
000E13-20-00U
NUT
000D29-06-00U
WASHER
000E13-20-00U
SECTION BC-BC
(2 PLCS)

FIRST USED		
09 M-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
HOOD COMPL-FRONT		
SHEET 2	PART NO 168071	REV



8

7

6

5

4

3

2

1

DWG
NO 171000

SILVER MET
#49680

CADET BLUE MET
#78164

ED GOLD MET
75395

BLACK MIST MET
#75377

SILVER SKY MET
#62444

MED PLATINUM MET
#44094

DK TOREADOR RED MET
#75387

LT PEARLSTONE MET
#75248

LOGOS CARRYOVER FROM 2009

LOGOS CARRYOVER FROM 2009

(27A)
2010 MERIDIAN - SILVER CLIFF

(92A)
2010 MERIDIAN - BLACK CHERRY

BLACK MIST MET
#75377

MINERAL GRAY MET
#60588

SAND MICA MET
#50381

SOLID GOLD MET
#64548

LOGOS CARRYOVER FROM 2009

(24C)
2010 MERIDIAN - HARVEST NIGHT

FIRST USED		
2010 P-SERIES (MERIDIAN)		
SPECIFICATION PRINT DO NOT SCALE		
TITLE:		
GRAPHICS INSTL - FBP		
SHEET	2	PART NO
		171000
		REV

8

7

6

5

4


3

2

1



FIRST USED		
2010 P-SERIES (MERIDIAN)		
SPECIFICATION PRINT DO NOT SCALE		
TITLE: GRAPHICS INSTL - FBP		
SHEET 3	PART NO 171000	REV



8

7

6

5

4

3

2

1

DWG
NO 170999

FORD SILVER MET
#75341

BRIGHT PLATINUM MET
#48823-3

IRK GRAY MET
4255

ESPRESSO BROWN MET
#75411

RADIANT RUBY PEARL
#75409

BLACK MIST MET
#75377

WHITE
#75372

AUTUMNWOOD MET
#48507-1

LOGOS CARRYOVER FROM 2009

LOGOS CARRYOVER FROM 2009

(27A)
2010 JOURNEY - PLATINUM

(92A)
2010 JOURNEY - WALNUT GROVE

LIGHT BRONZE MET
#75392

BRONZED GRAY MET
#75400

WHITE
#45289-4

MED GOLD MET
#75395

LOGOS CARRYOVER FROM 2009

(24C)
2010 JOURNEY - TAUPE PEARL

FIRST USED		
2010 P-SERIES (JOURNEY)		
SPECIFICATION PRINT DO NOT SCALE		
TITLE:		
GRAPHICS INSTL - FBP		
SHEET	2	PART NO
		170999
		REV

8

7

6

5

4

3

2

1

CADET BLUE MET
#78164

DEEP NAVY BLUE MET
#51368

IRON GRAY MET
#42839

IRON GRAY MET
#42839



HARVEST GOLD MET
#57343

STEEL BLUE MET
#63302

LOGOS CARRYOVER FROM 2009

(24B)
2010 JOURNEY - DEEP NAVY



SOLID GOLD MET
#64548

BLACK MIST MET
#75377

LOGOS CARRYOVER FROM 2009

(24H)
2010 JOURNEY - CHARCOAL

SANDSTONE BEIGE MET
#43482-3

BLACK MIST MET
#75377



MED RED MICA MET
#61432

WHITE
#75372

LOGOS CARRYOVER FROM 2009



(24L)
2010 JOURNEY - RED MICA



FIRST USED		
2010 P-SERIES (JOURNEY)		
SPECIFICATION PRINT DO NOT SCALE		
TITLE		
GRAPHICS INSTL - FBP		
SHEET	PART NO	REV
3	170999	

DWG NO	SHEET
162024-01	1
162024-02	2


RELEASE	REV DATE	DWG NO	162024
REV ZONE	REVISION RECORD	DATE	03/14/07
C	SHT1 SHT2	UPDATE GEOMETRY LADDER ASM 161990-05 WAS -02	1153



FREIGHTLINER



COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DFTD	ORIG. DATE
CHKD	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	
DSNR	FIRST USED
08 M-SERIES	
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	: 3
ONE-PLACE (X.X)	: 1.5
TWO-PLACE (X.XX)	: 0.50
ANGLE	: 1°
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: LADDER INSTL	
SHEET 1 OF 2	PART NO 162024

8

7

6

5

4

3


2

1

DWG
NO **162024**

CL
OF VEHICLE

619



LADDER ASM-UPPER
161113-06-01A
SEAL-BRACKET
129375-02-000(6)

RIVET
118626-01-01A(8)


RIVET
113133-03-01A(16)

LADDER ASM-LOWER
161990-05-01A

WORKHORSE

FIRST USED			08 M-SERIES		
			DO NOT SCALE DRAWING		
TITLE:			LADDER INSTL		
SHEET	2	PART NO	162024	REV	

12/1/2009



12. ATTACH BASE OF SUPPORT DIRECTLY TO FLOOR PLYWOOD.

11. APPLY URETHANE ADHESIVE TO TOP OF CHASSIS FLOOR FRAME STRUCTURE PER ES0077.

10. MUDFLAPS AND/OR ROCKGUARDS TO BE 40mm MIN FROM TIRE WHEN INSTALLED.

9. USE ADHESIVE 131137-01-000.

8. FOR SECTIONS AA THRU AZ SEE DWG 171475.

7. APPLY ADHESIVE-LOCTITE 062917-03-000.

6. TORQUE SCREWS TO 6-7 FT/LBS.

5. PRE DRILL SIDEWALL SKIN BEFORE FASTENING WITH SCREWS.


4. DATUM FROM EDGE OF CAB FLOOR.

3. HORIZONTAL FEATURE LINES MUST LINE UP VERTICALLY MATCHING FRONT GRILL, VALANCES, AND REAR CAP. GAP BETWEEN VALANCES MUST BE UNIFORM.

2. INNER REAR WHEELS ARE STEEL.

1. TIGHTENING LUG NUTS SEE DWG 159483-01-000.

- | | |
|-----|------------------------------|
| 094 | WINDOWS - SE-GI |
| 23B | BED-KING SIDEWALL (POWERED) |
| 44X | BED-QUEEN SIDEWALL |
| 1PB | WORKHORSE PUSHER - 26,000# |
| 1LT | FRTL 27,910 340 6.7L 6 SPEED |
| 28X | MIRRORS-EXTERIOR W/DEFROST |

		COMPANY 2010 WINNEBAGO INDUSTRIES, INC.	
DFT# _____		ORIG. DATE _____	
CHKR _____		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E. _____			
M.E. _____		FIRST USED _____	
DSNR _____		10 P39N	
UNSPECIFIED TOLERANCES ARE: WHOLE DIM (X) ± _____ ONE-PLACE (X.X) ± _____ TWO-PLACE (X.XX) ± _____ ANGLE ± _____		MATERIAL: _____	
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE:			
BODY INSTL-PANEL & TRIM			
SHEET 1 OF 1		PART NO	REV
		173232	


106015-12-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-12-700	EA MIRROR-FLAT-W/W/O HEAT	709448
	106015-12-701	EA MIRROR-CONVEX - W/W/O HEAT	709449
	106015-12-702	EA CAP/SCREW - (PKG OF 4) - BLK	748329 RND
	106015-12-703	EA CONVEX GLASS/HANDSET/HOUSING	7095892
	106015-19-701	EA GLASS/FLAT-W/BEZEL/HEAT/ANTI	709644
	119774-09-700	EA PLATE-INNER SUPT/MIRROR HEAD	709418-7RH
	131431-01-701	EA MOTOR	7475400

106015-13-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-12-700	EA MIRROR-FLAT-W/W/O HEAT	709448
	106015-12-701	EA MIRROR-CONVEX - W/W/O HEAT	709449
	106015-12-702	EA CAP/SCREW - (PKG OF 4) - BLK	748329 RND
	106015-12-703	EA CONVEX GLASS/HANDSET/HOUSING	7095892
	106015-19-701	EA GLASS/FLAT-W/BEZEL/HEAT/ANTI	709644
	119774-09-701	EA PLATE INNER SUPT/MIRROR HEAD	709419-7LH
	131431-01-701	EA MOTOR	7475400

106015-14-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-12-700	EA MIRROR-FLAT-W/W/O HEAT	709448
	106015-12-701	EA MIRROR-CONVEX - W/W/O HEAT	709449
	106015-12-702	EA CAP/SCREW - (PKG OF 4) - BLK	748329 RND
	106015-12-703	EA CONVEX GLASS/HANDSET/HOUSING	7095892
	106015-19-701	EA GLASS/FLAT-W/BEZEL/HEAT/ANTI	709644
	119774-09-700	EA PLATE-INNER SUPT/MIRROR HEAD	709418-7RH


106015-15-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-12-700	EA MIRROR-FLAT-W/W/O HEAT	709448
	106015-12-701	EA MIRROR-CONVEX - W/W/O HEAT	709449
	106015-12-702	EA CAP/SCREW - (PKG OF 4) - BLK	748329 RND
	106015-12-703	EA CONVEX GLASS/HANDSET/HOUSING	7095892
	106015-19-701	EA GLASS/FLAT-W/BEZEL/HEAT/ANTI	709644
	119774-09-701	EA PLATE INNER SUPT/MIRROR HEAD	709419-7LH

106015-18-01A, 106015-19-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-12-702	EA CAP/SCREW - (PKG OF 4) - BLK	748329 RND
	106015-16-700	EA GLASS-FLAT W/HEAT ELEMENT	709450
	106015-18-700	EA GLASS/CONVEX-KIT W/CLIP	709650
	106015-18-701	EA ACTUATOR - CONVEX GLASS	7475410
	106015-18-702	EA MOTOR - FLAT GLASS	7471180
	106015-18-703	EA CONVEX REBUILT KIT	709651
	106015-19-700	EA VIBRATION KIT - MIRROR GLASS, VELVAC	709645



FIRST USED			08 M39W					
DO NOT SCALE DRAWING								
TITLE:								
BACKWALL ASM								
SHEET 1		PART NO		REV				
		160046						


166256-01-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-16-700	EA GLASS/FLAT-W/HEAT ELEMENT	709450
	106015-18-700	EA GLASS/CONVEX	709650
	106105-18-703	EA GLASS/CONVEX-ACT/HOUSING	709651 KIT
	131431-03-700	EA LIGHT/TURN SIGNAL - AMBER	7475510
	131431-07-700	EA KIT(SCREW CVR BLK)ROUND/OVAL	748344
	131431-08-700	EA CAP/BASE - BLK - 1 PKG OF 2	Q7095150
	166256-01-700	EA MOTOR	747673




RELEASE		REV DATE	1		DWG NO 162553	
REV	ZONE	REVISION RECORD		DATE	DFT-ORIG	

WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFT-OR		ORIG. DATE	
CHGR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		08 P-SERIES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			
THIRD ANGLE PROJECTION		WEIGHT: 256 LBS	
DO NOT SCALE DRAWING			
TITLE:			
REAR CAP INSTL			
SHEET 1 OF 4		PART NO	
		162553	
		REV	


P34Y
P39N



SECTION B-B
(LH OPPOSITE)
(2 PLCS)




DETAIL A



SECTION C-C

FIRST USED		
08 P-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
REAR CAP INSTL		
SHEET 2	PART NO	REV
	162553	



159019-02


8	13828901000	KEY & LOCK	2
7	000D390400U	NUT	4
6	15902002XXX	PANEL ASM-DC	1
5	10232505CHT	HINGE-TRUNK	2
4	12626303CHT	BRACKET-GAS	2
3	000G390812U	SCREW-PAN,HE	10
2	13829002000	LATCH ASM-TW	2
1	15914502XXX	GRILLE ASM-D	1
ITEM	PART NUMBER	DESCRIPTION	QTY

08 P-SERIES			
DO NOT SCALE DRAWING			
TITLE: DOOR COMPL-REAR ENGINE			
SHEET 1	PART NO 159019	REV	

8		7	
DWG NO	ROOM ASM-SLIDEOUT	SLUG ASM-SLIDEOUT	
165066-01	165066-11-XXX	165064-11-XXX	
165066-02	165066-12-XXX	173436-11-XXX	
165066-03	165066-13-XXX	173436-13-XXX	


094

RELEASE		REV	DATE	DWG NO	165066
REV	ZONE	REVISION RECORD		DATE	DTR-ORIG



COVER ASM
138077-31-AA1
SCREW
000G39-08-08U(4)
WASHER
077071-01-000(4)
BRACKET-RAM
161304-02-02B
PLATE ASM
136995-08-02B (2)
NUT
000D39-04-00B(4)

COVER ASM
138077-31-AA1
SCREW
000G39-08-08U(4)
WASHER
077071-01-000(4)
BRACKET-RAM
161304-02-02B
PLATE ASM
136995-08-02B (2)
NUT
000D39-04-00B(4)



SLIDEOUT-ELECTRIC
161298-01-000

BRACKET ASM
159854-03-02B (2)
BOLT
000C12-08-20B(4)
000C26-05-16B(4)
WASHER
000E13-22-00B(4)
NUT
000D39-08-00B(4)
000D39-05-00B(4)

SLIDEOUT-ELECTRIC
161298-02-000

16. MAXIMUM RUNNING AMPS NOT TO EXCEED 20 AMPS WITHOUT SLIDE ROOM COVER AND 25 AMPS WITH COVER AT 65° F.

15. TRIM PLASTIC CORNERS SO THAT THEY ARE HIDDEN UNDER CARPET.

14. LOCATE FOAM OVER DRAIN HOLES IN EXTRUSION.

13. FOR MANUAL RETRACT DISCONNECT 12V WIRING TO THE MOTOR, RELEASE THE MOTOR BRAKE, AND RETRACT USING A 3/4" SOCKET AT THIS LOCATION.

12. TORQUE ALL BOLTS PER ES0018 UNLESS OTHERWISE SPECIFIED. (SEE TABLE BELOW)

SIZE	TORQUE VALUE (FT-LBS)
1/4 - 20 (.250)	76 (IN-LBS)
5/16 - 18 (.3125)	13 (FT-LBS)
3/8 - 16 (.375)	23 (FT-LBS)
7/16 - 14 (.4375)	37 (FT-LBS)
1/2 - 13 (.500)	57 (FT-LBS)

11. USE POLY-CLEAR 047034-07-000 AND ATTACH IT USING WASHER 044533-01-000 TO PROTECT THE SLIDEOUT FLOOR.

10. POSITION SEAL FLUSH WITH LOWER TRIM AND TIGHT AGAINST INNER TRIM.

9. SCREWS CANNOT BE REUSED. ANY TIME A SCREW IS REMOVED IT MUST BE DISCARDED AND REPLACED WITH A NEW SCREW TO INSURE THE THREADS SEAL.

8. USE SCREW 000G39-08-08S TO HOLD EACH END OF TRIM.

7. SEE SEALANT MANUAL.

6. LOOSEN BOLTS TO ALLOW ROOM TO MOVE SIDE TO SIDE ON THE MOUNTING BRACKETS UNTIL IT IS CENTERED IN THE OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.

5. LOOSEN JAM NUTS AND ADJUST BOLT TO MOVE ROOM UP OR DOWN TO BE CENTERED IN THE SIDEWALL OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.

4. THIS IS A NOMINAL DIMENSION; THE PARTS SHOULD BE ADJUSTED AS REQUIRED FROM THERE.

3. THE RETRACTED LENGTH IS ADJUSTED BY THREADING THE STOP BOLT IN OR OUT UNTIL THE OUTSIDE WALL OF THE ROOM SEALS AGAINST THE SIDEWALL.

2. THE EXTENDED LENGTH IS ADJUSTED BY TURNING THE LOCK NUTS ON THE PISTON RODS IN OR OUT UNTIL THE SLIDEOUT ROOM SEALS AGAINST THE SIDEWALL.


1. FOR ADDITIONAL INFORMATION SEE WIRE INSTALLATION FRONT END AND THE LEVELING JACK INSTALLATION DRAWINGS.


NOTES:

094 WINDOWS - SE-GI


14W DINETTE

WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DTR		ORIG. DATE	
CHGR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.		FIRST USED	
M.E.		09 M39N	
DSNR		MATERIAL:	
UNSPECIFIED TOLERANCES ARE:		THIRD ANGLE PROJECTION	
WHOLE DIM (X) : 3		DO NOT SCALE DRAWING	
ONE-PLACE (X.X) : 1.5		TITLE: SLIDEOUT COMPLT-FRT,LH	
TWO-PLACE (X.XX) : 0.50		SHEET 1 OF 5	
ANGLE : 1°		PART NO 165066	
REF:		REV	







SECTION CA-CA




SECTION CB-CB




SECTION CC-CC




SECTION CD-CD




SECTION CE-CE



SECTION CF-CF




SECTION CG-CG



SECTION CH-CH

FIRST USED			09 M39N
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPLT-FRT,LH			
SHEET 3	PART NO	165066	REV



DETAIL DA

SEAL

FLOOR ASM

SCREW-PAN,HEAD
000G55-08-16U (2)
(BOTH SIDES)


TAPE-UHMW
156015-01-01A

2779

TRIM ASM-SLIDEOUT

ROOF ASM-SLIDEOUT

SECTION DB-DB



120
FROM RISER BOTTOM

BRACKET-WIRE CARRIER
162814-02-02B
SCREW
000G39-10-12T(2)

BRACKET ASM-WIRE CARRIER
171422-01-02B

CARRIER CABLE
143541-04-01A
RIVET
113133-01-01A(4)

SECTION DE-DE

PLASTIC-ABS COIL
093743-09-04A
(4650)

43
91

TAPE-DOUBLE SIDED1"
123816-01-000 (2)
(4511)

CARPET-HEMMED,SLIDEOUT FLOOR
154772-24-XXX
PAD
075233-06-000
(1730)

TAPE-DOUBLE SIDED 2"
123816-07-000 (2)
(4650)


SECTION DD-DD

TUBE-DRAIN
155262-01-01A
WIRE TIE
008343-01-000
NUT-SPEED FLAT
044364-02-000
(APPLY SEAL AROUND
SIDEWALL OPENING
INSTALL TUBE WITH EXTERIOR
HOLE FACING DOWN)

ROOF ASM-SLIDEOUT

SLUG ASM-SLIDEOUT

SECTION DC-DC



(21L) DINING TABLE/CHAIRS

FIRST USED			09 M39N
DO NOT SCALE DRAWING			
TITLE:			SLIDEOUT COMPLT-FRT,LH
SHEET 4	PART NO	165066	REV

8

7

6



5

4

3

2

1

DWG
NO 165066


FIRST USED		09 M39N	
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPLT-FRT,LH			
SHEET 5	PART NO	165066	REV

12/3/2009

8		7	
DWG NO	ROOM ASM-SLIDEOUT	SLUG ASM-SLIDEOUT	
165067-01	165067-11-XXX	165063-11-XXX	
165067-02	165067-12-XXX	173235-11-XXX	
165067-03	165067-13-XXX	173235-12-XXX	

094

RELEASE		REV	DATE	1	
A				DWG NO 165067	
REV	ZONE	REVISION RECORD		DATE	DTR-ORIG



15. TORQUE TO 30 FT-lb.

14. ADJUST BUMPER HEIGHT SO THAT
BED WILL OPERATE SMOOTHLY

13. ADJUST SO THAT BED FRAME IS FLAT.

12. TORQUE ALL BOLTS PER ES0018 UNLESS OTHERWISE SPECIFIED.
(SEE TABLE BELOW)

SIZE	TORQUE VALUE (FT-LBS)
1/4 - 20 (.250)	76 (IN-LBS)
5/16 - 18 (.3125)	13 (FT-LBS)
3/8 - 16 (.375)	23 (FT-LBS)
7/16 - 14 (.4375)	37 (FT-LBS)
1/2 - 13 (.500)	57 (FT-LBS)

11. USE POLY-CLEAR 047034-07-000 AND ATTACH IT USING WASHER
044533-01-000 TO PROTECT THE SLIDEOUT FLOOR.

10. POSITION SEAL FLUSH WITH LOWER TRIM AND TIGHT AGAINST
INNER TRIM.

9. SCREWS CANNOT BE REUSED. ANY TIME A SCREW IS REMOVED
IT MUST BE DISCARDED AND REPLACED WITH A NEW SCREW
TO INSURE THE THREADS SEAL.

8. USE SCREW 000G39-08-08S TO HOLD EACH END OF TRIM.

7. SEE SEALANT MANUAL..

6. LOOSEN NUS TO ALLOW ROOM TO MOVE SIDE TO SIDE ON
THE MOUNTING BRACKETS UNTIL IT IS CENTERED IN THE OPENING.
TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.

5. ADJUST NUTS TO MOVE ROOM UP OR DOWN TO BE
CENTERED IN THE SIDEWALL OPENING. TIGHTEN AFTER ALL
ADJUSTMENTS ARE COMPLETE.

4. THIS IS A NOMINAL DIMENSION; THE PARTS SHOULD BE ADJUSTED
AS REQUIRED FROM THERE.

3. THE RETRACTED LENGTH IS ADJUSTED UNTIL
THE OUTSIDE TRIM OF THE ROOM SEALS AGAINST
THE OUTSIDE OF THE SIDEWALL.

2. THE EXTENDED LENGTH IS ADJUSTED UNTIL
THE INSIDE TRIM OF THE ROOM SEALS AGAINST
THE INSIDE OF THE SIDEWALL.

1. FOR ADDITIONAL INFORMATION SEE WIRE INSTALLATION
FRONT END AND THE LEVELING JACK INSTALLATION DRAWINGS.

NOTES:

23B BRACKET ASM-CHAIR
154093-02-01B(4)
SCREW
000G39-10-12U(8)

48B 48A 44X FRAME ASM-SLIDEOUT,REAR
169620-12-02B
169620-09-02B
SCREW
000G39-10-12U (4)


SLIDEOUT-HYD,PAD
128599-03-000 (4)
SUPPORT ASM-ROLLER
126313-02-02B (4)
BOLT
000C26-06-20B (4)

SLIDEOUT MECHANISM
170306-01-000

- 094 WINDOWS - SE-GI
- 48B BED-QUEEN, MEMORY FOAM
- 48A BED-QUEEN, INNERSPRING
- 44X BED-QUEEN SIDEWALL
- 23B BED-KING SIDEWALL (POWERED)

WINNEBAGO INDUSTRIES		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DTR	ORIG. DATE		
CHRR	ALL DIMENSIONS ARE IN MILLIMETERS		
P.E.			
M.E.	FIRST USED		
DSNR	09 M39N		
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ±			
TWO-PLACE (X.XX) ±			
ANGLE ±			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
TITLE: SLIDEOUT COMPL-REAR,RH			
SHEET 1 OF 4	PART NO 165067	REV	
REF:		1	


TRIM- SEAL, INNER
139624-84-02A
SCREW
000G62-08-12B(9)



ROOF ASM-SLIDEOUT
170285-01-YS1
SCREW
000G62-08-12B (9)


TRIM KIT-INT
174648-16-AA3
SCREW
000G62-08-12B (23)

TRIM-FEATURE,UPPER
158375-04-02A (2)
SCREW
154938-02-02A(8)



PANEL ASM-SLIDEOUT
167332-03-XXX
SCREW
000G62-08-12B (18)


TRIM- SEAL, INNER
139624-37-02A
SCREW
000G62-08-12B(7)



TRIM KIT EXTERIOR
162091-68-AA1
SCREW
154938-05-03A (36)
INSERT
105312-01-CHT (7794)
SCREW
154938-04-02A(28)

SLUG ASM-SLIDEOUT
(SEE TAB)

COVER-CORNER
156151-01-01A (4)
CORNER-KEY
160421-01-01A (4)



TRIM- SEAL, INNER
139624-38-02A
SCREW
000G62-08-12B(7)

PANEL ASM-SLIDEOUT
167332-04-XXX
SCREW
000G62-08-12B (18)


FILM
093681-39-01A
(1565 BOTH SIDES)

TRIM-FEATURE,LOWER
163020-08-02A (2)
SCREW
154938-02-02A (8)


ROOM ASM-SLIDEOUT
(SEE TAB)

- 44X BED-QUEEN SIDEWALL
- 48B BED-QUEEN, MEMORY FOAM
- 48A BED-QUEEN, INNERSPRING
- 23B BED-KING SIDEWALL (POWERED)
- 93A EXTERIOR PAINT-CDI


FIRST USED		09 M39N
DO NOT SCALE DRAWING		
TITLE:		SLIDEOUT COMPL-REAR,RH
SHEET 2	PART NO	165067




SECTION CA-CA




SECTION CB-CB




SECTION CC-CC




SECTION CD-CD



SECTION CE-CE





SECTION CF-CF




SECTION CG-CG

FIRST USED			09 M39N
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-REAR,RH			
SHEET 3	PART NO	165067	REV



SECTION DA-DA

(44X)




SECTION DB-DB

FIRST USED			09 M39N
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-REAR,RH			
SHEET 4	PART NO	165067	REV

8		7	
DWG NO	ROOM ASM-SLIDEOUT	SLUG ASM-SLIDEOUT	
169569-01	169569-11-XXX	165064-12-XXX	
169569-02	169569-12-XXX	173436-12-XXX	
169569-03	169569-13-XXX	173436-14-XXX	


094

RELEASE		REV	DATE	1	
A				DWG NO	169569
REV	ZONE	REVISION RECORD			DATE
					DFTR-ORIG



COVER ASM
138077-31-XXX
SCREW
G39-08-08U(4)
WASHER
77071-01-000(4)
BRACKET-RAM
161304-02-CHT
PLATE ASM
136995-08-CHT (2)
NUT
D39-04-00B(4)

COVER ASM
138077-31-XXX
SCREW
G39-08-08U(4)
WASHER
77071-01-000(4)
BRACKET-RAM
161304-02-CHT
PLATE ASM
136995-08-CHT (2)
NUT
D39-04-00B(4)



SLIDEOUT-ELECTRIC
161298-02-000

BRACKET ASM
159854-03-CHT (2)
BOLT
C12-08-20B(4)
C26-05-16B(4)
WASHER
E13-22-00B(4)
NUT
D39-08-00B(4)
D39-05-00B(4)

SLIDEOUT-ELECTRIC
161298-01-000

16. MAXIMUM RUNNING AMPS NOT TO EXCEED 20 AMPS WITHOUT SLIDE ROOM COVER AND 25 AMPS WITH COVER AT 65° F.

15. TRIM PLASTIC CORNERS SO THAT THEY ARE HIDDEN UNDER CARPET.

14. LOCATE FOAM OVER DRAIN HOLES IN EXTRUSION.

13. FOR MANUAL RETRACT DISCONNECT 12V WIRING TO THE MOTOR, RELEASE THE MOTOR BRAKE, AND RETRACT USING A 3/4" SOCKET AT THIS LOCATION.

12. TORQUE ALL BOLTS PER ES0018 UNLESS OTHERWISE SPECIFIED. (SEE TABLE BELOW)

SIZE	TORQUE VALUE (FT-LBS)
1/4 - 20 (.250)	76 (IN-LBS)
5/16 - 18 (.3125)	13 (FT-LBS)
3/8 - 16 (.375)	23 (FT-LBS)
7/16 - 14 (.4375)	37 (FT-LBS)
1/2 - 13 (.500)	57 (FT-LBS)

11. USE POLY-CLEAR 47034-07-000 AND ATTACH IT USING WASHER 44533-01-000 TO PROTECT THE SLIDEOUT FLOOR.

10. POSITION SEAL FLUSH WITH LOWER TRIM AND TIGHT AGAINST INNER TRIM.

9. SCREWS CANNOT BE REUSED. ANY TIME A SCREW IS REMOVED IT MUST BE DISCARDED AND REPLACED WITH A NEW SCREW TO INSURE THE THREADS SEAL.

8. USE SCREW G39-08-08S TO HOLD EACH END OF TRIM.

7. SEE SEALANT MANUAL.

6. LOOSEN BOLTS TO ALLOW ROOM TO MOVE SIDE TO SIDE ON THE MOUNTING BRACKETS UNTIL IT IS CENTERED IN THE OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.

5. LOOSEN JAM NUTS AND ADJUST BOLT TO MOVE ROOM UP OR DOWN TO BE CENTERED IN THE SIDEWALL OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.

4. THIS IS A NOMINAL DIMENSION; THE PARTS SHOULD BE ADJUSTED AS REQUIRED FROM THERE.


3. THE RETRACTED LENGTH IS ADJUSTED BY THREADING THE STOP BOLT IN OR OUT UNTIL THE OUTSIDE WALL OF THE ROOM SEALS AGAINST THE SIDEWALL.






2. THE EXTENDED LENGTH IS ADJUSTED BY TURNING THE LOCK NUTS ON THE PISTON RODS IN OR OUT UNTIL THE SLIDEOUT ROOM SEALS AGAINST THE SIDEWALL.

1. FOR ADDITIONAL INFORMATION SEE WIRE INSTALLATION FRONT END AND THE LEVELING JACK INSTALLATION DRAWINGS.








NOTES:

094 WINDOWS - SE-GI






WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFT R		O R I G . D A T E	
C H R R		A L L D I M E N S I O N S A R E I N M I L L I M E T E R S	
P . E .			
M . E .		F I R S T U S E D	
D S N R		09 M39N	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
W H O L E D I M (X) ± 3			
O N E - P L A C E (X . X) ± 1.5			
T W O - P L A C E (X . X X) ± 0.50			
A N G L E ± 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE:			
SLIDEOUT COMPLT-REAR,LH			
SHEET 1 OF 5		PART NO	REV
		169569	



93A EXTERIOR PAINT-CDI		
ROOM ASM-SLIDEOUT (SEE TAB)		
FIRST USED 09 M39N		
DO NOT SCALE DRAWING		
TITLE: SLIDEOUT COMPLT-REAR,LH		
SHEET 2	PART NO 169569	REV



FIRST USED			09 M39N
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPLT-REAR,LH			
SHEET 3	PART NO	169569	REV



FIRST USED		
09 M39N		
DO NOT SCALE DRAWING		
TITLE: SLIDEOUT COMPLT-REAR,LH		
SHEET 4	PART NO 169569	REV

FLOOR ASM-UPPER

NUT
D39-08-00B (16)

SECTION EA-EA
ROTATED 90°

EA

EA

6055 REF

1546 REF

3.0 A

3.0 B

-B-

FIRST USED		
09 M39N		
DO NOT SCALE DRAWING		
TITLE:		
SLIDEOUT COMPLT-REAR,LH		
SHEET 5	PART NO 169569	REV

153651-02-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	153651-01-701	EA LIMIT - SWITCH	1812996
	153651-01-702	EA COVER/BOOT - SEAL	1612011
	153651-02-700	EA MOTOR/LH - F/TRAVEL LOCK	1820131
	153651-02-701	EA BRACKET/MOUNTING - MOTOR	1102223

153651-04-01A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	153651-01-701	EA LIMIT SWITCH	1812996
	153651-02-700	EA MOTOR "R" - F/LH TRAVEL LOCK	1820131
	153651-02-701	EA BRACKET/MOUNTING - MOTOR	1102223
	153651-04-700	EA COVER/BOOT - SEAL	1612012
	153651-04-701	EA BEZEL F/MAIN HOUSING	1612567

D

D

C


C

B

B

A

A



- NOTES:
- 5 OUTER TRIM MUST BE CENTERED ON THE INNER TRIM WITHIN ± 3.0 .
 - 4 TOLERANCE ON THE CLIP SPACING IS ± 100.0 MM.
 - 3 LOCATE CLIPS AT EACH END AND SPACED EQUALLY ALONG THE INNER TRIM.
 - 2 APPLY SCREWS AT EACH END AND ONE IN THE MIDDLE OF THE OUTER TRIM.
 - 1 APPLY SCREW THROUGH SEAL SO THAT IT HOLDS THE SEAL IN PLACE ON THE INNER TRIM.

WINNEBAGO
INDUSTRIES

COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DFT-ORIG	ORIG. DATE
CHK-OR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	FABWELL SDW
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	± 1.5
ONE-PLACE (X.X)	± 1.5
TWO-PLACE (X.XX)	± 1.5
ANGLE	± 1.5
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: TRIM ASM-SLIDEOUT, TOP	
SHEET 1 OF 1	PART NO 156193

REF: 1

D

D

C




C

B

B




A

A




VIEW B

FIRST USED		
FABWELL SDW		
DO NOT SCALE DRAWING		
TITLE: TRIM ASM-SLIDEOUT,SIDE		
SHEET 1	PART NO 156194	REV



FIRST USED		
FABWELL SDW		
DO NOT SCALE DRAWING		
TITLE: TRIM ASM-SLIDEOUT,SIDE		
SHEET 2	PART NO 156194	REV



- NOTES:
1. APPLY SCREW THROUGH SEAL SO THAT IT HOLDS THE SEAL IN PLACE ON THE INNER TRIM.
 2. APPLY SCREWS AT EACH END AND ONE IN THE MIDDLE OF THE OUTER TRIM.
 3. LOCATE CLIPS AT EACH END AND SPACED EQUALLY ALONG THE INNER TRIM.
 4. TOLERANCE ON THE CLIP SPACING IS ± 100.0 MM.
 5. OUTER TRIM MUST BE CENTERED ON THE INNER TRIM WITHIN ± 3.0 .
 6. INSTALL SEAL WITH WIPE LEG TO THE OUTSIDE OF THE COACH.



8		7		6		5		↓	4	3		2		1	
DWG NO	TRIM ASM-SLIDEOUT,LOWER,ZEE	A (REF)	B	C	WEIGHT (LBS)	NUMBER OF SCREWS	SHEET								DWG NO 157584
157584-25	157583-25-XXX	1547.0	1480.0	25.0	2.20	6	1								
157584-26	171418-01-XXX	675.6	640.0	25.0	0.80	3	1								
157584-27	171418-02-XXX	693.6	657.2	3.0	0.99	3	1								

D

C


B

A



SECTION D-D

FIRST USED				06 MOTORHME	
DO NOT SCALE DRAWING					
TITLE:					
TRIM ASM-SLIDEOUT,LOWER,ZEE					
SHEET 2		PART NO		157584	
				REV	



FIRST USED		
07 MOTORHOMES		
DO NOT SCALE DRAWING		
TITLE:		
SEAT BELT INSTL		
SHEET 1	PART NO	REV
	159417	

KEY	PART NUMBER	U/M	DESCRIPTION	161298-01-000
				VENDOR NO.
	161662-01-700	EA	ROLL PIN-1/8" X 1 1/4"	18-1036
	161662-01-701	EA	CLIP PIN-1/8"	18-1032
	161662-01-702	EA	BOLT/SHOULDER-1/2' X 7/8"	15-1378
	161662-01-703	EA	ROLLER-2"	510022
	161662-01-704	EA	PAD/WEAR	DN10936
	161662-01-705	EA	BEARING/FLANGE-3/4" X 1"	2010000049
	161662-01-706	EA	GEAR/SPUR-3/4"ID X 2"OD	3010000400
	161662-01-707	EA	KEY/WOODRUFF-#606	521336
	161662-01-708	EA	SHAFT W/COUPLER-3/4 X 6 7/8	1010000402
	161662-01-709	EA	WEAR PAD-ROUND	320-0056
	161662-01-710	EA	MOTOR ASM-RH MOUNTED	1010000211
	161662-01-711	EA	ROLLER/PLASTIC 3/4' X 2.9"	3010000401
	161662-01-712	EA	SPACER	531164

D

D

C







C

B


B

A

A



FIRST USED		
2007 MOTORHOMES		
DO NOT SCALE DRAWING		
TITLE:		
TRIM KIT-EXTERIOR,SLIDEOUT		
SHEET 1	PART NO 162091	REV



DO NOT SPLICE SEAL. ATTACH SEAL TO LONGEST TOP TRIM PIECE PART ONLY. LEAVE THE REMAINDER OF THE SEAL LOOSE TO BE ATTACHED DURING INSTALLATION OF ALUMINUM TRIM.

SEAL
(REF)

SEAL
(REF)

TOP RETAINER TRIM
(SECOND PIECE)
168732-04-01A WHT
168732-04-02A BLK

RETAINER TRIM

TOP TRIM
169231-44-01A WHT
169231-44-02A BLK

RETAINER
146606-45-01A WHT
146606-45-02A BLK
168732-04-01A WHT(FRONT SLIDEOUTS ON J38N ONLY)
168732-04-02A BLK(FRONT SLIDEOUTS ON J38N ONLY)
168732-04-01A WHT(LEFT SLIDEOUT ON J32H ONLY)
168732-04-02A BLK(LEFT SLIDEOUT ON J32H ONLY)
168732-04-01A WHT(BOTH SLIDEOUTS ON P39N)
168732-04-02A BLK(BOTH SLIDEOUTS ON P39N)

DETAIL E
(SPLICE IN TOP TRIM.)
(SHOWN FROM THE BACKSIDE OF TRIM.)

FIRST USED		2007 MOTORHOMES	
DO NOT SCALE DRAWING			
TITLE: TRIM KIT-EXTERIOR,SLIDEOUT			
SHEET 2	PART NO	162091	REV