


P-SERIES  
FREIGHTLINER  
UP TO 01-31-10  
SCS



8. HOSE TO BE RUN WITH FREIGHTLINER CHASSIS HOSE AND WIRING.

7. ROUTE A/C LINES OVER THE TOP OF ENGINE AIR INTAKE USE A GENEROUS RADIUS AND DO NOT ALLOW LINES TO TOUCH ENGINE.

6. APPLY GIMP 113452-02-000 OVER ALL SHARP EDGES THAT MAY CROSS HOSES.

5. SUPPLIED WITH A/C-HEATER

4. TORQUE TO 28-33 FT/LBS

3. TORQUE TO 21-27 FT/LBS

2. TORQUE TO 15-20 FT/LBS

1. TORQUE TO 11-13 FT/LBS

16. SEE MOTORAIID INSTL FOR ADDITIONAL INFORMATION.

15. TORQUE TO 20.0  $\pm$  3 IN/LBS.

14. USE ANTI-FREEZE 007316-03-000 (A/R)


13. USE 50 MM OF DROPOFF FROM TRIMING 079059-01-000.

12. REMOVE RETURN LINE FROM FOWARD SIDE OF VALVE AND ROUTE ACROSS CHASSIS CROSSMEMBER TO RIGHT HAND SIDE

11. EVACUTE COMPLETE SYSTEM TO 50 MICRONS AND CHECK FOR LEAKS CHARGE SYSTEM WITH 40OZ  $\pm$  1.8 OZ OF 3122-00-R134A FREON AND ADD 4 OZ OF REFRIGERANT PAG OIL NO. 104941-02-000

10. LUBRICATE ALL O-RINGS WITH REFRIGERANT OIL.

9. LEAVE CAPS ON HOSES UNTIL FINAL CONNECTION IS MADE



NOTES:

HEATER-A/C INSTL,CHASSIS

3A

169851

# P-SERIES FREIGHTLINER (AFTER 02-01-10) EVANS

#12 SUCTION LINE TO  
HEATER-A/C UNIT

#6 LIQUID LINE TO  
HEATER-A/C UNIT

VIEW DA-DA

LIQUID LINE  
HOSE ASM #6  
176054-02-000

SUCTION LINE  
A/C HOSE KIT # 12  
176054-07-000

SUCTION LINE  
(LARGER DIA. A/C LINE)

A/C COMPRESSOR

DB

DB

DA

DA

RESERVOIR-VACUUM  
176053-01-000  
SCREW  
G39-10-10U (2)

HOSE  
7108-51-000  
(700)

FROM HEATER CORE  
(RETURN)

TEE  
76776-01-000

HOSE  
7108-51-000  
(70)

VALVE-WATER,3  
PORT ELECTRONIC  
176044-02-000  
SCREW  
G39-10-10U (2)

CLAMP  
62401-04-000 (8)

TO HEATER CORE  
(SUPPLY)

HOSE  
7108-51-000  
(700)

FROM BOTTOM OF ENGINE  
(RETURN)

FROM TOP OF ENGINE  
(SUPPLY)

#12 SUCTION LINE TO  
HEATER-A/C UNIT

#6 LIQUID LINE TO  
HEATER-A/C UNIT

CONNECT BLUE VACUUM  
LINE FROM DASH HVAC  
CONTROL TO AIR  
RECIRCULATION DOOR  
VACUUM MOTOR.

VIEW DB-DB

LIQUID LINE (REF)

DISCHARGE LINE  
HOSE ASM # 8  
176054-01-000

TO CHASSIS  
WATER LINES

DC

TRIM-VINYL  
113452-01-000  
(600)  
(APPLY TO EDGES OF SHIELD)

DC

7. WHEN MOTOROID TUBE CONTACTS ANY CHASSIS COMPONENT THE SHALL  
BE POTECTED BY CONDUIT 41953-02-000

6. USE ANTIFREEZE 7316-03-000 (A/R)

5. ADD 4 OZ OF PAG REFRIGERANT OIL P/N 104941-02-000 IN LIQUID LINE,  
EVACUATE COMPLETE SYSTEM TO 50 MICRONS AND CHARGE SYSTEM WITH R134A REFRIGERANT  
P/N 3122-03-000. SEE ENGINEERING SPECIFICATION ES0083 FOR REFRIGERANT CHARGE  
AND REFRIGERANT LINE TORQUE VALUES.


4. LUBRICATE ALL O-RINGS WITH REFRIGERANT OIL.

3. LEAVE CAPS ON HOSES UNTIL FINAL CONNECTION IS MADE

2. APPLY GIMP 113452-02-000 OVER ALL SHARP EDGES THAT MAY CROSS  
HOSES.

1. SEE MOTOROID INSTL FOR ADDITIONAL INFORMATION.

NOTES:






|                          |         |     |
|--------------------------|---------|-----|
| FIRST USED               |         |     |
| 10 P-SERIES FL           |         |     |
| DO NOT SCALE DRAWING     |         |     |
| TITLE:                   |         |     |
| HEATER-A/C INSTL,CHASSIS |         |     |
| SHEET3B                  | PART NO | REV |
|                          | 169851  |     |

| KEY | PART NUMBER   | U/M DESCRIPTION               | 072342-17-000<br>VENDOR NO. |
|-----|---------------|-------------------------------|-----------------------------|
|     | 072342-12-701 | EA HOSE ASM #8 CONDENSER/COMP | 085-0142                    |
|     | 113245-01-707 | EA O'RING #8                  | 045-0126                    |


| KEY | PART NUMBER   | U/M DESCRIPTION                 | 072342-26-000<br>VENDOR NO. |
|-----|---------------|---------------------------------|-----------------------------|
|     | 072342-26-700 | EA SWITCH-BINARY W/PACKARD CONN | 032-00384                   |
|     | 072342-26-701 | EA HOSE ASM. - #6 DRIER/EVAP    | 085-00623                   |
|     | 103930-01-716 | EA SWITCH-PRESSURE/COND. FAN    | 032-0036                    |
|     | 113245-01-711 | EA O'RING #6                    | 045-0129                    |

| KEY | PART NUMBER   | U/M DESCRIPTION                | 072342-27-000<br>VENDOR NO. |
|-----|---------------|--------------------------------|-----------------------------|
|     | 072342-27-700 | EA HOSE - #6 DRIER/EVAPORATOR  | 085-00622                   |
|     | 103930-01-716 | EA SWITCH-PRESSURE/COND. FAN   | 032-0036                    |
|     | 103930-12-708 | EA SWITCH-BINARY-HI/LOW CUTOUT | 032-00048                   |
|     | 103930-12-709 | EA FITTING-QUICK CONNECT       | 050-0120                    |
|     | 110279-02-702 | EA O'RING #12                  | 045-0125                    |
|     | 113245-01-711 | EA O'RING #6                   | 045-0129                    |



# P-SERIES UP TO 01-31-10 SCS

|                       |                |     |
|-----------------------|----------------|-----|
| FIRST USED            |                |     |
| 10 M/P-SERIES         |                |     |
| DO NOT SCALE DRAWING  |                |     |
| TITLE:                |                |     |
| HEATER-A/C INSTL,DASH |                |     |
| SHEET 4A              | PART NO 169852 | REV |



OUTLET-DEFROSTER  
157225-01-CHT  
SCREW  
000G55-08-12U (2)

HOSE  
007281-01-000  
(1524)  
SCREW  
000G71-08-08T (4)

VENT  
146504-01-CHT

HOSE  
007076-01-000  
(1219)  
SCREW  
000G71-08-08T (4)

VENT  
146505-01-CHT

PLENUM-DEFROSTER  
(REF)

DASH SUPPORT TUBE  
(REF)  
CONTROL/PLENUM SET  
(REF)

57.4

8.0

FOAM  
100619-54-016

HOSE-FLEXIBLE 5"  
174661-04-000  
CLAMP-HOSE  
174699-01-CHT (2)  
SCREW  
000G39-08-08B (4)

SECTION DA-DA

VENT-DEFROSTER  
135265-01-CHT (4)  
GASKET  
077075-01-000 (4)  
(INSTALL GASKET WITH  
WIDE END TOWARD CENTER)  
SCREW  
000G55-08-16U (8)  
(SCREW THRU GASKET)

VENT  
146504-01-CHT

PLENUM-AIR DISTRIBUTION  
176050-02-000

HOSE  
007076-01-000 (3)  
(280)  
SCREW  
000G71-08-08T (4)

VENT  
158174-01-CHT (3)  
SCREW  
000G71-08-08T (6)

VENT  
146504-01-CHT

HOSE ASM-CONDENSATE DRAIN  
176055-01-000  
CLAMP-HOSE  
062401-03-000

9

HOSE  
007076-01-000  
(508)  
SCREW  
000G71-08-08T (4)

OUTLET-DEFROSTER  
157225-01-CHT  
SCREW  
000G55-08-12U (2)

VENT  
(REF)

SECTION DB-DB

PLENUM-DEFROSTER  
103017-04-000  
SCRWE  
000G39-08-08B (3)  
(6 PLACES)

PANEL-CONTROL,HORZ  
176051-01-000  
MOUNT ASM-HVAC CONTROL  
176022-01-CHT  
SCREW  
000G39-08-08U (8)

10

HOSE  
007281-01-000  
(660)  
SCREW  
000G71-08-08T (4)

HOSE  
007076-01-000  
(965)  
SCREW  
000G71-08-08T (4)

HOSE  
007076-01-000  
(1219)  
SCREW  
000G71-08-08T (4)

OUTLET-DEFROSTER  
157225-01-CHT  
SCREW  
000G55-08-12U (2)

HOSE  
007281-01-000  
(1143)  
SCREW  
000G71-08-08T (4)

VENT  
146504-01-CHT

OUTLET-DEFROSTER  
157225-01-CHT  
SCREW  
000G55-08-12U (2)


FRONT END ASM  
(REF)

| KEY | PART NUMBER   | U/M DESCRIPTION                 |
|-----|---------------|---------------------------------|
|     | 103930-17-702 | EA O'RING #10                   |
|     | 103930-51-700 | EA HOSE - #12 EVAP/COMP - 41.5' |

**103930-51-000**  
**VENDOR NO.**  
045-0127  
085-0490

| KEY                                                    | PART NUMBER   | U/M DESCRIPTION                 | VENDOR NO. |
|--------------------------------------------------------|---------------|---------------------------------|------------|
| 1                                                      | 103930-55-701 | EA CASE - FRONT                 | 062-0658   |
| 2                                                      | 103930-30-701 | EA PLATE - MOTOR MOUNT          | 062-0544   |
| 3                                                      | 103930-55-705 | EA DOOR - BLEND AIR             | 071-0892   |
| 6                                                      | 103930-30-702 | EA BUSHING/DRIVE (BLEND DOOR)   | 062-0168   |
| 7                                                      | 103930-55-706 | EA CORE - HEATER - W/GASKET     | 084-0271   |
| 8                                                      | 103930-30-709 | EA COUPLING - BLEND DOOR SHAFT  | 062-0634   |
| 9                                                      | 103930-20-700 | EA VALVE-EXPANSION-BLOCK, 2 TON | 034-0032   |
| 10                                                     | 103930-55-700 | EA CORE-EVAPORATOR              | 041-00168  |
| 12                                                     | 103930-55-702 | EA CASE-REAR                    | 062-0657   |
| 14                                                     | 103930-01-708 | EA BRACKET-VACUUM MOTOR         | 070-0113   |
| 15                                                     | 103930-20-704 | EA ROD-DOOR-RECIRCULATING       | 073-0018   |
| 16                                                     | 103930-55-707 | EA DOOR - RECIRCULATION         | 071-0891   |
| 18                                                     | 103930-01-710 | EA RESISTOR-FUSED, A/C 4 TERM   | 035-0006   |
| 20                                                     | 103930-01-711 | EA THERMOSTAT                   | 033-0003   |
| 21                                                     | 103930-02-708 | EA MOTOR-VACUUM SERVO, A/C      | 030-0025   |
| 22                                                     | 103930-30-703 | EA MOTOR - SERVO                | 030-0104   |
| 23                                                     | 103930-20-707 | EA HOUSING-BLOWER               | 062-0145   |
| 24                                                     | 103930-55-703 | EA MOTOR - BLOWER W/O PIGTAIL   | 030-0137   |
| 25                                                     | 103930-01-717 | EA WHEEL-BLOWER, CLOCKWISE      | 062-0010   |
| 26                                                     | 103930-20-708 | EA CLIP-MOTOR SHAFT             | 022-0001   |
| 27                                                     | 103930-30-704 | EA COVER - SERVO                | 062-0545   |
| 32                                                     | 113245-01-707 | EA O'RING #8                    | 045-0126   |
| 33                                                     | 103930-17-702 | EA O'RING #10                   | 045-0127   |
|                                                        | 103930-55-704 | EA CORE-HEATER                  | 042-0059   |
|                                                        | 110279-01-703 | EA HOSE-VENT F/BLOWER MOTOR     | 051-0034   |
| CONTACT WINNEBAGO PART SALES FOR UNLISTED COMPONENT(S) |               |                                 |            |

| KEY | PART NUMBER   | U/M DESCRIPTION                | VENDOR NO |
|-----|---------------|--------------------------------|-----------|
|     | 103930-17-702 | EA O'RING #10                  | 045-0127  |
|     | 103930-59-700 | EA HOSE - A/C-#12EVAP/COMP 80" | 085-0574  |
|     | 113245-01-710 | EA O'RING, #12                 | 045-0128  |



| KEY | PART NUMBER   | U/M | DESCRIPTION                  |
|-----|---------------|-----|------------------------------|
|     | 103930-02-707 | EA  | RELAY-BOSCH W/RESISTER       |
|     | 103930-02-708 | EA  | MOTOR-VACUUM SERVO, A/C      |
|     | 103930-02-710 | EA  | CANISTER-VACUUM              |
|     | 103930-33-701 | EA  | MOTOR - VACUUM, 3 STAGE      |
|     | 103930-33-703 | EA  | VACUUM HARNESS               |
|     | 103930-49-701 | EA  | HARNESS - WIRE W/BULBS       |
|     | 103930-49-704 | EA  | SWITCH - BLOWER              |
|     | 103930-49-705 | EA  | POTENTIOMETER                |
|     | 103930-49-706 | EA  | SWITCH - VACUUM              |
|     | 103930-49-707 | EA  | DECAL CONTROL PANEL-N/RECESS |
|     | 103930-61-700 | EA  | PLENUM - TOP CASE            |
|     | 103930-61-701 | EA  | PLENUM - LOWER CASE          |
|     | 103930-61-702 | EA  | DOOR - HEAT/VENT             |
|     | 103930-61-703 | EA  | ROD - DEF/HEAT DOOR          |
|     | 103930-61-704 | EA  | DOOR - DEF/HEAT              |
|     | 103930-61-705 | EA  | HOUSING ONLY - CONTROL PANEL |
|     | 103930-61-706 | EA  | KNOB - CONTROL               |
|     | 103930-65-702 | EA  | CONTROL PANEL W/SWITCHES     |


| KEY | PART NUMBER   | U/M | DESCRIPTION                  |
|-----|---------------|-----|------------------------------|
| 1   | 103930-39-705 | EA  | PLENUM - TOP                 |
| 2   | 103930-04-700 | EA  | DOOR - DEFROSTER-A/C         |
| 3   | 103930-39-700 | EA  | ROD - DOOR - AC/HEAT         |
| 5   | 103930-02-708 | EA  | MOTOR-VACUUM SERVO, A/C      |
| 6   | 103930-39-706 | EA  | PLATE - DOOR - A/C           |
| 8   | 103930-39-707 | EA  | PLENUM - BOTTOM              |
| 9   | 103930-33-701 | EA  | MOTOR - VACUUM, 3 STAGE      |
| 10  | 103930-39-701 | EA  | ROD - DOOR - AC/DEFROST      |
| 11  | 103930-39-704 | EA  | SPRING                       |
| 12  | 103930-02-707 | EA  | RELAY-BOSCH W/RESISTER       |
| 13  | 103930-02-710 | EA  | CANISTER-VACUUM              |
| 15  | 103930-33-703 | EA  | VACUUM HARNESS               |
| 18  | 103930-49-704 | EA  | SWITCH - BLOWER              |
| 19  | 103930-49-705 | EA  | POTENTIOMETER                |
| 20  | 103930-49-706 | EA  | SWITCH - VACUUM              |
| 21  | 103930-63-700 | EA  | DECAL CONTROL PANEL-N/RECESS |
| 22  | 103930-49-708 | EA  | KNOB - BLOWER - NONRECESSED  |

CONTACT WINNEBAGO PART SALES FOR UNLISTED COMPONENT(S)

#### 103930-61-000

#### VENDOR NO.


031-0001  
030-0025  
054-0002  
030-0105  
036-0466  
036-0557  
032-0332  
032-0182  
032-0185  
058-0144  
060-00787  
060-00788  
071-01054  
073-00086  
071-01053  
062-00615  
062-00723  
083-00308




#### 103930-63-000


#### VENDOR NO.

060-0482  
071-0149  
073-067  
030-0025  
071-0623  
060-0483  
030-0105  
073-0069  
022-0119  
031-0001  
054-0002  
036-0466  
032-0332  
032-0182  
032-0185  
058-00344  
062-0620






SECTION A-A




SECTION B-B




DUCT INSERTS TO FIT INTO  
RIB ASM & ROOF OPENINGS

DETAIL C



SECTION D-D  
(2 PLACES)

SEALANT  
72889-19-000  
(AROUND ENTIRE  
DUCT FLANGE)




SECTION E-E

U-CHANNEL-W/HOLES  
160755-01-02B (4)  
RIVET  
118626-01-01A (28)  
(2 ON UPPER JOINT  
2 ON LOWER JOINT)

U-CHANNEL-W/HOLES  
160755-02-02B (4)  
RIVET  
118626-01-01A (12)  
(2 ON UPPER JOINT  
2 ON LOWER JOINT)


TAPE-AL 3"  
088479-01-000  
(1100 mm)  
(AROUND DUCT SEAM)




SECTION F-F

SEALANT  
72889-19-000  
(AROUND ENTIRE  
DUCT FLANGE)


TAPE-AL 3"  
088479-01-000  
(1100 mm)  
(AROUND DUCT SEAM)





|         |      |                 |               |               |
|---------|------|-----------------|---------------|---------------|
| RELEASE |      | REV DATE        | 1             |               |
| A       |      |                 | DWG NO 170761 |               |
| REV     | ZONE | REVISION RECORD |               | DATE DFR-ORIG |

CONNECTOR  
069636-02-000 (3)  
SCREW  
000G68-06-170 (4)  
000G39-10-12U (25)  
EXTR  
002726-51-007 (2)  
002726-51-019 (2)

|                                                      |                                                                                       |                                                       |     |
|------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------|-----|
| <div>WINNEBAGO®</div> <div>I N D U S T R I E S</div> |                                                                                       | COPYRIGHT 2010<br>WINNEBAGO<br>INDUSTRIES, INC.       |     |
| DFTR                                                 |                                                                                       | ORIG. DATE                                            |     |
| CHRR                                                 |                                                                                       | ALL DIMENSIONS ARE<br>IN MILLIMETERS                  |     |
| P.E.                                                 |                                                                                       |                                                       |     |
| M.E.                                                 |                                                                                       | FIRST USED                                            |     |
| DSNR                                                 |                                                                                       | 10 P40L                                               |     |
| UNSPECIFIED TOLERANCES ARE:                          |                                                                                       | MATERIAL:                                             |     |
| WHOLE DIM (X) ± 3                                    |                                                                                       |                                                       |     |
| ONE-PLACE (X.X) ± 1.5                                |                                                                                       |                                                       |     |
| TWO-PLACE (X.XX) ± 0.50                              |                                                                                       |                                                       |     |
| ANGLE ± 1°                                           |                                                                                       |                                                       |     |
| THIRD ANGLE<br>PROJECTION                            |  |                                                       |     |
| DO NOT SCALE DRAWING                                 |                                                                                       | REFER TO ES0018 FOR FASTENER<br>TIGHTENING GUIDELINES |     |
| TITLE:                                               |                                                                                       |                                                       |     |
| HEATING SYSTEM INSTL                                 |                                                                                       |                                                       |     |
| SHEET 1 OF 2                                         |                                                                                       | PART NO<br>170761                                     | REV |

REGISTER-HEAT  
137965-09-02A  
TAPE  
123816-03-000

ADAPTER-DUCT, 2 IN.  
092776-01-000  
CLAMP-HOSE  
062401-02-000  
DUCT  
009198-02-000  
(1000)

PANEL-PLENUM,HEAT  
161262-14-AG0

PANEL-PLENUM,HEAT  
161262-16-AG0

REGISTER-HEAT  
137965-03-02A  
TAPE  
123816-03-000

GRILLE-ETURN AIR  
093614-03-02A  
SCREW  
000G67-10-10U (2)

PANEL-PLENUM,HEAT  
161262-11-WK0

REGISTER-HEAT  
137965-03-02A  
TAPE  
123816-03-000

REGISTER  
173191-02-02A  
SCREW  
000G67-10-10U(2)

DUCT  
009198-01-000  
(7500)  
CLAMP  
062401-11-000(2)

GRILLE-RETURN AIR  
093614-01-02A  
SCREW  
000G67-10-10U(2)

FRONT AXLE

COACH

1245

DATUM

84

REGISTER-HEAT  
137965-09-02A  
TAPE  
123816-03-000

PANEL-PLENUM,HEAT  
161262-10-WK0

PANEL-PLENUM,HEAT  
161262-01-AG0

BA

4881

REGISTER  
173191-02-02A  
SCREW  
000G67-10-10U(2)

DUCT  
009198-01-000  
(3100)  
CLAMP  
062401-11-000(2)

DUCT  
009198-01-000  
(2500)  
CLAMP  
062401-11-000(2)

BB

9926

DATUM

POSITION DUCT INTO  
WATER TANK COMPT

PANEL-EXHUAST,FURNACE  
145895-06-02B  
SCREW  
000G39-10-10T (18)  
PANEL  
126693-05-02B  
GASKET  
141337-01-01A

POSITION DUCT TOWARD  
TANK PLUMBING OUTLET


NOTES:

4. ALL FLEXIBLE DUCTS TO BE SECURED TO FLOOR OR WALL AT 1219  
INTERVALS MAXIMUM USING CABLE TIE 108046-02-000.

3. ALL EXPOSED EDGES MUST BE COVERED WITH TAPE 088479-01-000.

2. USE SEAL 090340-01-000 ON ALL SURFACES THAT CONTACT FLOOR.


1. FURNACE WILL BE INSTALLED TO VENDORS SPECIFICATIONS.



FURNACE-20,000 BTU  
139980-15-000  
DOOR  
139980-10-03A


FURNACE-35,000 BTU  
143563-01-000  
GASKET  
143563-05-000  
COLLAR  
143563-04-000

SHROUD-FURNACE  
133323-05-01A  
SUPPORT-SHROUD  
133611-02-02B  
SCREW  
000G39-10-10B (4)  
SEALER-TAPE  
090340-01-000  
(950)




VENT CAP-ASM  
139980-06-000  
VENT-INTAKE  
139980-13-000

|                      |         |        |                      |
|----------------------|---------|--------|----------------------|
| FIRST USED           |         |        | 10 P40L              |
| DO NOT SCALE DRAWING |         |        |                      |
| TITLE:               |         |        | HEATING SYSTEM INSTL |
| SHEET 2              | PART NO | 170761 | REV                  |



139980-15-000

| 139980-15-000 (CONTNUED)                             |               |                                 |            |
|------------------------------------------------------|---------------|---------------------------------|------------|
| KEY                                                  | PART NUMBER   | U/M DESCRIPTION                 | VENDOR NO. |
| 5                                                    | 098668-20-701 | EA CABINET - 30,000             | 101889     |
| 7                                                    | 075696-02-703 | EA COLLAR-DUCT                  | 050715     |
| 11                                                   | 139980-15-703 | EA ORFICE - MAIN BURNER         | 180305     |
| 14                                                   | 143563-02-702 | EA PLATE-SECONDARY AIR/TOP BACK | 063198     |
| 16                                                   | 143563-02-703 | EA PLATE-SECONDARY AIR/TOP FRT  | 062933     |
| 19                                                   | 143563-02-704 | EA PLATE-SECONDARY AIR/BOTTOM   | 062935     |
| 22                                                   | 139980-01-701 | EA ELECTRODE                    | 232286     |
| 23                                                   | 139980-15-704 | EA BURNER ASSEMBLY              | 010767     |
| 26                                                   | 098668-01-718 | EA VALVE-GAS SF S.N.974903079   | 161122     |
| 31                                                   | 139980-15-705 | EA VENT CAP & EXHAUST TUBE ASM  | 260553     |
| 32                                                   | 098668-01-713 | EA TUBE ASSEMBLY, INTAKE        | 051248     |
| 34                                                   | 139980-01-703 | EA COMBUSTION AIR HOUS FRT/HALF | 390852     |
| 37                                                   | 139980-15-701 | EA HOUSING/COMB/AIR - REAR/HALF | 390849     |
| 38                                                   | 139980-15-702 | EA WHEEL-COMBUSTION AIR         | 350189     |
| 39                                                   | 139980-01-705 | EA GASKET/FIREWALL-COMB AIR     | 071084     |
| 40                                                   | 139980-01-706 | EA MOTOR ASSEMBLY W/GASKET      | 232682     |
| 42                                                   | 139980-02-701 | EA BLOWER ASM-1/2 HOUSING/INNER | 390872     |
| 44                                                   | 139980-02-700 | EA BLOWER ASM-1/2 HOUSING/OUTER | 390851     |
| 45                                                   | 098668-21-700 | EA SWITCH-MICRO-W/O FLAG 3 1/4" | 232261     |
| 48                                                   | 139980-01-710 | EA SWITCH - ON/OFF              | 232351     |
| 50                                                   | 098668-22-705 | EA MODULE BD W/RELAY TIME DELAY | 520820     |
| 51                                                   | 139980-01-713 | EA CAP/INSULATOR-MODULE BD      | 070973     |
| 52                                                   | 098668-01-711 | EA WHEEL-BLOWER, ROOM AIR       | 350129     |
| 59                                                   | 139980-15-700 | EA SWITCH - LIMIT               | 232503     |
| CONTACT WINNEBAGO PART SALES FOR UNLISTED COMPONENTS |               |                                 |            |



143563-01-000

**143563-01-000 (CONTINUED)**

| <b>KEY</b> | <b>PART NUMBER</b> | <b>U/M</b> | <b>DESCRIPTION</b>                                     | <b>VENDOR NO.</b> |
|------------|--------------------|------------|--------------------------------------------------------|-------------------|
| 1          | 143563-01-700      | EA         | CABINET - FRONT                                        | 101907            |
| 2          |                    |            | SEE 12 VOLT WIRING AREAS FOR CORRECT THERMOSTAT        |                   |
| 5          | 143563-01-701      | EA         | CABINET                                                | 101921            |
| 7          | 075696-02-703      | EA         | COLLAR - DUCT                                          | 050715            |
| 9          | 143563-01-702      | EA         | MANIFOLD ASSEMBLY                                      | 171599            |
| 11         | 143563-01-703      | EA         | ORFICE - MAIN BURNER                                   | 180308            |
| 12         | 098668-22-703      | EA         | GASKET - BURNER ACCESS COVER                           | 070811            |
| 14         | 143563-01-704      | EA         | PLATE - SECONDARY AIR/TOP BACK                         | 063199            |
| 16         | 143563-01-705      | EA         | PLATE - SECONDARY AIR/TOP FRT                          | 062936            |
| 19         | 143563-01-706      | EA         | PLATE - SECONDARY AIR/BOTTOM                           | 062938            |
| 22         | 139980-01-701      | EA         | ELECTRODE                                              | 232286            |
| 23         | 098668-02-700      | EA         | BURNER ASSEMBLY,SF-30 & SF35                           | 010745            |
| 26         | 098668-01-718      | EA         | VALVE-GAS SF S.N.974903079                             | 161122            |
| 27         | 143563-01-707      | EA         | PIPE ASSEMBLY (GAS INLET)                              | 171603            |
| 31         | 098668-01-707      | EA         | TUBE ASSEMBLY, EXHAUST W/CAP                           | 260231            |
| 34         | 143563-01-708      | EA         | BOX ASM (COMB. AIR INTAKE)                             | 051430BK          |
| 35         | 143563-01-709      | EA         | GASKET (COMB. AIR HOUSING)                             | 071108            |
| 36         | 143563-01-710      | EA         | WHEEL (COMBUSTION AIR)                                 | 350199            |
| 37         | 143563-01-711      | EA         | HOUSING (COMBUSTION AIR)                               | 390862BK          |
| 39         | 143563-01-715      | EA         | GASKET-FIREWALL/COMB. AIR                              | 071107            |
| 40         | 143563-01-712      | EA         | MOTOR ASSEMBLY                                         | 232727            |
| 42         | 101990-01-714      | EA         | GASKET-MICROSWITCH                                     | 230877            |
| 44         | 098668-21-700      | EA         | SWITCH-MICRO-W/O FLAG 3 1/4"                           | 232261            |
| 46         | 143563-01-713      | EA         | BLOWER ASSEMBLY(ROOM AIR)                              | 390867BK          |
| 47         | 143563-01-714      | EA         | WHEEL - ROOM AIR                                       | 350198            |
| 50         | 139980-01-710      | EA         | SWITCH - ON/OFF                                        | 232351            |
| 52         | 139980-01-711      | EA         | PANEL ASSEMBLY-MODULE BD                               | 101663            |
| 53         | 139980-01-712      | EA         | INSULATOR - MODULE BD                                  | 070807            |
| 54         | 098668-22-705      | EA         | MODULE BD W/RELAY TIME DELAY                           | 520820            |
| 55         | 139980-01-713      | EA         | CAP/INSULATOR-MODULE BD                                | 070973            |
| 57         | 139980-01-714      | EA         | BUSHING - UNIVERSAL                                    | 070362            |
| 58         | 139980-01-715      | EA         | BUSHING - STRAIN RELIEF                                | 231809            |
| 59         | 098668-01-716      | EA         | GASKET-FIREWALL,CHAMBER SIDE                           | 070808            |
| 62         | 098668-21-701      | EA         | SWITCH - LIMIT                                         | 232504            |
| 66         | 098668-01-713      | EA         | TUBE ASSEMBLY, INTAKE                                  | 051248            |
| 67         | 075697-07-703      | EA         | GASKET - MOTOR                                         | 070448            |
|            | 143563-01-716      | EA         | CHAMBER ASM. - FINAL                                   |                   |
|            |                    |            | CONTACT WINNEBAGO PART SALES FOR UNLISTED COMPONENT(S) |                   |