






RELEASE		REV	DATE	DWG NO	161571
REV	ZONE	REVISION RECORD			DATE
					DATE
					DATE


WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTD		ORIG. DATE	
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		08 R40KD	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3		☒	
ONE-PLACE (X.X) ± 1.5		☒	
TWO-PLACE (X.XX) ± 0.50		☒	
ANGLE ± 1°		☒	
THIRD ANGLE PROJECTION		☒	
			
DO NOT SCALE DRAWING			
TITLE: BAFFLE INSTL-CONDENSER/RAD			
SHEET 1 OF 2		PART NO 161571	REV





1 S-SERIES ONLY


NOTES:

FIRST USED			
08 S-SERIES			
DO NOT SCALE DRAWING			
TITLE:			
BAFFLE INSTL-CONDENSER/RAD			
SHEET	2	PART NO	161571
		REV	




169176-15	11
169176-14	6
169176-13	4
169176-12	3
169176-11	1
PART NO.	SHEET


		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFTFR _____ CHKR _____ P.E. _____ M.E. _____ DSNR _____		ORIG. DATE _____ ALL DIMENSIONS ARE IN MILLIMETERS 10 R40BD	
UNSPECIFIED TOLERANCES ARE: WHOLE DIM (X) ± 3 ONE-PLACE (X.X) ± 1.5 TWO-PLACE (X.XX) ± 0.50 ANGLE ± 1°		MATERIAL: _____	
THIRD ANGLE PROJECTION 		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
DO NOT SCALE DRAWING		TITLED: _____	
FRAME ASM-CHASSIS			
SHEET 1 OF 11		PART NO 169176	
		REV _____	




SECTION **BA-BA**




VIEW **BB-BB**




SECTION **BC-BC** (SHOWN)
SECTION **BD-BD** (OPPOSITE)




SECTION **BE-BE** (SHOWN) (3 PLCS)
SECTION **BF-BF** (OPPOSITE) (3 PLCS)



SECTION **BG-BG** (SHOWN)
SECTION **BH-BH** (OPPOSITE)




SECTION **BJ-BJ** (SHOWN)
SECTION **BK-BK** (OPPOSITE)




VIEW **BL-BL**





SUPPORT ASM
134807-18-CHT (2)




FIRST USED		
10 R40BD		
DO NOT SCALE DRAWING		
TITLE:		
FRAME ASM-CHASSIS		
SHEET 2	PART NO	REV
	169176	









SECTION EA-EA




SECTION EB-EB




SECTION EC-EC
2 PLCS




SECTION ED-ED
2 PLCS




VIEW EE-EE




DETAIL EF



DETAIL EG




DETAIL EH




DETAIL EJ

FIRST USED			10 R40BD
DO NOT SCALE DRAWING			
TITLE:			
FRAME ASM-CHASSIS			
SHEET 5	PART NO	169176	REV



FIRST USED			10 R40BD
DO NOT SCALE DRAWING			
TITLE:			FRAME ASM-CHASSIS
SHEET 6	PART NO	169176	REV



SECTION GA-GA SHOWN (2 PLCS)
SECTION GB-GB OPPOSITE (2 PLCS)

SECTION GC-GC
(3 PLCS)


SECTION GD-GD

SECTION GE-GE



VIEW GF

SECTION GG-GG







FIRST USED			10 R40BD
DO NOT SCALE DRAWING			
TITLE:			FRAME ASM-CHASSIS
SHEET 7	PART NO	169176	REV



FIRST USED		
10 R40BD		
DO NOT SCALE DRAWING		
TITLE:		
FRAME ASM-CHASSIS		
SHEET 8	PART NO 169176	REV





FIRST USED			10 R40BD
DO NOT SCALE DRAWING			
TITLE: FRAME ASM-CHASSIS			
SHEET 9	PART NO	169176	REV



FIRST USED			10 R40BD
DO NOT SCALE DRAWING			
TITLE: FRAME ASM-CHASSIS			
SHEET 10	PART NO	169176	REV

FIRST USED			10 R40BD
DO NOT SCALE DRAWING			
TITLE:			FRAME ASM-CHASSIS
SHEET 11	PART NO	169176	REV







20	16083501CHT	COMPARTMENT	1
19	14473603CHT	COVER ASM-EN	1
18	14943303CHT	COVER ASM-EN	1
17	14943304CHT	COVER ASM-EN	1
16	14042563000	INSULATION-E	1
15	14042545000	INSULATION-E	2
14	14042546000	INSULATION-E	1
13	14042547000	INSULATION-E	2
12	14457310000	INSULATION-E	1
11	14457314CHT	INSULATION-E	1
10	16094201000	INSULATION-E	1
9	16094301000	INSULATION-E	1
8	16094303000	INSULATION-E	1
7	000C260418U	BOLT	13
6	000C260410U	BOLT	5
5	000D390400U	NUT	5
4	10664801000	CAP-STUD	49
3	09906901CHT	SEAL-RUBBER	1
2	03962301000	SEAL-COVER,E	2
1	16084102CHT	FILLER ASM-C	1
ITEM	PART NUMBER	DESCRIPTION	QTY

FIRST USED			
08 R/S-SERIES			
DO NOT SCALE DRAWING			
TITLE: COMPARTMENT ASM-ENGINE			
SHEET 1	PART NO	160835	REV

DWG NO	SHT	WEIGHT
160869-01	1	107.5
160869-02	2	111.8
160869-03	3	107.9


RELEASE	REV	DATE	DWG NO	160869
	A			
REV	ZONE	REVISION RECORD	DATE	DFTR.Orig







2. CLEAN AND FINISH PER ES0051, CLASS A500.
1. REMOVE ALL BURRS AND SHARP EDGES.





NOTES:

SEE CHART
FOR COLOR VARIATIONS
OF THIS PART


WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFT R		ORIG. DATE	
CHRR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.			
DSNR		FIRST USED	
		08 R-SERIES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			
THIRD ANGLE PROJECTION			
			
DO NOT SCALE DRAWING			
TITLE:			
SUPPORT ASM-FRONT			
SHEET 1 OF 3		PART NO	REV
		160869	



FIRST USED			
08 R-SERIES			
DO NOT SCALE DRAWING			
TITLE:			
SUPPORT ASM-FRONT			
SHEET	2	PART NO	160869
		REV	



FIRST USED		08 R-SERIES	
DO NOT SCALE DRAWING			
TITLE: SUPPORT ASM-FRONT			
SHEET 3	PART NO	160869	REV



4. CUTOUT FOAM AROUND SUPPORT FRAME FOR CLEARANCE.
3. ALL TUBING TO BE SECURED AT 1200 INTERVALS MAXIMUM WITH CLAMP 010495-01-000 AND SCREW 000G67-10-12B OR EQUIVALENT.
2. TUBING TO BE INSTALLED WITH SUFFICIENT SLOPE TO PROVIDE DRAINAGE TO NEAREST VALVE.
1. PLASTIC FITTINGS TO BE SEALED WITH SEALANT 084456-01-000.
- NOTES:


WINNEBAGO INDUSTRIES		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFT	ORIG. DATE	ALL DIMENSIONS ARE IN MILLIMETERS	
CHK		MATERIAL:	
P.E.		08 S40FD	
M.E.	FIRST USED		
DSNR			
UNSPECIFIED TOLERANCES ARE:			
WHOLE DIM (X) : 3			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: WATER TANK INSTL			
SHEET 1 OF 1	PART NO	163674	REV

FOR WATER CALLOUTS
SEE DWG NO 116230-01-000

DWG NO	FRONT END ASM
169177-01	169178-01-CHT
169177-02	169178-02-CHT

44R

RELEASE	REV	DATE	DWG NO	169177
	A			
REV	ZONE	REVISION RECORD	DATE	DTFR.ORG



6. ROUTE PARK BRAKE VALVE AND AIR LINES FOR DASH GAUGES THRU THIS HOLE BEFORE SEALING HOLE.

5. ROUTE PLATE ASM THRU CAB FRONT BULKHEAD. DO NOT REMOVE OR LOOSEN AIR LINES.

4. ADJUST HEIGHT OF SUPPORT TO LOCATE CAB PROPERLY.

3. APPLY SEALANT TO SEAMS.

2. CLEAN AND FINISH PER ES0051, CLASS A336.

1. REMOVE ALL BURRS AND SHARP EDGES.
11. TORQUE TO: 191-209 Nm (143-157 FT LB).

10. ADD OR REMOVE SHIMS AS NEEDED TO LEVEL FRONT END ASM.

9. ALIGN LARGER HOLES IN HINGE WITH HOLES IN TREAD ASM.


8. USE TREAD ASM TO LOCATE BRACKET HORIZONTALLY.

7. ROUTE WIRING THRU HOLES. SEE WIRE INSTALLATION-FRONT END.


44R TV-FRONT

SEE CHART


FOR COLOR VARIATIONS
OF THIS PART

WINNEBAGO® INDUSTRIES, INC.		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DTFR		ORIG. DATE	
CHRR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.			
DSNR		FIRST USED	
		10 R40BD,W	
UNSPECIFIED TOLERANCES ARE: WHOLE DIM (X) ± ONE-PLACE (X.X) ± 1.5 TWO-PLACE (X.XX) ± ANGLE ±		MATERIAL:	
THIRD ANGLE PROJECTION			
			
DO NOT SCALE DRAWING			
TITLE:			
FRONT END/CHASSIS ASM			
SHEET 1 OF 3		PART NO	REV
		169177	

STL-ANG
130924-00-750



SECTION BB-BB



SECTION BA-BA

PANEL WITH ACCELERATOR
AND BRAKE PEDALS
(CHASSIS SUPPLIED) 5


COVER-HOLE, CAB FLOOR
152223-01-CHT
SCREW
G11-10-10B(9)

SECTION BC-BC

STL-ANG
130924-00-150

8.0

SHIM-SUPPORT, FRONT END
165262-01-CHT (4) 10



SECTION BE-BE

BOLT
C12-10-32U (4) 11
WASHER
E11-10-00U (4)
WASHER
E13-26-00U (4)
NUT
D29-10-00B (4)

NUT REF


BOLT REF
WASHER-LOCK REF
WASHER-FLAT REF

SECTION BF-BF


STEP ASM-ENT
169007-01-CHT
BOX-STORAGE, STEP
168991-01-CHT
(DO NOT FASTEN)
SEAL-FOAM TAPE, PSA
154585-04-CHT (1760mm)
(APPLY TO UNDERSIDE OF
BOX-STORAGE, STEP FLANGES)

VIEW BD-BD


FIRST USED		10 R40BD,W	
DO NOT SCALE DRAWING			
TITLE: FRONT END/CHASSIS ASM			
SHEET	2	PART NO	169177
		REV	




SECTION CA-CA



SECTION CB-CB



SECTION CC-CC



SECTION CD-CD

FIRST USED			10 R40BD,W
DO NOT SCALE DRAWING			
TITLE:			FRONT END/CHASSIS ASM
SHEET	3	PART NO	169177
		REV	

8		7		6		5	
DWG NO	SUPPORT ASM-CABINET,FRONT	BRACKET-SUPPORT,TV,DRS		BRACKET-SUPPORT,TV,PS			
169178-01	154098-03-CHT	153129-05-CHT		153129-04-CHT			
169178-02	169295-01-CHT (UP TO 05-31-09) 169295-02-CHT (AFTER 06-01-09)	153129-09-CHT		153129-08-CHT			

RELEASE		REV	DATE	DWG NO	169178
REV	ZONE	REVISION RECORD			DATE
					DFTR-ORIG

44U
44R 68D

D

C

B

A

D

C

B

A

- 68D TV-40"STEREO W/REMOTE
- 44R TV-FRONT, 37" LCD
- 44U TV (FRONT) - WITHOUT

5. TORQUE SCREW TO 34 FT-LBS.

4. DO NOT APPLY UNDERCOATING OR SEALANT AROUND THE STEPWELL.


3. ATTACH AFTER E-COAT.


2. DIMENSION IS TO THE CENTERLINE OF THE STEERING COLUMN FOR THE HOLE PATTERN IN THE STEERING COLUMN MOUNTING BRACKET.

1. CLEAN,E-COAT AND SEAL CAB WITH 143201-01-000.


NOTES:

SEE CHART
FOR COLOR VARIATIONS
OF THIS PART


		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFTR		ORIG. DATE	
CHRR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		10 R40BD,W	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: FRONT END ASM			
SHEET 1 OF 11		PART NO 169178	REV
REF:		1	




FIRST USED		
10 R40BD,W		
DO NOT SCALE DRAWING		
TITLE:		
FRONT END ASM		
SHEET 2	PART NO	REV
	169178	




56H HEATING SYSTEM - HYDRONIC		
FIRST USED		
10 R40BD,W		
DO NOT SCALE DRAWING		
TITLE:		
FRONT END ASM		
SHEET 3	PART NO 169178	REV




SECTION DA-DA




DETAIL DB




SECTION DC-DC




SECTION DD-DD



SECTION DE-DE




SECTION DF-DF




SECTION DG-DG


FIRST USED		
10 R40BD,W		
DO NOT SCALE DRAWING		
TITLE:		
FRONT END ASM		
SHEET 4	PART NO 169178	REV



DETAIL EB




SECTION EC-EC




VIEW EA


FIRST USED		
10 R40BD,W		
DO NOT SCALE DRAWING		
TITLE:		
FRONT END ASM		
SHEET 5	PART NO	REV
	169178	




VIEW FA




SECTION FB-FB



SECTION FC-FC






DETAIL FD




SECTION FE-FE









FIRST USED			10 R40BD,W
DO NOT SCALE DRAWING			
TITLE:			FRONT END ASM
SHEET 6	PART NO	169178	REV





FIRST USED			10 R40BD,W
DO NOT SCALE DRAWING			
TITLE:			FRONT END ASM
SHEET 7	PART NO	169178	REV




FIRST USED			
10 R40BD,W			
DO NOT SCALE DRAWING			
TITLE:			
FRONT END ASM			
SHEET 8		PART NO	REV
		169178	




FIRST USED		
10 R40BD,W		
DO NOT SCALE DRAWING		
TITLE: FRONT END ASM		
SHEET 9	PART NO 169178	REV




FIRST USED		
10 R40BD,W		
DO NOT SCALE DRAWING		
TITLE:		
FRONT END ASM		
SHEET 10	PART NO	REV
	169178	




FIRST USED		
10 R40BD,W		
DO NOT SCALE DRAWING		
TITLE:		
FRONT END ASM		
SHEET 11	PART NO 169178	REV



STL-ANG
130924-00-750





SECTION BB-BB



SECTION BA-BA


PANEL WITH ACCELERATOR
AND BRAKE PEDALS
(CHASSIS SUPPLIED)

SECTION BC-BC



VIEW BD-BD


BOX ASM-ENT
169007-01-CHT
BOX STORAGE STEP
168991-01-CHT
(DO NOT FASTEN)
SEAL-FOAM TAPE,PSA
154585-04-CHT (1760mm)
(APPLY TO UNDERSIDE OF
BOX-STORAGE,STEP FLANGES)



SECTION BE-BE


BOLT
C12-10-32U (4)
WASHER-LOCK
E11-10-00U (4)
WASHER-FLAT
E13-26-00U (4)
NUT
D29-10-00B (4)

SHIM-SUPPORT
165262-02-CHT (4)




SECTION BF-BF


FIRST USED		10 R40BD,I	
DO NOT SCALE DRAWING			
TITLE: FRONT END/CHASSIS ASM			
SHEET	2	PART NO	169195
		REV	




SECTION CA-CA




SECTION CB-CB



SECTION CC-CC



SCREW
G67-10-08T (2)




SECTION CD-CD


SEAL
99418-01-000
(1770)
TREAD ASM
144085-01-CHT 8
NUT
D39-05-00U
BRACKET-STEP
144061-01-CHT
SCREW
000G67-10-08T(2)

SEAL
99418-01-000
(1770)
TREAD-STEP
144029-02-CHT

BOX-STORAGE,STEP
REF
DO NOT FASTEN


FIRST USED		10 R40BD,I	
DO NOT SCALE DRAWING			
TITLE: FRONT END/CHASSIS ASM			
SHEET	3	PART NO	169195
		REV	






(56H) HEATING SYSTEM - HYDRONIC


FIRST USED		
10 R40BD,I		
DO NOT SCALE DRAWING		
TITLE:		
FRONT END ASM		
SHEET 3	PART NO	REV
	169246	




SECTION DA-DA




DETAIL DB




SECTION DC-DC




SECTION DD-DD



SECTION DE-DE





SECTION DF-DF




SECTION DG-DG

FIRST USED		
10 R40BD,I		
DO NOT SCALE DRAWING		
TITLE:		
FRONT END ASM		
SHEET 4	PART NO 169246	REV







VIEW FA




SECTION FB-FB



SECTION FC-FC




DETAIL FD




SECTION FE-FE


FIRST USED			10 R40BD,I
DO NOT SCALE DRAWING			
TITLE:			FRONT END ASM
SHEET 6	PART NO	169246	REV



VIEW GA




VIEW GB





SECTION GC-GC

FIRST USED			10 R40BD,I
DO NOT SCALE DRAWING			
TITLE:			FRONT END ASM
SHEET 7	PART NO	169246	REV




FIRST USED			
10 R40BD,I			
DO NOT SCALE DRAWING			
TITLE: FRONT END ASM			
SHEET 8		PART NO 169246	REV








VIEW KA



FIRST USED		10 R40BD,I	
DO NOT SCALE DRAWING			
TITLE: FRONT END ASM			
SHEET10	PART NO	169246	REV






SECTION LA-LA




SECTION LD-LD

FIRST USED		
10 R40BD,I		
DO NOT SCALE DRAWING		
TITLE:		
FRONT END ASM		
SHEET 11	PART NO 169246	REV



- NOTES:
- 4. TORQUE NUTS TO 37-45 FT LBS.
 - 2. TORQUE NUTS TO 40 ± 6 FT LBS.
 - 1. TORQUE CLAMP TO 13 ± 3 FT LBS.


INDICATES CRITICAL SAFETY PROCEDURE TO BE FOLLOWED




7. ENLARGE HOLES IN NECK FLANGE TO FIT RIVETS.
6. ROUTING OF VAPOR HOSE SHALL HAVE A SMOOTH AND CONTINUOUS SLOPE, NO DROPS PERMISSIBLE. AVOID TIGHT RADIUS BENDS OR KINKS THAT WILL ADVERSELY AFFECT PERFORMANCE.
5. FASTEN TETHER TO HOLE IN PANEL.
4. HOSES TO BE CLAMPED IN A LOOP TO ALLOW GENERATOR TO SLIDE OUT.
3. COVER HOSE TO PREVENT CHAFFING AS REQUIRED.
2. TORQUE CLAMPS TO 2-2.5 Nm (18-22 LBS-IN.).
1. TORQUE CLAMPS TO 9-11 Nm (55-65 LBS-IN.).

INDICATES CRITICAL SAFETY
PROCEDURE TO BE FOLLOWED


WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE		
CHRR	ALL DIMENSIONS ARE IN MILLIMETERS		
P.E.	FIRST USED		
M.E.	09 R/S-SERIES		
DSNR	MATERIAL:		
UNSPECIFIED TOLERANCES ARE:		THIRD ANGLE PROJECTION	
WHOLE DIM (X) : 3		DO NOT SCALE DRAWING	
ONE-PLACE (X.X) : 1.5		TITLE: FUEL SYSTEM INSTL	
TWO-PLACE (X.XX) : 0.50		SHEET 1 OF 2	
ANGLE : 1°		PART NO 166357	
REF:		REV	



VIEW A



VIEW B



FIRST USED		09 R/S-SERIES	
		DO NOT SCALE DRAWING	
TITLE:		FUEL SYSTEM INSTL	
SHEET	2	PART NO	166357

8

7

6

5

4

3

2

1

DWG
NO **140098**

BOLT
C12-09-28B(8)
WASHER
E13-22-00B(16)
NUT
D75-09-00B(8)

DRAWBAR ASM-HITCH, CLASS 4
170943-02-04B

FIRST USED		
08 R & S-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
HITCH INSTL		
SHEET 1	PART NO	REV
	140098	

10/20/2009


8		7		6		5	4	3	2	1
DWG NO	UNIT	WHEELBASE	ROOMS	LEVELING SYSTEM	SHEET					
172063-01	R40BD/R40CD/R40WD	276"	3	153452-35-000	1,2,4,5					
172063-02	R42AD	279"	4	153452-46-000	1,3,4,5					

RELEASE		REV	DATE	DWG NO	172063
REV	ZONE	REVISION RECORD			DATE
					OFTR-ORIG

12. HOSE FITTINGS TO BE INSTALLED FINGER TIGHT PLUS TWO FLATS OF THE HEX FITTING. IF FITTING HAS BEEN REMOVED AND IS BEING INSTALLED A SECOND TIME, TIGHTEN FITTING FINGER TIGHT PLUS ONE FLAT.
11. JACK CYLINDERS MUST BE ALLOWED TO ROTATE INBOARD AND OUTBOARD FREELY WITHOUT HOSES AND WIRES RUBBING OR INTERFERING WITH MOTORHOME COMPONENTS. HOSES AND WIRES MUST NOT BE CLAMPED OF TIED ANY CLOSER THAN 300 mm FROM JACKS.
10. CLAMP OR WIRE TIE ALL HOSES AT 900 mm MAXIMUM INTERVALS AND WHERE NECESSARY TO PREVENT HOSES FROM CONTACTING MOVING PARTS OR HEAT PRODUCING ITEMS.
9. JACK MOUNTING BOLTS SUPPLIED WITH CHASSIS.  TORQUE NUTS TO 50 Nm (37 FT LB).
8.  TORQUE TO 77 Nm (57 FT LB).
7.  TORQUE TO 47 Nm (31 FT LB).
6. COVER ALL HOSES FULL LENGTH WITH CONDUIT 041953-09-000.
5. INSTALL CROSSMEMBER BRACKET ASM ON FRONT SIDE OF JACKS.
4. FOR INFORMATION ON REMOTE SWITCHES SEE BODY WIRING INSTL-12V.
3. SEE BATTERY INSTALLATION FOR ADDITIONAL INFORMATION.


2. FOR WIRING SCHEMATICS OF LEVELING SYSTEMS SEE DRAWING 158507-01-000.
1. HOSES CAN BE BENT TO A 50 mm MINIMUM RADIUS TO AVOID KINKS OR FLOW RESTRICTIONS.

NOTES:

		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTD		ORIG. DATE	
CHRR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		10 R-SERIES	
UNSPECIFIED TOLERANCES ARE: WHOLE DIM (X) : 3 ONE-PLACE (X.X) : 1.5 TWO-PLACE (X.XX) : 0.50 ANGLE : 1°		MATERIAL:	
THIRD ANGLE PROJECTION 			
DO NOT SCALE DRAWING			
TITLE: LEVELING SYSTEM INSTL-HWH			
SHEET1 OF 5		PART NO	172063
		REV	




INDICATES CRITICAL SAFETY
PROCEDURE TO BE FOLLOWED



NON-TAG AXLE UNITS

FIRST USED		
10 R-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
LEVELING SYSTEM INSTL-HWH		
SHEET 2	PART NO 172063	REV



FIRST USED		
10 R-SERIES		
DO NOT SCALE DRAWING		
TITLE: LEVELING SYSTEM INSTL-HWH		
SHEET 3	PART NO 172063	REV

FRONT
AXLE

618

NUT 9
000D39-08-00B (6)
(DISCARD NUTS SUPPLIED
WITH CHASSIS)

DETAIL A

REAR
AXLE


630

NUT 9
000D39-08-00B (6)
(DISCARD NUTS SUPPLIED
WITH CHASSIS)

71

BOLT 8
000C12-08-28B (4)
NUT
000D39-08-00B (4)

DETAIL B
NON-TAG AXLE UNITS



REAR
AXLE

704

294

50-65

DETAIL D
TAG AXLE UNITS

11
ROTATION OF
CYLINDER


TYPICAL
JACK DETAIL

FIRST USED		10 R-SERIES	
DO NOT SCALE DRAWING			
TITLE: LEVELING SYSTEM INSTL-HWH			
SHEET 4		PART NO 172063	REV

BRACKET-STABILIZER
144413-01-CHT
BOLT
000C26-06-12B
NUT
000D39-06-00B


BOLT
000C26-06-12B (3)

FRONT
AXLE




BRACKET-PUMP
172080-01-CHT


PUMP MOUNTING



WIRING DIAGRAM



DETAIL C
3-ROOM
ROTATED 90°



DETAIL C
4-ROOM
ROTATED 90°

FIRST USED		
10 R-SERIES		
DO NOT SCALE DRAWING		
TITLE: LEVELING SYSTEM INSTL-HWH		
SHEET 5	PART NO 172063	REV

KEY	PART NUMBER	U/M DESCRIPTION
	100536-14-701	EA HOSE-HYDRAULIC - 1/4"X 108"
	131360-01-701	EA HOSE-HYDRAULIC-1/4" X 125"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-09-700	EA HOSE-HYDRAULIC-324"
	100536-27-700	EA HOSE/HYDRAULIC - 1/4" X 332"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-36-701	EA HOSE-HYDRAULIC-156"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-42-700	EA HOSE-HYDRAULIC - 1/4" X 180"
	100536-42-701	EA HOSE-HYDRAULIC - 1/4" X 175"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-31-701	EA HOSE-HYDRAULIC - 1/4" X 96"
	100536-47-700	EA HOSE-HYDRAULIC - 1/4" X 416"
	100536-47-701	EA HOSE-HYDRAULIC - 1/4" X 378"
	115767-01-704	EA HOSE-HYDRAULIC - 1/4" X 146"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-51-700	EA HOSE - HYDRAULIC 1/4" X 444"
	100536-51-701	EA HOSE - HYDRAULIC 1/4" X 456"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-14-702	EA HOSE-HYDRAULIC-264"
	100536-35-701	EA HOSE - HYDRAULIC 1/4" X 252"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-09-700	EA HOSE-HYDRAULIC-324"
	100536-26-700	EA HOSE - HYDRAULIC-1/4" X 100"
	115767-01-705	EA HOSE-HYDRAULIC - 1/4" X 60"
	135250-02-700	EA HOSE-HYDRAULIC - 1/4" X 300"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-58-700	EA HOSE - HYD. 1/4" X 86"
	100536-58-701	EA HOSE - HYDRAULIC 1/4" X 74"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-27-700	EA HOSE/HYDRAULIC - 1/4" X 332"
	100536-37-701	EA HOSE/HYDRAULIC - 1/4" X 336"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-09-701	EA HOSE-HYDRAULIC-1/4" X 60"
	100536-25-700	EA HOSE-HYDRAULIC-1/4" X 306"
	100536-26-700	EA HOSE - HYDRAULIC-1/4" X 100"
	100536-29-700	EA HOSE-HYDRAULIC-1/4" X 280"

100536-15-000
VENDOR NO.
 RAP4074
 RAP91473/AP4906

100536-27-000
VENDOR NO.
 RAP91489/AP2464
 RAP91491/AP8985

100536-38-000
VENDOR NO.
 RAP90078

100536-42-000
VENDOR NO.
 RAP90120/AP5965
 RAP90350/AP7358

100536-47-000
VENDOR NO.
 RAP5352/AP5352
 RAP91507
 RAP91501
 RAP90004/AP2443

100536-51-000
VENDOR NO.
 RAP91509
 RAP6217

100536-54-000
VENDOR NO.
 RAP6216/AP6216
 RAP90121/AP7385

100536-57-000
VENDOR NO.
 RAP91489/AP2464
 RAP90077/AP7832
 RAP4073/AP4073
 RAP90806/AP4064

100536-58-000
VENDOR NO.
 RAP91470/AP4665
 RAP91467/AP5616

100536-59-000
VENDOR NO.
 RAP91491/AP8985
 RAP5561


100536-60-000
VENDOR NO.
 RAP4073/AP4073
 RAP91487/AP4904
 RAP90077/AP7832
 RAP91485/AP4729

KEY	PART NUMBER	U/M	DESCRIPTION	107889-12-000, 107889-13-000	VENDOR NO.
	107889-12-700	EA	TOUCH PANEL-625 W/AIR/REMOTE		RAP91862/AP34697

153452-32-000			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	100532-03-717	EA VALVE-PRESS., RETURN SHUTTLE	RAP7964
	100532-09-704	EA VALVE-PRESS SOLENOID(LARGE)	RAP0642/AP31628
	131306-12-702	EA VALVE-PRESS SOLENOID (SMALL)	RAP90729/AP24604
	144226-26-700	EA PUMP MOTOR/TANK ASM-PARKER	RAP91243/AP29808
	144226-26-702	EA PUMP MOTOR ONLY - PARKER	RAP91244/AP31771
	153452-34-700	EA MANIFOLD - LEVELING	AP28306
	153452-34-701	EA MANIFOLD - SLIDE-ROOM	AP36693


153452-35-000			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	153452-23-700	EA ENCLOSURE BOX W/SENSING UNIT	RAP91766/AP36769

153452-39-000			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	153452-39-700	EA CYLINDER	RAP92045



15H MUD GUARD - REAR

FIRST USED		
10 R-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
MUDFLAP INSTL		
SHEET 1	PART NO	REV
	161893	



- 2



USE SUPPOERT BLOCK AS NEEDED TO SET
EXTENDED POSITION OF STEP COVER
- 1

USE SHIMS AS NEEDED TO SET
STEP COVER IN EXTENDED POSITION


COPYRIGHT 2010
WINNEBAGO
INDUSTRIES, INC.

DFTD	ORIG. DATE
CHKD	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	
DSNR	FIRST USED
10 R40BD	
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X) :	MATERIAL:
ONE-PLACE (X.X) :	
TWO-PLACE (X.XX) :	
ANGLE :	
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES
TITLE: STEP WELL COVER INSTL	
SHEET 1 OF 2	PART NO 169464
REF:	1

2/26/2010




FIRST USED		
10 R40BD		
DO NOT SCALE DRAWING		
TITLE:		
STEP WELL COVER INSTL		
SHEET 2	PART NO	REV
	169464	



145122-04-01A, 145122-05-01A
VENDOR NO.

KEY	PART NUMBER	U/M	DESCRIPTION
1	141691-01-704	EA	SPRING - CABLE PRELOAD
2	141691-01-709	EA	BRACKET-SPRING DRAW BARCONN
3	141691-01-710	EA	BRACKET-SPRING DRAW BAR CBL

1217507
3610586
3610599




145122-04-01A, 145122-05-01A (CONTINUED)
VENDOR NO.


KEY	PART NUMBER	U/M	DESCRIPTION
2	141691-01-708	EA	MOTOR W/9 TOOTH PINION
3	141691-01-711	EA	CAPSTAN/DRUM - CABLE DRIVE
4	141691-01-705	EA	CAP/END - DRUM
5	141691-01-706	EA	BUSHING - .625" X .813"
6	145122-01-710	EA	BRACKET - SUPPORT
11	145122-01-700	EA	CABLE - 80" W/STOPS
12	145122-01-701	EA	CABLE - 54" W/STOPS
14	145122-01-704	EA	HARNESS/ADAPTER

1820122
1102211
1612535
1614003
3610597
1218753
1218754
1809938

KEY	PART NUMBER	U/M	DESCRIPTION
4	138173-01-701	EA	POP RIVET - SS 3/16"X1/4"
14	130294-04-701	EA	BOLT - 3/8" X 3/8" SHOULDER
16	145122-01-709	EA	BUSHING/BRONZE - .38" X .50"
20	145122-05-701	EA	STOP ROD BRACKET - LH
21	145122-05-700	EA	STOP ROD BRACKET - RH
19	145122-01-708	EA	GUIDE/ARM SLIDE - PLASTIC
25	145122-01-707	EA	SHOE/CABLE - PLASTIC
27	145122-01-706	EA	COVER - EMERGENCY RETRACT
28	141691-01-703	EA	LATCH - CABLE RELEASE

145122-05-01A (CONTINUED)	VENDOR NO.
	1214630
	1202300
	1614007
	3010000358
	3010000359
	1612542
	1612533
	1612532
	1912125





145122-05-01A (CONTINUED)

KEY	PART NUMBER	U/M	DESCRIPTION	VENDOR NO.
4	138173-01-701	EA	POP RIVET - SS 3/16"X1/4"	1214630
14	130294-04-701	EA	BOLT - 3/8" X 3/8" SHOULDER	1202300
16	145122-01-709	EA	BUSHING/BRONZE - .38" X .50"	1614007
20	145122-05-701	EA	STOP ROD BRACKET - LH	3010000358
21	145122-05-700	EA	STOP ROD BRACKET - RH	3010000359
19	145122-01-708	EA	GUIDE/ARM SLIDE - PLASTIC	1612542
25	145122-01-707	EA	SHOE/CABLE - PLASTIC	1612533
27	145122-01-706	EA	COVER - EMERGENCY RETRACT	1612532
28	141691-01-703	EA	LATCH - CABLE RELEASE	1912125

2010 AND UP WHEEL TRIM MATRIX

	TIRE AND WHEELS		WHEELCOVERS		WHEEL LINERS				CHASSIS-SUPPLIED PARTS IF ORDERED W/ALUMINUM WHEEL				
	TIRE/WHEEL Ø & WIDTH	WHEEL P/N & MFGR	WHEEL COVERS	VALVE EXTENSION	WHEEL LINERS	VALVE EXTENSION	STABILIZER	TORQ. WHEEL LINER	ALUMINUM WHEEL	HUB COVER	VALVE EXTENSION	STABILIZER	NUT COVER
CHEVY C BODY (14050) NOT USED	225/75R 16"X6.5"	ACCURIDE 29361 AFTERMARKET ACCURIDE 29588	109443-05	REAR:(4)77030-01 REMOVE COVER FOR ACCESS FRONT: (2)77030-01	110435-23-000	REAR INNER (2)95012-09 REAR OUTER (2)77030-10 FRONT (2)77030-10	(2)95012-07	PUSH ON (NA)	156797 -01 (2) FRONT -02 (2) REAR	156797 -03 (2) FRONT -04 (2) REAR	REAR INNER (2)77030-01	-	REPLACE NUTS W/ (32) 156797-06 NUT COVERS (32) 149749-05
DODGE SPRINTER 2500 BVAN 100 SERIES	245/75R 16"X6.5" (1KD)	ALUM DODGE 68004980AA STL(SPARE) DODGE 1J97SZ0AA	N/A	N/A	N/A	N/A	N/A	N/A	DODGE 68004980AA	DODGE 51045708AA (CENTER CAP)	N/A	N/A	BOLT/DODGE 68013444AA
SPRINTER 6 BOLT 16" (DUAL) 500/H SERIES	215/85R 16"X5.5" (1KB) (1KM)	MAGNETTO MERCEDES A 001 401 71 02	N/A	N/A	154970-02	CHASSIS SUPPLIED REAR	-	PUSH ON (NA)	168919 -01 SET FRONT -02 SET REAR	168919 -03 SET FRONT -04 SET REAR	----	----	PART OF HUB COVER SET(S)
FORD A BODY F53 10 BOLT 19.5" E/D SERIES	245/70R 19.5"X6.75" (16H) (16K)	ACCURIDE 29875	N/A	N/A	154672-01	REAR INNER (2)95012-09 REAR OUTER (2)77030-10 FRONT CAP ONLY	(2)95012-07	41-47 NM 30-35 LB/FT TORQUE	N/A	-	-	-	
FORD A BODY F53 D/J SERIES	235/80R 22.5"X7.5" (16L) (16Z)	ALCOA DURA-BRITE 873400	N/A	-	-	-	-	-	-	KIT WITH ATTACHMENT 150723-01	REAR INNER (2)77030-10	-	-
FREIGHT LINER (REAR ENGINE) P/R SERIES	255/80R 22.5"X8.25" 295/80R 22.5"X8.25" (1AF) (1LE) (1LT) (1LU)	ACCURIDE 50487	N/A	N/A	-	REAR INNER (2)77030-11 REAR OUTER (2)77030-10 FRONT (2)77030-01	(2)77030-11	41-47 NM 30-35 LB/FT TORQUE	(2)133429-03 (2)133429-04 ACCURIDE 29697 IFS ONLY FRONT ACCURIDE 29560	FRONT FCCC (2)A22-53422-000 129058-15(2) 129058-16/19 129058-17/20 OR 129058-21/22	REAR 1 INSIDE 129058-06 (2)	129058-18 (2)	(40)129058-10
FORD C BODY E350/450 200/300/700 SERIES	225/75R 16"X6" (16C) (16Y)	(ARVIN MERRITOR) FORD 8C24-1015-H	109443 -05-000	REAR: FORD 1/2" FRONT: FORD 1/2" (LIKE 077030-10) REMOVE COVER FOR REAR ACCESS	110435-23-000	REAR INNER (2)95012-05 REAR OUTER AND FRONT CHASSIS SUPPLIED 1/2"(77030-10)	(2)95012-07	PUSH ON (NA)	(2)149749-01 (2)149749-02	156797 -03(2)FRONT -04(2)REAR	REAR INNER (2)77030-01	----	REPLACE NUTS W/ (32) 149749-06 NUT COVERS (32) 149749-05
FORD A BODY F53 16K 2009 E26P	225/70R 19.5"X6.0" (16N)	(HAYES LAMMERZ) FORD 8U94-1015-BA	N/A	N/A	154672-02	REAR INNER (2)95012-09 REAR OUTER (2)77030-10 FRONT CAP ONLY	(2)95012-07	41-47NM 30-35 LB/FT	N/A	----	----	----	----
FRONT ENGINE FREIGHT LINER J SERIES	225/80R 22.5"X8.25" (1L1) (1LL)	ACCURIDE 50487	N/A	N/A	145580-05	REAR INNER (2)77030-11 REAR OUTER (2)77030-10 FRONT (2) 77030-01	(2)77030-11	41-47NM 30-35 LB/FT TORQUE	(2)133429-03 (2)133429-04 ACCURIDE 29697	FRONT FCCC(2) A22-53422-000 129058-15(2) 129058-17/20	REAR INSIDE 129058-06 (2)	129058-18 (2)	(40)129058-10

5  WINNEBAGO INSTALLED.

4 FREIGHTLINER LOGO NOT FOR WORKHORSE APPLICATION.

3/ NO WINNEBAGO 8 BOLT HUB COVER WITHOUT PORT.

2 / BRACKET-17/20 FOR 145 AXLE, BRACKET-21/22 FOR 144 AXLE.

1 CHASSIS SUPPLIED

SOME PARTS UNIQUE TO CHASSIS MFGR., NO WINNEBAGO P/N

CONTINUED ON NEXT PAGE

FIRST USED			
07 MOTORHOMES			
DO NOT SCALE DRAWING			
TITLE:			
WHEEL INSTL			
SHEET 1	PART NO	159483	REV

8		7		6		5		4		3		2		1	
2010 WHEEL TRIM MATRIX CONTINUED														DWG NO 159483	
D		TIRE AND WHEELS		WHEELS AND COVERS		WHEEL LINERS				CHASSIS-SUPPLIED PARTS IF ORDERED W/ALUMINUM WHEEL					
		TIRE/WHEEL Ø & WIDTH	WHEEL P/N & MFGR	WHEEL COVERS	VALVE EXTENSION	WHEEL LINERS	VALVE EXTENSION	STABILIZER	TORQ. WHEEL LINER	ALUMINUM WHEEL	HUB COVER	VALVE EXTENSION	STABILIZER	NUT COVER	
	WORKHORSE W16/18 E26P/E30W	225/70R 19.5"X6" 1PJ 1PL	MAXION W0007492	N/A	-	145580-06	REAR INNER CHASSIS SUPPLIED	N/A	41-47 NM 30-35 LB/FT TORQUE	N/A	-	-	-	-	
	WORKHORSE W20/22 E/D SERIES	245/70R 19.5"X6.75" 1PE 1PR	MAXION W0002404	N/A	-	134609-02 145580-03	REAR INNER (2)95012-09 REAR OUTER (2)77030-10 FRONT (2)77030-10	(2)95012-07	41-47 NM 30-35 LB/FT TORQUE	(2)118815-02 (2)118815-03 ALCOA 764481 764482	(2)129058-15 (2)129058-17	95012-09 (2)	129058-07 (2)	(32)129058	
	WORKHORSE W20/22/24 D/J SERIES	225/70R 22.5"X6.75" 1PS 1PU 1PV	MAXION W0002404	N/A	-	134609-05 145580-02	REAR INNER (2)95012-10 REAR OUTER (2)77030-01 FRONT (2)77030-10	(2)95012-07	41-47 NM 30-35 LB/FT TORQUE	(2)128689-01 (2)128689-02 ALCOA 873401	(2)129058-15 (2)129058-17 SIMILAR TO -14 (2)3 -16 (2)4	FLEX HOSE 1	129058-07 (2)	(32)129058	
C	-	-	-	-	-	-	-	-	-	-					

