



8			7			6			5			4			3			2			1		




- 22A VACUUM SYS-CENTRAL-WITHOUT
- 22T VACUUM SYSTEM-CENTRAL
- 21S WASHER/DRYER STACKED
- 1B1 CODES/STANDARDS USA
- 265 CODES/STDS-CSA,CMVSS
- 54E WASHER DRYER
- 21M WASHER/DRYER PREP
- 214 DISHWASHER DRAWER STYLE
- 215 DISHWASHER WITHOUT

- 6. FOLLOW TECMA TOILET WINTERIZATION PROCEDURE. REQUIRES 5 GALLONS OF RV ANTIFREEZE 157665-02-000 PER TOILET.
- 5. SEAL AROUND SHOWER WITH SILICONE.
- 4. VENT PIPE MUST PROECT 51 MIN AND 64 MAX ABOVE ROOF FOR PROPER FIT AND FUNCTION.
- 3. ALL PIPE AND FITTINGS TO BE ASSEMBLED WITH SOLVENT 004020-01-000 (US), 004020-02-000 (CAN).
- 2. SLOPE OF TRAP ARM MUST BE 6 PER 305 mm.
- 1. SLOPE OF HORIZONTAL PIPING TO BE MIN 3 PER 305 mm.

X-X

FOR
DRAINAGE
CALLOUTS
SEE DWG NO
116229-01-000

WINNEBAGO INDUSTRIES		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DTFR	ORIG. DATE		
CHRR	ALL DIMENSIONS ARE IN MILLIMETERS		
P.E.			
M.E.	FIRST USED		
DSNR	10 R40CD		
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 3			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: DRAINAGE SYSTEM INSTL			
SHEET 1 OF 4	PART NO	168829	REV
REF:		1	



X-X	FOR DRAINAGE CALLOUTS SEE DWG NO 116229-01-000
	FIRST USED 10 R40CD
	DO NOT SCALE DRAWING
	TITLE: DRAINAGE SYSTEM INSTL

SHEET 2		PART NO	168829	REV
		1		

CAP ASM-VENT PIPE, ROOF
150034-02-02A
SEAL VENT PIPE
116666-01-01A

1 1/2 PLASTIC COUPLING
010115-01-000

PIPE-BLK-PLAS 1 1/2-U.S.
010195-01-000

GROMMET-HOLDING TANK
061607-01-000

ELBOW-90 DEG LONG, 1 1/2 BLK
034250-01-000

ELBOW-PLAS-1/8BD 1 1/2 X 45 DEG.
010006-01-000

VENT- MECHANICAL, TRAP ARM
079968-01-000

WASTE ASM
SUPPLIED W/FAUCET

TOILET-SILENCE
6 170062-01-01A

1 1/2" PLASTIC TEE
010071-01-000

P-TRAP-PLASTIC 1 1/2"
1B1 107538-02-000

P-TRAP PLASTIC 1 1/2"
265 011071-01-000

CONNECTOR-1 1/2P X 1 1/2MPT
1B1 152146-01-000

1 1/2 PLASTIC COUPLING
010115-01-000

GROMMET-HOLDING TANK
061607-01-000

ELBOW-90 DEG LONG, 1 1/2 BLK
034250-01-000

ELBOW-ST-PLAS 1/8BD 1 1/2 X 45
010051-01-000

1 1/2 PLASTIC COUPLING
010115-01-000

ELBOW-90 DEG LONG, 1 1/2 BLK
034250-01-000

GROMMET-HOLDING TANK
061607-01-000

1 1/2 PLASTIC COUPLING
010115-01-000

VENT- MECHANICAL, TRAP ARM
079968-01-000

1 1/2 PLASTIC COUPLING
010115-01-000

PLUG-PLASTIC
61420-12-000

PIPE-STAND
130234-01-000

1 1/2 PLASTIC COUPLING
010115-01-000

1 1/2" PLASTIC TEE
010071-01-000

P-TRAP-PLASTIC 1 1/2"
1B1 107538-02-000
P-TRAP PLASTIC 1 1/2"
265 011071-01-000
CONNECTOR-1 1/2P X 1 1/2MPT
1B1 152146-01-000

CAP ASM-VENT PIPE, ROOF
150034-02-02A
SEAL VENT PIPE
116666-01-01A

ELBOW-PLAS-1/8BD 1 1/2 X 45 DEG.
010006-01-000

WASTE ASM
SUPPLIED W/FAUCET
NUT
130403-01-000

PIPE-BLK-PLAS 1 1/2-U.S.
010195-01-000

1 1/2" PLASTIC TEE
010071-01-000

WYE-PLAS-1 1/2 X 45
010073-01-000

P-TRAP-PLASTIC 1 1/2"
1B1 107538-02-000

P-TRAP PLASTIC 1 1/2"
265 011071-01-000


CONNECTOR-1 1/2P X 1 1/2MPT
1B1 152146-01-000

ELBOW-PLAS-1/4BD 11/2X90 XLT
010008-01-000


ELBOW-PLAS-1/4BD 11/2X90 XLT
010008-01-000

FOR
DRAINAGE
CALLOUTS
SEE DWG NO
116229-01-000

FIRST USED		10 R40CD	
DO NOT SCALE DRAWING			
TITLE: DRAINAGE SYSTEM INSTL			
SHEET 3	PART NO	168829	REV



VIEW D
(SHOWN W/O CABINETS/FLOOR)




VIEW F

FOR
DRAINAGE
CALLOUTS
SEE DWG NO
116229-01-000

FIRST USED		
10 R40CD		
DO NOT SCALE DRAWING		
TITLE: DRAINAGE SYSTEM INSTL		
SHEET 4	PART NO 168829	REV

			144728-01-000
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	144728-01-700	EA GASKET-RUBBER, INSIDE VALVE	9667310-11
	144728-01-701	EA GASKET-RUBBER, OUTSIDE	9667310-10




RELEASE		REV	DATE	DWG NO	169444
REV	ZONE	REVISION RECORD			DATE
					DTFR-ORIG

7. ANTIFREEZE-COOLANT 7316-03-000 (PURPLE COLOR) 50-50 MIXTURE ANTIFREEZE & CLEAN WATER, FREIGHTLINER CHASSIS ONLY.
6. LOOP HOSE PRIOR TO INSTALLATION OF AQUA HOT BOILER. DURING AQUA HOT BOILER INSTALLATION CUT HOSE AND CLAMP AS SHOWN.
5. TORQUE TO 20.0 ±3 IN/LBS.
4. WHERE THE MOTOR AID TUBE COMES IN CONTACT WITH ANY CHASSIS COMPONENT OTHER THAN THE RAILS, IT SHALL BE PROTECTED BY CONVOLUTED CONDUIT 41953-02-000.
3. SEE HEATER AND A/C INSTALLATION 161629 FOR HOOK-UP OF MOTOR AID HOSES AND ANTI-FREEZE/COOLANT.
2. SLIP JOINTS TO HAVE AN OVERLAP OF 25 MINIMUM.
1. EXTERIOR OPENINGS AROUND PIPE TO BE SEALED WITH 69640-02-000.

COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DTFR	ORIG. DATE
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	
DSNR	FIRST USED
10 R-SERIES	
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	± 3
ONE-PLACE (X.X)	± 1.5
TWO-PLACE (X.XX)	± 0.50
ANGLE	± 1°
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: MOTOR AID INSTL	
SHEET 1 OF 1	PART NO 169444
REF:	1

[illegible]




- 54E WASHER/DRYER
- 21M WASHER/DRYER PREP
- 214 DISHWASHER-DRAWER STYLE
- 215 DISHWASHER WITHOUT
- 505 HOSE REEL-WATER,POWERED

- 8 FOLLOW AQUA HOT TEST PROCEDURE-REQUIRES 8 GALLONS OF 170111-01-000 ANTIFREEZE
- 7 ADD PIPE WRAP (LADDER SCRAP 110157-02-000) INSULATION.
- 6 ADD TEFLON TAPE 010405-03-000.
- 5 ADD TEFLON TAPE 010405-02-000.
- 4 ADD TEFLON TAPE 010405-01-000.
- 3. ALL TUBING TO BE SECURED AT 1200 INTERVALS MAXIMUM WITH CLAMP 010495-01-000 AND SCREW 000G67-10-12B OR EQUIVALENT.
- 2. TUBING TO BE INSTALLED WITH SUFFICIENT SLOPE TO PROVIDE DRAINAGE TO NEAREST VALVE.
- 1. PLASTIC FITTINGS TO BE SEALED WITH SEALANT 084456-01-000.

FOR
WATER
CALLOUTS
SEE DWG NO
116230-01-000

Winnebago Industries		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE		
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS		
P.E.			
M.E.	FIRST USED		
DSNR	10 R40CD		
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 3			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: WATER SYSTEM INSTL			
SHEET 1 OF 5		PART NO 168823	
REF:		1	



BRACKET-SHOWER HEAD
143101-01-01A
DROP ELL
135028-02-02A
SPACER
130041-03-18A

NIPPLE 1/2" MPT X 1/2" MPT
135386-01-000

SHOWER-HAND HELD
129390-03-02A

VALVE-SHOWER HEAD
128974-01-02A

BREAKER-VACUUM
125697-04-000
CHECK VALVE
125697-03-000

ELBOW-1/2P X 1/2 MPT
114429-02-000

ADAPTER 1/2"P X 1/2" MPT
114430-03-000

FAUCET-VALVE, SHOWER
144596-01-01A
FAUCET-TRIM KIT
144596-02-02A

SUPPORT-BEND, WATER LINE
124184-01-000

TEE-1/2 P X 1/2 P X 1/2 P
114428-01-000

TUBING 1/2" ID PEX (RED)
124188-02-000

TUBING 1/2" ID PEX (BLUE)
124188-01-000

VIEW C

FERRULE-PLASTIC 1/4" COMP
111888-01-000(2)
INSERT-BRASS 1/4" COMP
111888-02-000(2)

TUBING 1/4"
039800-04-000

TO ICEMAKER


VIEW M
(ROTATED)

SECTION J-J
(ROTATED)



X-X

FOR
WATER
CALLOUTS
SEE DWG NO
116230-01-000

FIRST USED		10 R40CD	
DO NOT SCALE DRAWING			
TITLE: WATER SYSTEM INSTL			
SHEET 3	PART NO	168823	REV



FOR
WATER
CALLOUTS
SEE DWG NO
116230-01-000




DETAIL H
SHOWN W/O COVER & TANK

VALVE-LINE DRAIN
114431-02-000

DETAIL H


PUMP-WATER, FLOW 2.8 GPM, UL
160702-02-000

TANK INSTL
(SEE FRAME ASM-CHASSIS)



VIEW E

FIRST USED			10 R40CD
DO NOT SCALE DRAWING			
TITLE:			WATER SYSTEM INSTL
SHEET 4	PART NO	168823	REV



FOR
WATER
CALLOUTS
SEE DWG NO
116230-01-000

FIRST USED		10 R40CD	
DO NOT SCALE DRAWING			
TITLE: WATER SYSTEM INSTL			
SHEET 5	PART NO	168823	REV

KEY	PART NUMBER	U/M DESCRIPTION	123744-03-01A VENDOR NO.
	135027-01-700	EA CLIP - RETAINER	883
	135027-01-705	EA CARTRIDGE F/SGL LEVER FAUCET	1225

129390-03-02A			
KEY	PART NUMBER	U/M	DESCRIPTION
	129390- 03- 702	EA	CONNECTOR-SWIVEL - CHROME
	129390- 03- 703	EA	VACUUM BREAKER - CHROME
	129390- 03- 705	EA	BRACKET-HANGER/SHOWER HEAD
VENDOR NO.			
			A-4002-CPK
			A-4900C
			AS5001PK - CHROME


129390-04-01A			
KEY	PART NUMBER	U/M	DESCRIPTION
	129390-04-700	EA	CONNECTOR-SWIVEL - WHITE
VENDOR NO.			
			A-4002PK

		142675-01-01A	
KEY	PART NUMBER	U/M	DESCRIPTION
	142675-01-700	EA	SWITCH ASM - HOSE REEL
	142675-01-701	EA	HOSE WHEEL ASM W/35" HOSE
	142675-01-702	EA	MOTOR W/DRIVE GEAR
	142675-01-703	EA	MOTOR F/HOSE REEL-SILVER
		VENDOR NO.	
		19553- 1GLENDINNING	
		19551 GLENDINNING	
		WP150	
		20550 + 52553	

KEY	PART NUMBER	U/M DESCRIPTION	144596-01-01A VENDOR NO.
	144596-01-700	EA CARTRIDGE (REPLACEMENT)	1222

KEY	PART NUMBER	U/M DESCRIPTION	144596-02-01A, 144596-03-01A VENDOR NO.
	144596-03-700	EA KNOB (INSERT KIT) WHITE/GOLD	M0-91754

KEY	PART NUMBER	U/M DESCRIPTION	149174-01-01A VENDOR NO.
	132410-01-700	EA CARTRIDGE F/DBL HDLE FAUCET	1224



FIRST USED		
10 S40CD		
DO NOT SCALE DRAWING		
TITLE:		
WATER CENTER ASM, FILTERED		
SHEET 4	PART NO	REV
	157511	

8

7

6

5

4

3

2

1

DWG
NO 163268

D

D

C

C

B

B

A

A

PANEL-SERVICE CENTER,UPPER
163267-04-12B

PANEL-SERVICE CENTER,SIDE
160433-02-12B (2)
SCREW
000G39-08-08U (4)

BULLDOG CLIP
156695-01-01A
WASHER
000E13-08-00U
SCREW
000G11-08-10U

PANEL ASM-SERVICE CTR
163263-01-12B

PANEL ASM-SERVICE CTR, MID
163266-04-12B

PANEL-SERVICE CENTER,SIDE
160433-01-12B
SCREW
000-08-08U (2)

163268-05
R40CD
R42AD

DISPENSER-TOWER,PAPER
136915-01-000

DISPENSER-SOAP,LIQUID
149894-01-01A

FIRST USED		08 S40TD	
DO NOT SCALE DRAWING			
TITLE: SERVICE CENTER ASM			
SHEET 9	PART NO	163268	REV

8

7

6

5

4

3

2

1

12/15/2009