


R-SERIES

ACCESSORY AIR LINE  
FROM CHASSIS RESERVOIR  
PRESSURE PROTECTION VALVE

|                                 |         |             |     |
|---------------------------------|---------|-------------|-----|
| FIRST USED                      |         | 03 P-SERIES |     |
| DO NOT SCALE DRAWING            |         |             |     |
| TITLE:<br>AIR HORN/SUPPLY INSTL |         |             |     |
| SHEET 2                         | PART NO | 143049      | REV |



HORN-AIR

COUPLER-QUICK,AIR  
142595-01-000

VALVE-BALL,AIR  
142597-01-000

FITTING-BULKHEAD  
071374-03-000

GUAGE-AIR PRESSURE  
142609-01-000

SCREW-PAN,HEAD  
000G39-10-10T(3)

BOLT  
000C12-06-12U(2)  
WASHER  
000E13-17-00U(2)

TUBING  
071390-07-000  
(216 MM)

TEE-MALE  
142570-01-000 (2)


TUBING  
071390-07-000  
(220 MM)

COUPLING-FEMALE  
075155-03-000

SOLENOID-VALVE  
077497-11-000

BOLT  
000C12-04-16B(2)  
WASHER  
000E13-14-00B(2)

VIEW D



TUBING  
071390-04-000  
(1230 MM)

VIEW F

HORN-AIR,BLACK,TWIN,SHORT  
077497-08-000

CONNECTOR  
071386-06-000

VIEW E

AIRSYS-MANIFOLD &  
ELBOW (BOTH SUPPLIED  
WITH CHASSIS)

TUBING  
071390-07-000  
(1100 MM)

CONNECTOR-MALE  
142571-01-000


VALVE-AIR  
086241-01-000

VIEW G


(UP TO 12-20-09)

R-SERIES

|                                 |                   |     |
|---------------------------------|-------------------|-----|
| FIRST USED                      |                   |     |
| 03 P-SERIES                     |                   |     |
| DO NOT SCALE DRAWING            |                   |     |
| TITLE:<br>AIR HORN/SUPPLY INSTL |                   |     |
| SHEET3A                         | PART NO<br>143049 | REV |



VIEW D




VIEW F

HORN-AIR,BLACK,TWIN,SHORT 077497-08-000

CONNECTOR 071386-06-000

VIEW E



VIEW G


(AFTER 12-21-09)

R-SERIES

|                       |                |     |
|-----------------------|----------------|-----|
| FIRST USED            |                |     |
| 03 P-SERIES           |                |     |
| DO NOT SCALE DRAWING  |                |     |
| TITLE:                |                |     |
| AIR HORN/SUPPLY INSTL |                |     |
| SHEET3B               | PART NO 143049 | REV |

| DWG NO    | MODEL | SHEET |
|-----------|-------|-------|
| 169227-01 | R40WD | 1,2   |
| 169227-02 | R40BD | 3,2   |
| 169227-03 | R42AD | 4,2   |


|          |                 |        |          |
|----------|-----------------|--------|----------|
| RELEASE  | REV DATE        | DWG NO | 169227   |
| REV ZONE | REVISION RECORD | DATE   | DTFR.ORG |



- 10 LOCATE AWNING AS FAR FORWARD AS POSSIBLE.
- 9 PER INSTALLATION INSTRUCTION S DRILL THREE 3/16" HOLES THROUGH THE CASE MOUNTING PLATE, AND INTO WALL USING SCREW 113874-11-CHT.
- 8 USE CONTROL KIT 166643-02-CHT AND REMOTE KIT 166642-03-CHT. SEE WIRING INSTL-BODY, 12V AND WIRING INSTL-BODY 110V FOR ADDITIONAL INFORMATION.
- 7 USE AWNING CONTROL KIT 166642-02 AND REMOTE KIT 166642-03 WITH SCREW G67-10-08U (4). SEE WIRING INSTL-BODY, 12V FOR ADDITIONAL INFORMATION.
6. FOR WINDOW AWNING FEATURE 295 INCLUDE ONE PULL ROD 166645-08-CHT.
- 5 FRONT EDGE OF AWNING TO ALIGN WITH REAR EDGE OF "A" PILLAR.
- 4 ATTACH WINDOW AWNINGS USING RIVET 118626-01-CHT (4) AND USE SCREW G11-08-12U(2) ON CENTER OF AWNING BRACKET.
- 3 DISTANCE BETWEEN TOP OF MOUNTING BRACKET TO BOTTOM OF AWNING RAIL.
2. FOR WINDOW AWNINGS LOCATE BOTTOM OF AWNING RAIL 76MM ABOVE TOP EDGE OF WINDOW FRAME.
- 1 USE IN PLACE OF KIT SUPPLIED BLOT.

CAREFREE  
ECLIPSE  
(ON SLIDEOUT ROOM)

CAREFREE  
SL WINDOW AWNING



SEE CHART  
FOR COLOR VARIATIONS  
OF THIS PART


|                                 |            |                                                 |     |
|---------------------------------|------------|-------------------------------------------------|-----|
| WINNEBAGO INDUSTRIES            |            | COPYRIGHT 2009<br>WINNEBAGO<br>INDUSTRIES, INC. |     |
| DTFR                            | ORIG. DATE | ALL DIMENSIONS ARE<br>IN MILLIMETERS            |     |
| CHRR                            |            |                                                 |     |
| P.E.                            |            |                                                 |     |
| M.E.                            | FIRST USED | 10 R-SERIES                                     |     |
| DSNR                            |            |                                                 |     |
| UNSPECIFIED TOLERANCES ARE:     |            | MATERIAL:                                       |     |
| WHOLE DIM (X) : 3               |            |                                                 |     |
| ONE-PLACE (X.X) : 1.5           |            |                                                 |     |
| TWO-PLACE (X.XX) : 0.50         |            |                                                 |     |
| ANGLE : 1°                      |            |                                                 |     |
| THIRD ANGLE<br>PROJECTION       |            |                                                 |     |
| DO NOT SCALE DRAWING            |            |                                                 |     |
| TITLE:<br>AWNING INSTL R-SERIES |            |                                                 |     |
| SHEET 1 OF 4                    | PART NO    | 169227                                          | REV |
| REF:                            |            | 1                                               |     |

D


C

B


A



SECTION D-D





SECTION C-C



SECTION A-A


|                              |                |     |
|------------------------------|----------------|-----|
| FIRST USED                   |                |     |
| 10 R-SERIES                  |                |     |
| DO NOT SCALE DRAWING         |                |     |
| TITLE: AWNING INSTL R-SERIES |                |     |
| SHEET 2                      | PART NO 169227 | REV |



DETAIL J





CAREFREE  
ECLIPSE (52N)  
(ON SLIDEOUT ROOM)

CAREFREE (295)  
SL WINDOW AWNING




DETAIL L  
SHOWN W/OUT AWNING

|                                 |                |     |
|---------------------------------|----------------|-----|
| FIRST USED                      |                |     |
| 10 R40BD                        |                |     |
| DO NOT SCALE DRAWING            |                |     |
| TITLE:<br>AWNING INSTL R-SERIES |                |     |
| SHEET 3                         | PART NO 169227 | REV |



|            |         |        |                       |
|------------|---------|--------|-----------------------|
| FIRST USED |         |        | 10 R42AD              |
| TITLE:     |         |        | DO NOT SCALE DRAWING  |
| TITLE:     |         |        | AWNING INSTL R-SERIES |
| SHEET 4    | PART NO | 169227 | REV                   |



WINNEBAGO INDUSTRIES

COPYRIGHT 2009  
WINNEBAGO INDUSTRIES, INC.

DFT-ORIG

CHGR

P.E.

M.E.

DSNR

ORIG. DATE

ALL DIMENSIONS ARE IN MILLIMETERS

FIRST USED

10 R-SERIES

UNSPECIFIED TOLERANCES ARE:

MATERIAL:

THIRD ANGLE PROJECTION







DO NOT SCALE DRAWING

TITLE: BODY INSTL-SECTIONS

SHEET 1 OF 6 PART NO 169674 REV


REF:

1




- 40E POWER LOCK-REMOTE/TOUCH PAD
- ITA ITASCA ONLY
- WIN WINNEBAGO ONLY


| FIRST USED                 |                |     |
|----------------------------|----------------|-----|
| 10 R-SERIES                |                |     |
| DO NOT SCALE DRAWING       |                |     |
| TITLE: BODY INSTL-SECTIONS |                |     |
| SHEET 2                    | PART NO 169674 | REV |




VIEW BB-BB



SECTION BC-BC










VIEW BE-BE




SECTION BF-BF


|                      |         |     |
|----------------------|---------|-----|
| FIRST USED           |         |     |
| 10 R-SERIES          |         |     |
| DO NOT SCALE DRAWING |         |     |
| TITLE:               |         |     |
| BODY INSTL-SECTIONS  |         |     |
| SHEET 3              | PART NO | REV |
|                      | 169674  |     |




|                            |                |     |
|----------------------------|----------------|-----|
| FIRST USED                 |                |     |
| 10 R-SERIES                |                |     |
| DO NOT SCALE DRAWING       |                |     |
| TITLE: BODY INSTL-SECTIONS |                |     |
| SHEET 4                    | PART NO 169674 | REV |




SECTION BP-BP



SECTION BN-BN








SECTION BR-BR



SECTION BS-BS (ROTATED)

|                      |                |     |
|----------------------|----------------|-----|
| FIRST USED           |                |     |
| 10 R-SERIES          |                |     |
| DO NOT SCALE DRAWING |                |     |
| TITLE:               |                |     |
| BODY INSTL-SECTIONS  |                |     |
| SHEET 5              | PART NO 169674 | REV |



|                            |                |     |
|----------------------------|----------------|-----|
| FIRST USED                 |                |     |
| 10 R-SERIES                |                |     |
| DO NOT SCALE DRAWING       |                |     |
| TITLE: BODY INSTL-SECTIONS |                |     |
| SHEET 6                    | PART NO 169674 | REV |

COWL ASM-WINDSHIELD, RH  
156708-03-XXX  
SCREW  
000G55-08-12B (2)  
WASHER  
000E13-18-00B  
NUT  
000D29-05-00B

COWL ASM-WINDSHIELD, CENTER  
156705-02-XXX  
WASHER  
000E13-18-00B (3)  
NUT  
000D29-05-00B (3)

PANEL-TRIM,FRONT  
152685-01-01A  
GASKET  
155091-01-01A  
ZEE-ACCESS PANEL,HEADLAMP  
152687-01-02B  
WASHER  
000E13-14-00B (2)  
NUT  
0MD54U-06-000 (2)

BRACKET ASM-BUMPER  
128455-01-02B (2)  
SPACER-BUMPER  
116617-02-02B (2)  
BOLT  
000C12-08-24B (2)  
WASHER  
000E13-22-00B (4)  
NUT  
000D29-08-00B (4)

HOOD COMPL-FRONT  
160635-01-XXX

BRACKET ASM-BUMPER  
128455-02-02B (2)  
SPACER-BUMPER  
116617-02-02B (2)  
BOLT  
000C12-08-24B (2)  
WASHER  
000E13-22-00B (4)  
NUT  
000D29-08-00B (4)

DAMPER  
154973-01-000 (2)(UP TO 05-10-10)  
154973-02-000 (2)(AFTER 05-11-10)  
CLIP  
154991-01-01A (4)(UP TO 05-10-10)

BRACKET-BALL STUD  
154981-01-02B (2)  
SCREW  
000G11-10-12B (6)  
BALL-STUD-13MM BALL  
154990-01-01A (2)(UP TO 04-26-10)  
057460-02-000 (2)(AFTER 04-27-10)  
NUT  
000D29-05-00B (2)

BOLT-HOOD ADJUSTING  
058786-04-000 (2)  
NUT  
000D39-05-00B (4)

BRACKET-STRIKER,HOOD  
144209-01-02B (2)  
STIKER-DOOR,LUGGAGE  
130053-01-01A (2)  
WAHSER  
000E13-10-00B (8)  
SCREW  
000G19-10-10B (8)  
NUT  
000D24-10-00B (8)

CABLE ASM-DOOR  
155143-02-01A  
NUT  
000D27-10-00B  
SCREW  
000G18-06-10B  
WASHER  
000E13-08-00B

COWL ASM-WINDSHIELD, LH  
156708-04-XXX  
SCREW  
000G55-08-12B (2)  
WASHER  
000E13-18-00B  
NUT  
000D29-05-00B

TRIM-PANEL,FIBERGLASS  
140447-01-CHT  
140447-07-CHT (R42AD)  
SCREW  
000G60-08-16B (3)

PANEL ASM-FRONT,LOWER  
140447-01-CHT  
160621-03-CHT (R42AD)


SCREW  
000G39-08-08B (4)

GASKET  
155091-02-01A

PANEL-TRIM,FRONT  
152685-02-01A  
GASKET  
155091-02-01A  
ZEE-ACCESS PANEL,HEADLAMP  
152687-01-02B  
WASHER  
000E13-14-00B (2)  
NUT  
0MD54U-06-000 (2)

BOLT  
000C12-08-56B (2)  
WASHER  
000E13-21-00B (8)  
NUT  
000D36-08-00B (2)

|                        |         |     |
|------------------------|---------|-----|
| FIRST USED             |         |     |
| 10 R-SERIES,W          |         |     |
| DO NOT SCALE DRAWING   |         |     |
| TITLE:                 |         |     |
| BODY PANEL INSTL-FRONT |         |     |
| SHEET 1                | PART NO | REV |
|                        | 160634  |     |



TRIM-PANEL,FIBERGLASS  
140447-02-CHT  
SCREW  
000G60-08-16B (5)

ANGLE-MOUNT,FRONT END  
147498-01-02B  
SCREW  
000G39-08-08B (2)

STRAP-ATTACHMENT  
147496-01-CHT  
RIVET  
000H16-06-06R (3)

SCREW  
000G42-04-12B (6)


BOLT  
000C26-04-10B (4)

SCREW  
000G42-04-12B (2)

ANGLE-SUPPORT,MIRROR  
120842-02-02B (2)

VIEW FB

|                                  |   |               |        |     |
|----------------------------------|---|---------------|--------|-----|
| FIRST USED                       |   | 10 R-SERIES,W |        |     |
| DO NOT SCALE DRAWING             |   |               |        |     |
| TITLE:<br>BODY PANEL INSTL-FRONT |   |               |        |     |
| SHEET                            | 2 | PART NO       | 160634 | REV |



BRACKET ASM-BUMPER  
128455-01-02B (2)  
SPACER  
116617-02-02B (2)  
BOLT  
000C12-08-24B (2)  
WASHER  
000E13-22-00B (4)  
NUT  
000D29-08-00B (4)

BRACKET ASM-BUMPER  
128455-02-02B (2)  
SPACER  
116617-02-02B (2)  
BOLT  
000C12-08-24B (2)  
WASHER  
000E13-22-00B (4)  
NUT  
000D29-08-00B (4)

COWL ASM-WINDSHIELD  
156708-03-XXX  
SCREW  
000G55-08-12B (2)

COWL ASM-WINDSHIELD,CENTER  
156705-02-XXX

BOLT-HOOD ADJUSTING  
058786-04-000 (4)  
NUT  
000D39-05-00B (8)

COWL ASM-WINDSHIELD  
156708-04-XXX  
SCREW  
000G55-08-12B (2)

TRIM-PANEL,FIBERGLASS  
140447-01-CHT  
SCREW  
000G60-08-16B (3)

BOLT-HOOD ADJUSTING  
058786-04-000 (2)  
NUT  
000D39-05-00B (4)

PANEL ASM-FRONT,LOWER  
161031-01-XXX

DETAIL AA

CLAMP-CLOSED  
010497-09-000  
SCREW  
000G39-08-08B

DOOR,COMPL-GENERATOR  
154937-01-XXX

PLATE-STUD  
146347-18-02B  
WASHER  
000E13-18-00B (2)  
NUT  
000D29-06-00B (2)

NUT  
000D36-08-00B

BRACKET ASM (REF)

CONNECTOR ASM-DOOR GEN  
REF  
WASHER  
000E13-21-00B (4)

HINGE ASM-DOOR,GEN  
153202-01-CHT


BOLT  
000C26-05-08B(2)

BOLT  
000C12-08-56B


DETAIL AA  
(2 PLCS)

1. TOP OF PANEL ASM-FRONT, LOWER TO BE ALIGNED  
WITH BOTTOM EDGE OF WINDSHIELD.

|                                         |                          |                                                       |  |
|-----------------------------------------|--------------------------|-------------------------------------------------------|--|
| <b>WINNEBAGO INDUSTRIES</b>             |                          | COPYRIGHT 2010<br>WINNEBAGO<br>INDUSTRIES, INC.       |  |
| DFTD                                    | ORIG. DATE               | ALL DIMENSIONS ARE<br>IN MILLIMETERS                  |  |
| CHKD                                    |                          | FIRST USED                                            |  |
| P.E.                                    |                          | 08 R-SERIES,I                                         |  |
| M.E.                                    |                          |                                                       |  |
| DSNR                                    |                          |                                                       |  |
| UNSPECIFIED TOLERANCES ARE:             |                          | MATERIAL:                                             |  |
| WHOLE DIM (X)                           | : 3                      |                                                       |  |
| ONE-PLACE (X.X)                         | : 1.5                    |                                                       |  |
| TWO-PLACE (X.XX)                        | : 0.50                   |                                                       |  |
| ANGLE                                   | : 1°                     |                                                       |  |
| THIRD ANGLE<br>PROJECTION               |                          |                                                       |  |
| DO NOT SCALE DRAWING                    |                          | REFER TO ES0018 FOR FASTENER<br>TIGHTENING GUIDELINES |  |
| TITLE:<br><b>BODY PANEL INSTL-FRONT</b> |                          |                                                       |  |
| SHEET 1 OF 6                            | PART NO<br><b>161062</b> | REV                                                   |  |
| REF:                                    |                          | 1                                                     |  |



DETAIL BA



CA

CA

578

1392

DETAIL BC

74C 74L

TRIM-PANEL  
140447-02-CHT  
SCREW  
000G60-08-16B (5)

STEP ASM-ENT


RIVET  
000H15-06-03R (3)

STRAP-ATTACHMENT  
147496-01-CHT

ANGLE-MOUNT,FRONT END  
147498-01-CHT  
SCREW  
000G39-08-08B (2)

PANEL ASM-FRONT

SECTION BB-BB  
(W/O VIDEO CAMERA)




BOLT  
000C26-04-10B (13)

ANGLE-SUPPORT,MIRROR  
120842-02-02B (2)

SCREW  
000G42-04-12B (6)

SCREW  
000G42-04-12B (2)

DETAIL BA



TRIM-PANEL,FIBERGLASS  
140447-04-CHT  
SCREW  
000G60-08-16B (3)

CAMERA

TRIM-PANEL,FIBERGLASS  
140447-05-CHT  
SCREW  
000G60-08-16B (2)

DETAIL BC 74C 74L

74C VIDEO CAMERA SYSTEM  
74L VIDEO CAMERA SYS W/COLOR MON

|                                  |                   |     |
|----------------------------------|-------------------|-----|
| FIRST USED                       |                   |     |
| 08 R-SERIES,I                    |                   |     |
| DO NOT SCALE DRAWING             |                   |     |
| TITLE:<br>BODY PANEL INSTL-FRONT |                   |     |
| SHEET 2                          | PART NO<br>161062 | REV |

DAMPER  
154973-01-000 (2)(UP TO 05-10-10)  
154973-02-000 (2)(AFTER 05-11-10)  
MOUNT,DAMPER  
154981-01-02B (2)  
BALL-STUD-10MM BALL  
154990-01-01A (2)(UP TO 04-26-10)  
057460-02-000 (2)(AFTER 04-27-10)  
NUT  
000D29-05-00B (2)  
CLIP-SAFETY  
154991-01-01A (4)(UP TO 05-10-10)

SCREW  
000G55-08-12B (2)

BRACKET ASM-ADJUSTMENT,LH  
152738-02-02B  
BOLT  
000C26-06-12B (2)

SUPPORT ASM-HEADLAMP,LH  
152682-02-02B  
SCREW  
000G11-10-08B (3)

STRAP-BRACE,LH  
155900-02-02B  
WASHER  
000E13-18-00B  
NUT  
000D29-06-00B

SPRING-HEADLAMP ADJUSTING  
049359-01-000 (2)

BOLT  
000C12-05-12B (2)  
WASHER  
000E13-16-00B (2)  
WASHER  
000E13-20-00B (2)

BOLT  
144904-01-01A (2)  
WASHER  
000E13-16-00B

NUT  
000D29-05-00B (3)  
WASHER  
000E13-16-00B (3)

SCREW  
000G18-08-10B  
NUT  
000D27-08-00B  
WASHER  
000E13-08-00B

NUT  
000D29-05-00B (2)  
WASHER  
000E13-20-00B (2)

NUT-SPEED-U  
040921-03-000 (6)  
SCREW  
000G11-10-12B (6)

STRAP-BRACE,RH  
155900-01-02B  
WASHER  
000E13-18-00B  
NUT  
000D29-06-00B

BRACKET ASM-ADJUSTMENT,RH  
152738-01-02B  
BOLT  
000C26-06-12B (2)

SUPPORT ASM-HEADLAMP,RH  
152682-01-02B  
SCREW  
000G11-10-08B (3)

BOLT  
000C26-07-20B (2)  
WASHER  
000E13-20-00B (2)  
NUT  
000D29-07-00B (2)

ANGLE-SUPPORT,DOOR  
155917-01-02B (2)  
WASHER  
000E13-22-00B (2)  
NUT  
000D29-08-00B (2)  
SPACER-BUMPER  
116617-02-02B (2)

STRIKER-DOOR,LUGGAGE  
130053-01-01A (2)  
SCREW  
000G19-10-10B (4)  
NUT  
000D24-10-00B (4)  
WASHER  
000E13-10-00B (8)

STRICKER-DOOR,HOOD  
144209-01-02B (2)  
SCREW  
000G19-10-10B (4)  
WASHER  
000E13-10-00B (4)


SECTION CA-CA

CABLE ASM-DOOR  
155143-02-01A  
(2200 MM)


SECTION CC-CC

SECTION CB-CB

|                                  |  |                   |     |
|----------------------------------|--|-------------------|-----|
| FIRST USED                       |  | 08 R-SERIES,I     |     |
|                                  |  |                   |     |
| DO NOT SCALE DRAWING             |  |                   |     |
| TITLE:<br>BODY PANEL INSTL-FRONT |  |                   |     |
| SHEET 3                          |  | PART NO<br>161062 | REV |





SECTION D-D



DETAIL B  
2 PLCS

DRILL  $\varnothing$  7.0 HOLE TO ALIGN WITH  
HOLE IN STEEL (4 PLCS)



SECTION A-A

|      |                |             |     |
|------|----------------|-------------|-----|
| 19   | 15638201CHT    | ANGLE-DOOR, | 1   |
| 18   | 000G500416U    | SCREW-MACH  | 4   |
| 17   | 000D290400U    | NUT         | 4   |
| 16   | 15493601CHT    | BRACKET-CAB | 2   |
| 15   | 15514301CHT    | CABLE ASM-D | 1   |
| 14   | 15499001CHT    | BALL STUD-1 | 2   |
| 13   | 000D290500U    | NUT         | 2   |
| 12   | 000G390808U    | SCREW-PAN,H | 14  |
| 11   | 11390802000    | PLUNGER ASM | 2   |
| 10   | 000G500412U    | SCREW       | 2   |
| 9    | 08723401000    | NUT-JACK    | 2   |
| 8    | 000C260508U    | BOLT        | 4   |
| 7    | 15319901CHT    | STRAP-ATTAC | 1   |
| 6    | 15319902CHT    | STRAP-ATTAC | 1   |
| 5    | 10276751011    | EXTR-TUBE   | 2   |
| 4    | 000G420412U    | BOLT        | 34  |
| 3    | 15319801CHT    | STRAP-ATTAC | 1   |
| 2    | 15319802CHT    | STRAP-ATTAC | 1   |
| 1    | 15236502XXX    | PANEL-DOOR, | 1   |
| ITEM | PART<br>NUMBER | DESCRIPTION | QTY |

WINNEBAGO  
INDUSTRIES

COPYRIGHT 2009  
WINNEBAGO  
INDUSTRIES, INC.

DFT-ORIG

CHGR

P.E.

M.E.

DSNR

ORIG. DATE

ALL DIMENSIONS ARE  
IN MILLIMETERS

FIRST USED

06 R-ITASCA

UNSPECIFIED TOLERANCES ARE:

WHOLE DIM (X) : 3

ONE-PLACE (X.X) :

TWO-PLACE (X.XX) :

ANGLE :

THIRD ANGLE  
PROJECTION

MATERIAL:

DO NOT SCALE DRAWING

TITLE:  
DOOR COMPL-GENERATOR

SHEET1 OF 1

PART NO  
154937






REV

REF:

1


1. LUBRICATE WITH WHITE LITHIUM GREASE.

NOTES:




|      |             |              |     |
|------|-------------|--------------|-----|
| 17   | 15178006XXX | PANEL ASM-FR | 1   |
| 16   | 15178008XXX | PANEL ASM-FR | 1   |
| 15   | 16061901XXX | SUPPORT ASM  | 1   |
| 14   | 000C130720B | BOLT - HEX   | 4   |
| 13   | 000C120416U | BOLT         | 4   |
| 12   | 000E131400U | WASHER       | 4   |
| 11   | 000E131900U | WASHER (NARR | 4   |
| 10   | 15267001CHT | BRACKET-HING | 2   |
| 9    | 000C120824U | BOLT         | 4   |
| 8    | 000D390800U | NUT          | 4   |
| 7    | 000E132200U | WASHER       | 4   |
| 6    | 12845404CHT | ANGLE-BUMPER | 2   |
| 5    | 000D610700A | NUT          | 4   |
| 4    | 16021004CHT | LATCH-HOOD,F | 2   |
| 3    | 000G390806U | SCREW-PAN,HE | 18  |
| 2    | 15260602CHT | SUPPORT ASM  | 1   |
| 1    | 16094502XXX | PANEL CENTER | 1   |
| ITEM | PART NUMBER | DESCRIPTION  | QTY |

|                              |                |     |  |
|------------------------------|----------------|-----|--|
| FIRST USED                   |                |     |  |
| 08 G39WL                     |                |     |  |
| DO NOT SCALE DRAWING         |                |     |  |
| TITLE: PANEL ASM-FRONT,LOWER |                |     |  |
| SHEET 1                      | PART NO 160621 | REV |  |




PANEL ASM-HOOD, OUTER  
160609-02-XXX

DETAIL B



CABLE ASM-DOOR  
155143-01-CHT

DAMPER MOUNT  
154981-01-CHT  
BALL STUD  
154990-01-CHT (UP TO 04-26-10)  
057460-02-000 (AFTER 04-27-10)  
NUT  
D29-05-00U  
SCREW  
G39-10-12U (3)



PLUNGER ASM-BOLT  
113908-02-000  
SCREW  
G39-08-08U (4)


BRACKET-CABLE, SUPPORT  
154936-02-CHT  
SCREW  
G39-08-08U (2)

CABLE ASM (REF)

9.4


SCREW  
G39-08-08U (2)

SECTION C-C



BRACKET-HINGE, HOOD, OTR  
152672-01-CHT  
PLATE-STUD  
146347-10-CHT (2)  
NUT-SPEED, FLAT  
44364-02-000 (4)  
NUT  
D29-05-00A (4)


SECTION A-A  
(2 PLCS)




SECTION D-D (2 PLCS)

2. TIGHTEN NUT UNTIL PIVOT ASM WILL STILL MOVE FREELY.

1. LUBRICATE WITH LITHIUM GREASE.

|                                      |                                                                                       |                                                       |     |
|--------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------|-----|
| <div>WINNEBAGO®<br/>INDUSTRIES</div> |                                                                                       | COPYRIGHT 2010<br>WINNEBAGO<br>INDUSTRIES, INC.       |     |
| DFTR                                 |                                                                                       | ORIG. DATE                                            |     |
| CHGR                                 |                                                                                       | ALL DIMENSIONS ARE<br>IN MILLIMETERS                  |     |
| P.E.                                 |                                                                                       |                                                       |     |
| M.E.                                 |                                                                                       |                                                       |     |
| DSNR                                 |                                                                                       | FIRST USED                                            |     |
|                                      |                                                                                       | 08 R-SERIES                                           |     |
| UNSPECIFIED TOLERANCES ARE:          |                                                                                       | MATERIAL:                                             |     |
| WHOLE DIM (X) ± 3                    |                                                                                       | WEIGHT: 59.5 LBS                                      |     |
| ONE-PLACE (X.X) ± 1.5                |                                                                                       |                                                       |     |
| TWO-PLACE (X.XX) ± 0.50              |                                                                                       |                                                       |     |
| ANGLE ± 1°                           |                                                                                       |                                                       |     |
| THIRD ANGLE<br>PROJECTION            |  | REFER TO ES0018 FOR FASTENER<br>TIGHTENING GUIDELINES |     |
| DO NOT SCALE DRAWING                 |                                                                                       |                                                       |     |
| TITLE:                               |                                                                                       |                                                       |     |
| HOOD COMPL-FRONT                     |                                                                                       |                                                       |     |
| SHEET 1 OF 1                         |                                                                                       | PART NO                                               | REV |
|                                      |                                                                                       | 160635                                                |     |



|         |      |                 |      |     |      |          |
|---------|------|-----------------|------|-----|------|----------|
| RELEASE |      | REV             | DATE | DWG | NO   | 161031   |
| REV     | ZONE | REVISION RECORD |      |     | DATE | DTR-ORIG |




|      |             |              |     |
|------|-------------|--------------|-----|
| 18   | 15266803XXX | SUPPORT ASM  | 1   |
| 17   | 15287404XXX | PANEL-CENTE  | 1   |
| 16   | 15236306XXX | PANEL ASM-F  | 1   |
| 15   | 15309801CHT | SUPPORT ASM  | 1   |
| 14   | 000D290700U | NUT          | 4   |
| 13   | 000C260720U | BOLT         | 4   |
| 12   | 000E132000U | WASHER       | 4   |
| 11   | 000G390806U | SCREW-PAN, H | 18  |
| 10   | 15309802CHT | SUPPORT ASM  | 1   |
| 9    | 15320301CHT | CONNECTOR A  | 1   |
| 8    | 15323702CHT | SUPPORT ASM  | 1   |
| 7    | 000D390800U | NUT          | 4   |
| 6    | 000C120824U | BOLT         | 4   |
| 5    | 000E132200U | WASHER       | 4   |
| 4    | 12845404CHT | ANGLE-BUMPE  | 2   |
| 3    | 000C260612U | BOLT         | 8   |
| 2    | 15323701CHT | SUPPORT ASM  | 1   |
| 1    | 15236303XXX | PANEL ASM-F  | 1   |
| ITEM | PART NUMBER | DESCRIPTION  | QTY |

|                                             |  |                                                 |  |
|---------------------------------------------|--|-------------------------------------------------|--|
| <div>WINNEBAGO®</div> <div>INDUSTRIES</div> |  | COPYRIGHT 2009<br>WINNEBAGO<br>INDUSTRIES, INC. |  |
| DFTB                                        |  | ORIG. DATE                                      |  |
| CHKR                                        |  | ALL DIMENSIONS ARE<br>IN MILLIMETERS            |  |
| P.E.                                        |  | FIRST USED                                      |  |
| M.E.                                        |  | 08 R-SERIES, I                                  |  |
| DSNR                                        |  | UNSPECIFIED TOLERANCES ARE:                     |  |
| WHOLE DIM (X) ± 1.5                         |  | MATERIAL:                                       |  |
| ONE-PLACE (X.X) ±                           |  | THIRD ANGLE<br>PROJECTION                       |  |
| TWO-PLACE (X.XX) ±                          |  | DO NOT SCALE DRAWING                            |  |
| ANGLE ±                                     |  | TITLE: PANEL ASM-FRONT, LOWER                   |  |

|              |  |         |        |     |  |
|--------------|--|---------|--------|-----|--|
| SHEET 1 OF 1 |  | PART NO | 161031 | REV |  |
| REF:         |  | 1       |        |     |  |

| 8         |       | 7   |     |      |      |
|-----------|-------|-----|-----|------|------|
| DWG NO    | UNIT  | A   | B   | C    | D    |
| 170911-01 | R40CD | 676 | 724 | 2546 | 2546 |
| 170911-02 | R40WD | .   | .   | .    | .    |
| 170911-03 | R42AD | .   | .   | .    | .    |
| 170911-04 | R40BD | 670 | 680 | 1850 | 1960 |

| 1       |      | 2               |        | 3      |      | 4    |      | 5    |      | 6    |      | 7    |      | 8    |      |
|---------|------|-----------------|--------|--------|------|------|------|------|------|------|------|------|------|------|------|
| RELEASE | REV  | DATE            | DWG NO | 170911 | 1    | 2    | 3    | 4    | 5    | 6    | 7    | 8    | 9    | 10   | 11   |
| REV     | ZONE | REVISION RECORD | DATE   | DATE   | DATE | DATE | DATE | DATE | DATE | DATE | DATE | DATE | DATE | DATE | DATE |



- (24P) MASK FRONT EXT PROTECTIVE
- (27A) EXT FULL BODY PAINT PKG #1
- (92A) EXT FULL BODY PAINT PKG #2
- (24C) EXT FULL BODY PAINT PKG #3
- (24B) EXT FULL BODY PAINT PKG #4
- (24H) EXT FULL BODY PAINT PKG #5
- (24L) EXT FULL BODY PAINT PKG #6

|                                                                                       |  |  |  |  |  |  |  |  |  |                                                 |  |  |  |  |     |  |  |  |  |
|---------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|-------------------------------------------------|--|--|--|--|-----|--|--|--|--|
|  |  |  |  |  |  |  |  |  |  | COPYRIGHT 2009<br>WINNEBAGO<br>INDUSTRIES, INC. |  |  |  |  |     |  |  |  |  |
|                                                                                       |  |  |  |  |  |  |  |  |  | ORIG. DATE 08/07/08                             |  |  |  |  |     |  |  |  |  |
|                                                                                       |  |  |  |  |  |  |  |  |  | FIRST USED 10 R ELLIPSE                         |  |  |  |  |     |  |  |  |  |
|                                                                                       |  |  |  |  |  |  |  |  |  | MATERIAL:                                       |  |  |  |  |     |  |  |  |  |
|                                                                                       |  |  |  |  |  |  |  |  |  |                                                 |  |  |  |  |     |  |  |  |  |
| <b>SPECIFICATION PRINT<br/>DO NOT SCALE</b>                                           |  |  |  |  |  |  |  |  |  |                                                 |  |  |  |  |     |  |  |  |  |
| TITLE:                                                                                |  |  |  |  |  |  |  |  |  |                                                 |  |  |  |  |     |  |  |  |  |
| <b>GRAPHICS INSTL - FBP</b>                                                           |  |  |  |  |  |  |  |  |  |                                                 |  |  |  |  |     |  |  |  |  |
| SHEET 1 OF 3                                                                          |  |  |  |  |  |  |  |  |  | PART NO<br><b>170911</b>                        |  |  |  |  | REV |  |  |  |  |

8

7

6

5

4

3

2

1

DWG  
NO 170911

D

D

WHITE  
#45289-4SILVER FROST MET  
#75385BLACK MIST MET  
#75377IRON GRAY  
#75401

LOGOS CARRYOVER FROM 2009

C

C

→

←

REV. C 10/21/08

(27A) 2010 ELLIPSE - BLACK KNIGHT

B

B

DP. MAHOGANY MET.  
#75404BRONZED GRAY MET  
#75400AMBER FIRE PRL MET  
#57771-1LT. ALMOND PRL MET  
#75226

LOGOS CARRYOVER FROM 2009

A

A

REV. E 03/30/09

(24C) 2010 ELLIPSE - MAHOGANY

8

7

6

5

4

3

2

1



|                                     |         |     |
|-------------------------------------|---------|-----|
| FIRST USED                          |         |     |
| 2010 R-SERIES (ELLIPSE)             |         |     |
| SPECIFICATION PRINT<br>DO NOT SCALE |         |     |
| TITLE:                              |         |     |
| GRAPHICS INSTL - FBP                |         |     |
| SHEET                               | PART NO | REV |
| 2                                   | 170911  |     |



REV. C 10/21/08  
(24B) 2010 ELLIPSE - SILVER SKY



REV. C 10/21/08  
(24H) 2010 ELLIPSE - MAPLE





REV. C 10/21/08  
(24L) 2010 ELLIPSE - VERMILLION

|                                     |                |     |
|-------------------------------------|----------------|-----|
| FIRST USED                          |                |     |
| 2010 R-SERIES (ELLIPSE)             |                |     |
| SPECIFICATION PRINT<br>DO NOT SCALE |                |     |
| TITLE: GRAPHICS INSTL - FBP         |                |     |
| SHEET 3                             | PART NO 170911 | REV |

| 8         |       | 7   |     |      |      |
|-----------|-------|-----|-----|------|------|
| DWG NO    | UNIT  | A   | B   | C    | D    |
| 170912-01 | R40WD | .   | .   | .    | .    |
| 170912-02 | R40BD | 280 | 90  | 1840 | 2800 |
| 170912-03 | R42AD | 195 | 285 | 1700 | 2010 |
| 170912-04 | ---   | --- | --- | ---  | ---  |
| 170912-05 | R40CD | 575 | 65  | 730  | 860  |

|         |      |                 |      |      |         |  |
|---------|------|-----------------|------|------|---------|--|
| RELEASE |      | REV             | DATE | DWG  | 170912  |  |
| REV     | ZONE | REVISION RECORD |      | DATE | DTR-ORG |  |



CENTER ON UNIT OR LOGO..

9. DIE CUT ACRYLIC FILM TO PROTECT UNIT (KIT-PAINT PROTECTION 157891-01-000)
8. PASSENGER SIDE OF UNIT SHOWN, DRIVER'S SIDE OPPOSITE.
7. END PANELS OF SLIDEOUT ROOMS WILL BE PAINTED WITH BASECOAT AND CLEAR COAT ONLY. THERE WILL BE NO COLORED DESIGN GRAPHIC ELEMENTS PAINTED ON THE END PANELS.
6. APPLY SEALER BODY SEAM CLEAR 94401-04-000 TO HELP SECURE EDGES.
5. USE 174664-01-000 (100 FT) TO COVER UNSEALED ROOF SEAMS.
4. CLEAR COAT TO BE APPLIED ON ENTIRE UNIT TO PROTECT PAINT.
3. TOLERANCE FOR DIMENSIONS IS +/-20mm.  
LOGO IS TO BE +/- 1mm ON A HORIZONTAL PLANE (END TO END).
2. APPLY FILM-URETHANE PROTECTANT 109506-01-000 AT BOTTOM OF ENTRANCE DOOR TO PREVENT SCUFFMARKS.
1. APPLY PROTECTOR 116424-01-000 TO WATER HEATER DOOR LATCH.

- (1LU) FRTL 34,320 400HP 8.9L 6 SPD  
(1LE) FRTL 44,320 400 6SPD IFS TAG  
(24P) MASK FRONT EXT PROTECTIVE  
(27A) EXT FULL BODY PAINT PKG #1  
(92A) EXT FULL BODY PAINT PKG #2  
(24C) EXT FULL BODY PAINT PKG #3  
(24B) EXT FULL BODY PAINT PKG #4  
(24H) EXT FULL BODY PAINT PKG #5  
(24L) EXT FULL BODY PAINT PKG #6

|                                                                                       |        |                                                 |           |
|---------------------------------------------------------------------------------------|--------|-------------------------------------------------|-----------|
|  |        | COPYRIGHT 2009<br>WINNEBAGO<br>INDUSTRIES, INC. |           |
| <div>WINNEBAGO INDUSTRIES</div>                                                       |        | ORIG. DATE                                      | 08/07/08  |
|                                                                                       |        | FIRST USED                                      | 10 R TOUR |
|                                                                                       |        | MATERIAL:                                       |           |
| <div>SPECIFICATION PRINT<br/>DO NOT SCALE</div>                                       |        |                                                 |           |
| TITLE:                                                                                |        |                                                 |           |
| GRAPHICS INSTL - FBP                                                                  |        |                                                 |           |
| SHEET                                                                                 | 1 OF 3 | PART NO                                         | 170912    |
|                                                                                       |        |                                                 | REV       |

NOTES:

BLACK MIST MET  
#75377

WHITE DIAMOND PRL  
#64003-5

GUNMETAL MET  
#33936-1

SANDSTONE BEIGE MET  
#43482-3

AMBER FIRE PRL  
#57771-1

MOJAVE MIST MET  
#64139-1

BRT. PLATINUM MET  
#48823-3

SEDONA BRONZE MET  
#75399

LOGOS CARRY OVER FROM 2009

LOGOS CARRY OVER FROM 2009

(27A) 2010 TOUR - SILVER STREAK

(92A) 2010 TOUR - BRONZE

SILVER SKY MET  
#62444

VERMILLION  
#39068

MED. PLATINUM MET  
#44094

DK. GRAY MICA  
#59271-4

LOGOS CARRY OVER FROM 2009


(24C) 2010 TOUR - DK. GRAY MICA

|                                     |   |         |
|-------------------------------------|---|---------|
| FIRST USED                          |   |         |
| 2010 R-SERIES (TOUR)                |   |         |
| SPECIFICATION PRINT<br>DO NOT SCALE |   |         |
| TITLE:                              |   |         |
| GRAPHICS INSTL - FBP                |   |         |
| SHEET                               | 2 | PART NO |
|                                     |   | 170912  |
|                                     |   | REV     |




LOGOS CARRY OVER FROM 2009

(24B) 2010 TOUR - CADET BLUE



LOGOS CARRY OVER FROM 2009




(24H) 2010 TOUR - KALAHARI GOLD



LOGOS CARRY OVER FROM 2009

(24L) 2010 TOUR - SUNSPASH


|                                     |         |     |
|-------------------------------------|---------|-----|
| FIRST USED                          |         |     |
| 2010 R-SERIES (TOUR)                |         |     |
| SPECIFICATION PRINT<br>DO NOT SCALE |         |     |
| TITLE                               |         |     |
| GRAPHICS INSTL - FBP                |         |     |
| SHEET                               | PART NO | REV |
| 3                                   | 170912  |     |



|                             |  |                                                 |  |
|-----------------------------|--|-------------------------------------------------|--|
|                             |  | COPYRIGHT 2009<br>WINNEBAGO<br>INDUSTRIES, INC. |  |
| DTFR                        |  | ORIG. DATE                                      |  |
| CHKR                        |  | ALL DIMENSIONS ARE<br>IN MILLIMETERS            |  |
| P.E.                        |  | FIRST USED                                      |  |
| M.E.                        |  | 08 R-SERIES                                     |  |
| DSNR                        |  | WEIGHT: 15.7 LBS                                |  |
| UNSPECIFIED TOLERANCES ARE: |  | MATERIAL:                                       |  |
| WHOLE DIM (X) : 3           |  |                                                 |  |
| ONE-PLACE (X.X) : 1.5       |  |                                                 |  |
| TWO-PLACE (X.XX) : 0.50     |  |                                                 |  |
| ANGLE : 1°                  |  |                                                 |  |
| THIRD ANGLE<br>PROJECTION   |  |                                                 |  |
| DO NOT SCALE DRAWING        |  |                                                 |  |
| TITLE:<br>LADDER INSTL      |  |                                                 |  |
| SHEET 1 OF 1                |  | PART NO 162049                                  |  |
| REF:                        |  | 1                                               |  |



| 131431-08-02A |               |                                 |            |
|---------------|---------------|---------------------------------|------------|
| KEY           | PART NUMBER   | U/M DESCRIPTION                 | VENDOR NO. |
|               | 106015-16-700 | EA GLASS/FLAT-W/HEAT ELEMENT    | 709450     |
|               | 106015-18-700 | EA GLASS/CONVEX                 | 709650     |
|               | 106015-18-701 | EA ACTUATOR - CONVEX GLASS      | 7475410    |
|               | 106015-18-702 | EA MOTOR - FLAT GLASS           | 7471180    |
|               | 106015-18-703 | EA GLASS/CONVEX-ACT/HOUSING     | 709651 KIT |
|               | 106015-19-700 | EA GLASS/FLAT-W/BEZEL/HEAT/ANTI | 709645     |
|               | 131431-03-700 | EA LIGHT/TURN SIGNAL - AMBER    | 7475510    |
|               | 131431-07-700 | EA KIT(SCREW CVR BLK)ROUND/OVAL | 748344     |
|               | 131431-08-700 | EA CAP/BASE - BLK - 1 PKG OF 2  | Q7095150   |




DWG NO 140923

140923-02  
200 SERIES  
300 SERIES  
P SERIES  
R SERIES

|      |             |             |     |
|------|-------------|-------------|-----|
| 4    | 01751605000 | MUD FLAP-BL | 1   |
| 3    | 000C260512U | BOLT        | 4   |
| 2    | 000D390500U | NUT         | 4   |
| 1    | 14092201CHT | PLATE-MUDFL | 1   |
| ITEM | PART NUMBER | DESCRIPTION | QTY |

|                      |                |     |                |
|----------------------|----------------|-----|----------------|
| FIRST USED           |                |     | 02 MOTORHOMES  |
| DO NOT SCALE DRAWING |                |     |                |
| TITLE:               |                |     | MUD FLAP COMPL |
| SHEET 2              | PART NO 140923 | REV |                |



DWG NO 140923

140923-07  
500 SERIES  
P SERIES  
R SERIES

|                      |                |             |     |
|----------------------|----------------|-------------|-----|
| 4                    | 01751609000    | MUD FLAP-BL | 1   |
| 3                    | 000C260512U    | BOLT        | 4   |
| 2                    | 000D390500U    | NUT         | 4   |
| 1                    | 14092201CHT    | PLATE-MUDFL | 1   |
| ITEM                 | PART NUMBER    | DESCRIPTION | QTY |
| FIRST USED           |                |             |     |
| 04 S-SERIES          |                |             |     |
| DO NOT SCALE DRAWING |                |             |     |
| TITLE:               |                |             |     |
| MUD FLAP COMPL       |                |             |     |
| SHEET 5              | PART NO 140923 | REV         |     |




| KEY | PART NUMBER   | U/M | DESCRIPTION                  | 142721-01-02A, 142721-02-02A |
|-----|---------------|-----|------------------------------|------------------------------|
|     |               |     |                              | VENDOR NO.                   |
|     | 106015-16-700 | EA  | GLASS/FLAT-W/HEAT ELEMENT    | 709450                       |
|     | 106015-18-700 | EA  | GLASS/CONVEX                 | 709650                       |
|     | 106015-18-701 | EA  | ACTUATOR - CONVEX GLASS      | 7475410                      |
|     | 106015-18-702 | EA  | MOTOR - FLAT GLASS           | 7471180                      |
|     | 106015-18-703 | EA  | GLASS/CONVEX-ACT/HOUSING     | 709651 KIT                   |
|     | 131431-03-700 | EA  | LIGHT/TURN SIGNAL - AMBER    | 7475510                      |
|     | 142721-01-700 | EA  | COVER/CAP - BOTTOM           | Q709678                      |
|     | 142721-01-701 | EA  | CAP - RECTANGULAR (VELVAC)   | 709557                       |
|     | 142721-01-702 | EA  | BRACKET/MOUNT - MIRROR       | 7096800                      |
|     | 142721-01-703 | EA  | GASKET/MOUNT - MIRROR        | 7097400                      |
|     | 142721-01-704 | EA  | SET SCREW - 5/16"-18 X 1.25" | 4082140                      |

D

C

B

A



|                      |  |                |     |
|----------------------|--|----------------|-----|
| FIRST USED           |  | 10 R40WD       |     |
| DO NOT SCALE DRAWING |  |                |     |
| TITLE: BACKWALL ASM  |  |                |     |
| SHEET 1              |  | PART NO 169216 | REV |

8

7

6

5

4

3

2

1

8

7

6


5

4

3









2

1




|      |             |              |     |
|------|-------------|--------------|-----|
| 36   | 000G120612U | SCREW-POH    | 26  |
| 35   | 000C260616U | BOLT         | 2   |
| 34   | 000D290400A | NUT          | 5   |
| 33   | 000C120412U | BOLT         | 6   |
| 32   | 000E131400U | WASHER       | 6   |
| 31   | 16712404CHT | BRACKET ASM  | 1   |
| 30   | 14256914000 | SPRING-GAS,1 | 1   |
| 29   | 16142101XXX | GRILLE ASM-E | 1   |
| 28   | 15664402CHT | BRACKET-SUPP | 1   |
| 27   | 15191302CHT | SHIELD-ENGIN | 1   |
| 26   | 09204101CHT | TRIM-REAR, C | 2   |
| 25   | 000G550816T | SCREW-PAN,HE | 4   |
| 24   | 000E131800U | WASHER       | 6   |
| 23   | 17482602CHT | TRIM-CAP,ROC | 1   |
| 22   | 09198501CHT | MOLDING-TRIM | 2   |
| 21   | 15191103CHT | SHIELD-ENGIN | 1   |
| 20   | 000G620816U | SCREW-CNSK   | 26  |
| 19   | 16712402CHT | BRACKET ASM  | 1   |
| 18   | 13005301CHT | STRIKER-DOOR | 2   |
| 17   | 15951501XXX | DOOR COMPL-R | 1   |
| 16   | 15191104CHT | SHIELD-ENGIN | 1   |
| 15   | 12626308CHT | BRACKET-GAS  | 1   |
| 14   | 000G191010U | SCREW        | 4   |
| 13   | 000D241000U | NUT          | 4   |
| 12   | 000G540414U | SCREW        | 4   |
| 11   | 000G390808U | SCREW-PAN,HE | 36  |
| 10   | 15950905XXX | PANEL ASM-RE | 1   |
| 9    | 000G391012U | SCREW-PAN,HE | 6   |
| 8    | 12844401000 | WASHER-SPRIN | 4   |
| 7    | 05878601000 | BOLT-HOOD AD | 2   |
| 6    | 000D390500U | NUT          | 2   |
| 5    | 000G391008U | SCREW-PAN,HE | 12  |
| 4    | 13878901CHT | ANGLE-MONUNT | 2   |
| 3    | 14887703CHT | BRACKET-SUPP | 1   |
| 2    | 000D290600U | NUT          | 4   |
| 1    | 000G500412U | SCREW-MACH   | 3   |
| ITEM | PART NUMBER | DESCRIPTION  | QTY |


|                       |                |     |  |
|-----------------------|----------------|-----|--|
| FIRST USED            |                |     |  |
| 08 R-SERIES           |                |     |  |
| DO NOT SCALE DRAWING  |                |     |  |
| TITLE: REAR CAP INSTL |                |     |  |
| SHEET 1               | PART NO 159627 | REV |  |



|                      |         |        |     |
|----------------------|---------|--------|-----|
| FIRST USED           |         |        |     |
| 08 R-SERIES          |         |        |     |
| DO NOT SCALE DRAWING |         |        |     |
| TITLE:               |         |        |     |
| REAR CAP INSTL       |         |        |     |
| SHEET 2              | PART NO | 159627 | REV |





|                       |  |                |     |
|-----------------------|--|----------------|-----|
| FIRST USED            |  | 08 R-SERIES    |     |
| DO NOT SCALE DRAWING  |  |                |     |
| TITLE: REAR CAP INSTL |  |                |     |
| SHEET 3               |  | PART NO 159627 | REV |




094 WINDOW-SE-GI

|                             |  |                                                 |  |
|-----------------------------|--|-------------------------------------------------|--|
|                             |  | COPYRIGHT 2010<br>WINNEBAGO<br>INDUSTRIES, INC. |  |
| DFTF                        |  | ORIG. DATE                                      |  |
| CHRR                        |  | ALL DIMENSIONS ARE<br>IN MILLIMETERS            |  |
| P.E.                        |  | FIRST USED                                      |  |
| M.E.                        |  | 10 R40WD                                        |  |
| DSNR                        |  | MATERIAL:                                       |  |
| UNSPECIFIED TOLERANCES ARE: |  | THIRD ANGLE<br>PROJECTION                       |  |
| WHOLE DIM (X) : 3           |  | DO NOT SCALE DRAWING                            |  |
| ONE-PLACE (X.X) :           |  | TITLE:<br>SLIDEOUT COMPL-FRT,LH                 |  |
| TWO-PLACE (X.XX) :          |  | SHEET 1 OF 6                                    |  |
| ANGLE :                     |  | PART NO 169218                                  |  |
| REF:                        |  | REV                                             |  |







SECTION CA-CA




SECTION CB-CB




SECTION CC-CC




SECTION CD-CD




SECTION CE-CE




SECTION CF-CF



SECTION CG-CG



SECTION CJ-CJ  
(ROTATED 90°)



SECTION CH-CH  
(ROTATED 90°)

|                                 |         |          |     |
|---------------------------------|---------|----------|-----|
| FIRST USED                      |         | 10 R40WD |     |
| DO NOT SCALE DRAWING            |         |          |     |
| TITLE:<br>SLIDEOUT COMPL-FRT,LH |         |          |     |
| SHEET 3                         | PART NO | 169218   | REV |

TUBE-DRAIN  
155262-01-CHT  
WIRE TIE  
8543-01-000  
NUT SPEED FLAT  
44364-02-000  
(APPLY SEALANT AROUND  
SIDEWALL OPENING  
INSTALL TUBE WITH  
EXTERIOR HOLE FACING  
DOWN.)

ROOF ASM-SLIDEOUT

SLUG ASM-SLIDEOUT

SECTION DA-DA

AWNING

TAPE-UHMW  
156015-01-CHT


TRIM ASM-SIDEWALL

1967



SECTION DB-DB

ROOF ASM-SLIDEOUT



|                      |         |        |                       |
|----------------------|---------|--------|-----------------------|
| FIRST USED           |         |        | 10 R40WD              |
| DO NOT SCALE DRAWING |         |        |                       |
| TITLE:               |         |        | SLIDEOUT COMPL-FRT,LH |
| SHEET 4              | PART NO | 169218 | REV                   |



|                      |         |        |                       |
|----------------------|---------|--------|-----------------------|
| FIRST USED           |         |        | 10 R40WD              |
| DO NOT SCALE DRAWING |         |        |                       |
| TITLE:               |         |        | SLIDEOUT COMPL-FRT,LH |
| SHEET 5              | PART NO | 169218 | REV                   |



|                                 |  |                   |     |
|---------------------------------|--|-------------------|-----|
| FIRST USED                      |  | 10 R40WD          |     |
| DO NOT SCALE DRAWING            |  |                   |     |
| TITLE:<br>SLIDEOUT COMPL-FRT,LH |  |                   |     |
| SHEET 6                         |  | PART NO<br>169218 | REV |




16. THE VALVES ON THE HYDRAULIC PUMP MUST BE OPEN TO MANUALLY RETRACT ROOM.
15. FOR MANUAL RETRACT REMOVE SET SCREW AND TURN ROD WITH WRENCH 143738-01-000 CLOCKWISE ON EACH ARM EVENLY UNTIL ROOM IS FULLY RETRACTED. ROD MUST BE FULLY UNSCREWED TO ALLOW ROOM TO OPERATE. WRENCH IS LOCATED IN THE INFO CASE.
14. CLAMP OR WIRE TIE ALL HOSES AT 900mm INTERVALS MAX. & WHERE NECESSARY TO PREVENT HOSES FROM CONTACTING MOVING PARTS OR HEAT PRODUCING ITEMS.
13. ALL HOSES MUST HAVE A 50mm MIN. RADIUS TO AVOID KINKS OR FLOW RESTRICTIONS. COVER ALL HOSES FULL LENGTH BELOW COACH FLOOR WITH CONDUIT 41953-09-000
12. TORQUE ALL BOLTS PER ES0018 UNLESS OTHERWISE SPECIFIED. (SEE TABLE BELOW)

| SIZE              | TORQUE VALUE (FT-LBS) |
|-------------------|-----------------------|
| 1/4 - 20 (.250)   | 76 (IN-LBS)           |
| 5/16 - 18 (.3125) | 13 (FT-LBS)           |
| 3/8 - 16 (.375)   | 23 (FT-LBS)           |
| 7/16 - 14 (.4375) | 37 (FT-LBS)           |
| 1/2 - 13 (.500)   | 57 (FT-LBS)           |

11. USE POLY-CLEAR 47034-07-000 AND ATTACH IT USING WASHER 44533-01-000 TO PROTECT THE SLIDEOUT FLOOR.

10. POSITION SEAL FLUSH WITH LOWER TRIM AND TIGHT AGAINST INNER TRIM.
9. SCREWS CANNOT BE REUSED. ANY TIME A SCREW IS REMOVED IT MUST BE DISCARDED AND REPLACED WITH A NEW SCREW TO INSURE THE THREADS SEAL.
8. USE SCREW G39-08-08S TO HOLD EACH END OF TRIM.
7. SEE SEALANT MANUAL.
6. LOOSEN BOLTS TO ALLOW ROOM TO MOVE SIDE TO SIDE ON THE MOUNTING BRACKETS UNTIL IT IS CENTERED IN THE OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.
5. LOOSEN JAM NUTS AND ADJUST BOLT TO MOVE ROOM UP OR DOWN TO BE CENTERED IN THE SIDEWALL OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.
4. THIS IS A NOMINAL DIMENSION; THE PARTS SHOULD BE ADJUSTED AS REQUIRED FROM THERE.
3. THE RETRACTED LENGTH IS ADJUSTED BY THREADING THE STOP BOLT IN OR OUT UNTIL THE OUTSIDE WALL OF THE ROOM SEALS AGAINST THE SIDEWALL.
2. THE EXTENDED LENGTH IS ADJUSTED BY TURNING THE LOCK NUTS ON THE PISTON RODS IN OR OUT UNTIL THE SLIDEOUT ROOM SEALS AGAINST THE SIDEWALL.







1. FOR ADDITIONAL INFORMATION SEE WIRE INSTALLATION FRONT END AND THE LEVELING JACK INSTALLATION DRAWINGS.



- 094 WINDO-SE-GI
- 41F REST EASY MULTI POS LOUNGE
- 41H REST EASY, ULTRALEATHER
- 41Z RESTEASY DUAL CTL ULTRALE RH
- 42H REST EASY-DUAL CONTROL

|                             |  |                                              |  |
|-----------------------------|--|----------------------------------------------|--|
| <b>WINNEBAGO INDUSTRIES</b> |  | COPYRIGHT 2009<br>WINNEBAGO INDUSTRIES, INC. |  |
| DFTN                        |  | ORIG. DATE                                   |  |
| CHRR                        |  | ALL DIMENSIONS ARE IN MILLIMETERS            |  |
| P.E.                        |  | FIRST USED                                   |  |
| M.E.                        |  | 10 R40WD                                     |  |
| DSNR                        |  | MATERIAL:                                    |  |
| UNSPECIFIED TOLERANCES ARE: |  | THIRD ANGLE PROJECTION                       |  |
| WHOLE DIM (X) ± 3           |  | DO NOT SCALE DRAWING                         |  |
| ONE-PLACE (X.X) ±           |  | TITLE: SLIDEOUT COMPL-FT,RH                  |  |
| TWO-PLACE (X.XX) ±          |  | SHEET 1 OF 5 PART NO 169219 REV              |  |
| ANGLE ±                     |  | REF: 1                                       |  |

**NOTICE**  
CHANGES TO THIS SHEET  
MAY AFFECT OTHERS













094 WINDOW-SE-GI


**ROOM ASM-SLIDEOUT**  
169219-11-XXX  
169219-12-XXX (094)

**NOTICE**  
CHANGES TO THIS SHEET  
MAY AFFECT OTHERS



|                      |         |     |
|----------------------|---------|-----|
| FIRST USED           |         |     |
| 10 R40WD             |         |     |
| DO NOT SCALE DRAWING |         |     |
| TITLE:               |         |     |
| SLIDEOUT COMPL-FT,RH |         |     |
| SHEET 2              | PART NO | REV |
|                      | 169219  |     |




|                             |         |          |     |
|-----------------------------|---------|----------|-----|
| FIRST USED                  |         | 10 R40WD |     |
| DO NOT SCALE DRAWING        |         |          |     |
| TITLE: SLIDEOUT COMPL-FT,RH |         |          |     |
| SHEET 3                     | PART NO | 169219   | REV |



SECTION DA-DA  
(ROTATED)




SECTION DB-DB




HOSES FROM ROD END OF CYLINDER,  
CONNECT TO SYNCHRONIZING CYLINDER  
HOSES FROM CAP END OF CYLINDER CONNECT  
TO TEE PROVIDED IN KIT

HOSES FROM ROD END OF CYLINDER,  
CONNECT TO SYNCHRONIZING CYLINDER  
HOSES FROM CAP END OF CYLINDER CONNECT  
TO TEE PROVIDED IN KIT

|                                |         |        |          |
|--------------------------------|---------|--------|----------|
| FIRST USED                     |         |        | 10 R40WD |
| DO NOT SCALE DRAWING           |         |        |          |
| TITLE:<br>SLIDEOUT COMPL-FT,RH |         |        |          |
| SHEET 4                        | PART NO | 169219 | REV      |




SECTION EA-EA



SECTION EB-EB

|                                |         |          |     |
|--------------------------------|---------|----------|-----|
| FIRST USED                     |         | 10 R40WD |     |
| DO NOT SCALE DRAWING           |         |          |     |
| TITLE:<br>SLIDEOUT COMPL-FT,RH |         |          |     |
| SHEET 5                        | PART NO | 169219   | REV |



18. SEE ES0080 FOR SLIDEOUT ROOM CONSTRUCTION.

17. SEE ES0080 FOR SLIDEOUT ROOM DESIGN AND CONSTRUCTION.

16. THE VALVES ON THE HYDRAULIC PUMP MUST BE OPEN TO MANUALLY RETRACT ROOM.

15. FOR MANUAL RETRACT REMOVE SET SCREW AND TURN ROD WITH WRENCH 143738-01-000 CLOCKWISE ON EACH ARM EVENLY UNTIL ROOM IS FULLY RETRACTED. ROD MUST BE FULLY UNSCREWED TO ALLOW ROOM TO OPERATE. WRENCH IS LOCATED IN THE INFO CASE.

14. CLAMP OR WIRE TIE ALL HOSEES AT 900mm INTERVALS MAX. & WHERE NECESSARY TO PREVENT HOSES FROM CONTACTING MOVING PARTS OR HEAT PRODUCING ITEMS.

13. ALL HOSES MUST HAVE A 50mm MIN. RADIUS TO AVOID KINKS OR FLOW RESTRICTIONS. COVER ALL HOSES FULL LENGTH BELOW COACH FLOOR WITH CONDUIT 41953-09-000

12. TORQUE ALL BOLTS PER ES0018 UNLESS OTHERWISE SPECIFIED. (SEE TABLE BELOW)

| SIZE              | TORQUE VALUE (FT-LBS) |
|-------------------|-----------------------|
| 1/4 - 20 (.250)   | 76 (IN-LBS)           |
| 5/16 - 18 (.3125) | 13 (FT-LBS)           |
| 3/8 - 16 (.375)   | 23 (FT-LBS)           |
| 7/16 - 14 (.4375) | 37 (FT-LBS)           |
| 1/2 - 13 (.500)   | 57 (FT-LBS)           |

11. USE POLY-CLEAR 47034-07-000 AND ATTACH IT USING WASHER 44533-01-000 TO PROTECT THE SLIDEOUT FLOOR.

10. POSITION SEAL FLUSH WITH LOWER TRIM AND TIGHT AGAINST INNER TRIM.

9. SCREWS CANNOT BE REUSED. ANY TIME A SCREW IS REMOVED IT MUST BE DISCARDED AND REPLACED WITH A NEW SCREW TO INSURE THE THREADS SEAL.

8. USE SCREW G39-08-08S TO HOLD EACH END OF TRIM.

7. SEE SEALANT MANUAL.

6. LOOSEN BOLTS TO ALLOW ROOM TO MOVE SIDE TO SIDE ON THE MOUNTING BRACKETS UNTIL IT IS CENTERED IN THE OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.

5. LOOSEN JAM NUTS AND ADJUST BOLT TO MOVE ROOM UP OR DOWN TO BE CENTERED IN THE SIDEWALL OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.

4. THIS IS A NOMINAL DIMENSION; THE PARTS SHOULD BE ADJUSTED AS REQUIRED FROM THERE.

3. THE RETRACTED LENGTH IS ADJUSTED BY THREADING THE STOP BOLT IN OR OUT UNTIL THE OUTSIDE WALL OF THE ROOM SEALS AGAINST THE SIDEWALL.

2. THE EXTENDED LENGTH IS ADJUSTED BY TURNING THE LOCK NUTS ON THE PISTON RODS IN OR OUT UNTIL THE SLIDEOUT ROOM SEALS AGAINST THE SIDEWALL.

1. FOR ADDITIONAL INFORMATION SEE WIRE INSTALLATION FRONT END AND THE LEVELING JACK INSTALLATION DRAWINGS.

NOTES:






**NOTICE**  
CHANGES TO THIS SHEET  
MAY AFFECT OTHERS

|         |      |                 |      |           |        |           |
|---------|------|-----------------|------|-----------|--------|-----------|
| RELEASE |      | REV<br>A        | DATE | DWG<br>NO | 169220 |           |
| REV     | ZONE | REVISION RECORD |      |           | DATE   | DFTR-ORIG |

23B BED-KING SIDEWALL (POWERED)

094 WINDOW-SE-GI











|                                  |  |                                              |  |
|----------------------------------|--|----------------------------------------------|--|
| <b>WINNEBAGO INDUSTRIES</b>      |  | COPYRIGHT 2010<br>WINNEBAGO INDUSTRIES, INC. |  |
| DTR                              |  | ORIG. DATE                                   |  |
| CHGR                             |  | ALL DIMENSIONS ARE<br>IN MILLIMETERS         |  |
| P.E.                             |  | FIRST USED                                   |  |
| M.E.                             |  | 10 R40WD                                     |  |
| DSNR                             |  |                                              |  |
| UNSPECIFIED TOLERANCES ARE:      |  | MATERIAL:                                    |  |
| WHOLE DIM (X) : 3                |  |                                              |  |
| ONE-PLACE (X.X) :                |  |                                              |  |
| TWO-PLACE (X.XX) :               |  |                                              |  |
| ANGLE :                          |  |                                              |  |
| THIRD ANGLE<br>PROJECTION        |  |                                              |  |
| DO NOT SCALE DRAWING             |  |                                              |  |
| TITLE:<br>SLIDEOUT COMPL-REAR,RH |  |                                              |  |
| SHEET 1 OF 4                     |  | PART NO 169220                               |  |
| REF:                             |  | 1                                            |  |






ROOM ASM-SLIDEOUT  
169220-11-XXX  
169220-12-XXX

**NOTICE**  
CHANGES TO THIS SHEET  
MAY AFFECT OTHERS


|                        |         |     |
|------------------------|---------|-----|
| 094 WINDOW-SE-GI       |         |     |
| FIRST USED             |         |     |
| 10 R40WD               |         |     |
| DO NOT SCALE DRAWING   |         |     |
| TITLE:                 |         |     |
| SLIDEOUT COMPL-REAR,RH |         |     |
| SHEET 2                | PART NO | REV |
|                        | 169220  |     |



|                               |         |        |          |
|-------------------------------|---------|--------|----------|
| FIRST USED                    |         |        | 10 R40WD |
| DO NOT SCALE DRAWING          |         |        |          |
| TITLE: SLIDEOUT COMPL-REAR,RH |         |        |          |
| SHEET 3                       | PART NO | 169220 | REV      |



SLIDEOUT SYNC CYLINDER  
163102-02-000  
HARDWARE KIT  
163324-03-000  
HOSE KIT  
100536-27-000  
155476-02-000



HOSES FROM ROD END OF CYLINDER,  
CONNECT TO SYNCHRONIZING CYLINDER  
HOSES FROM CAP END OF CYLINDER CONNECT  
TO TEE PROVIDED IN KIT

HOSES FROM ROD END OF CYLINDER,  
CONNECT TO SYNCHRONIZING CYLINDER  
HOSES FROM CAP END OF CYLINDER CONNECT  
TO TEE PROVIDED IN KIT

|                                  |         |        |          |
|----------------------------------|---------|--------|----------|
| FIRST USED                       |         |        | 10 R40WD |
| DO NOT SCALE DRAWING             |         |        |          |
| TITLE:<br>SLIDEOUT COMPL-REAR,RH |         |        |          |
| SHEET 4                          | PART NO | 169220 | REV      |

D

D

C




C

B




B

A


A



|                               |                |     |
|-------------------------------|----------------|-----|
| FIRST USED                    |                |     |
| FABWELL SDW                   |                |     |
| DO NOT SCALE DRAWING          |                |     |
| TITLE: TRIM ASM-SLIDEOUT,SIDE |                |     |
| SHEET 1                       | PART NO 156194 | REV |





|                        |                |     |
|------------------------|----------------|-----|
| FIRST USED             |                |     |
| FABWELL SDW            |                |     |
| DO NOT SCALE DRAWING   |                |     |
| TITLE:                 |                |     |
| TRIM ASM-SLIDEOUT,SIDE |                |     |
| SHEET 2                | PART NO 156194 | REV |




SEAT BELT  
160167-01-CHT 2 X 102" BLACK  
160167-02-CHT 2 X 90" BLACK

|                      |                |     |
|----------------------|----------------|-----|
| FIRST USED           |                |     |
| 07 MOTORHOMES        |                |     |
| DO NOT SCALE DRAWING |                |     |
| TITLE:               |                |     |
| SEAT BELT INSTL      |                |     |
| SHEET 1              | PART NO 159417 | REV |

| KEY | PART NUMBER   | U/M | DESCRIPTION                  | 164440-01-000, 164440-02-000 | VENDOR NO. |
|-----|---------------|-----|------------------------------|------------------------------|------------|
|     | 152553-01-702 | EA  | BEARING KIT - SLIDE-OUT TUBE |                              | RAP91975   |
|     | 164440-01-700 | EA  | RAM/CYLINDER - SLIDEOUT ROOM |                              | RAP92263   |



DETAIL A  
(TOP TRIM)  
(VIEWED FROM THE BACKSIDE OF THE TRIM)



DETAIL B  
(ALL MITER CUT VERTICAL TRIM)  
(VIEWED FROM THE BACKSIDE OF THE TRIM)



VERTICAL RETAINER TRIM

VERTICAL RETAINER TRIM

VERTICAL TRIM



SEAL  
(REF)

DETAIL C  
(ALL STRAIGHT CUT VERTICAL TRIM)  
(VIEWED FROM THE BACKSIDE OF THE TRIM)



DETAIL D  
(BOTTOM TRIM)  
VIEWED FROM THE BACKSIDE OF THE TRIM

|                                      |         |                 |     |
|--------------------------------------|---------|-----------------|-----|
| FIRST USED                           |         | 2010 MOTORHOMES |     |
| DO NOT SCALE DRAWING                 |         |                 |     |
| TITLE:<br>TRIM KIT-EXTERIOR,SLIDEOUT |         |                 |     |
| SHEET 1                              | PART NO | 169233          | REV |



|                            |                |     |
|----------------------------|----------------|-----|
| FIRST USED                 |                |     |
| 2010 MOTORHOMES            |                |     |
| DO NOT SCALE DRAWING       |                |     |
| TITLE:                     |                |     |
| TRIM KIT-EXTERIOR,SLIDEOUT |                |     |
| SHEET 4                    | PART NO 169233 | REV |

D

D

C


C

B

B

A

A





- NOTES:
- LENGTHS SHOULD BE IN 150 mm INCREMENTS PER STANDARD SLIDEOUT ROOM LENGTHS DEFINED IN ES0080.
  - OUTER TRIM MUST BE CENTERED ON THE INNER TRIM WITHIN  $\pm 3.0$ .
  - TOLERANCE ON THE CLIP SPACING IS  $\pm 100.0$  MM.
  - LOCATE CLIPS AT EACH END AND SPACED EQUALLY ALONG THE INNER TRIM.
  - APPLY SCREWS AT EACH END AND ONE IN THE MIDDLE OF THE OUTER TRIM.
  - APPLY SCREW THROUGH SEAL SO THAT IT HOLDS THE SEAL IN PLACE ON THE INNER TRIM.

COPYRIGHT 2009  
WINNEBAGO  
INDUSTRIES, INC.

|                                          |                                      |
|------------------------------------------|--------------------------------------|
| DFT-ORIG                                 | ORIG. DATE                           |
| CHK-OR                                   | ALL DIMENSIONS ARE<br>IN MILLIMETERS |
| P.E.                                     |                                      |
| M.E.                                     | FIRST USED                           |
| DSNR                                     | 10 SLIDEOUTS                         |
| UNSPECIFIED TOLERANCES ARE:              |                                      |
| WHOLE DIM (X)                            | ±                                    |
| ONE-PLACE (X.X)                          | ± 1.5                                |
| TWO-PLACE (X.XX)                         | ±                                    |
| ANGLE                                    | ±                                    |
| THIRD ANGLE<br>PROJECTION                |                                      |
| DO NOT SCALE DRAWING                     |                                      |
| TITLE:<br>TRIM ASM-SLIDEOUT,TOP,DBL WIPE |                                      |
| SHEET 1 OF 1                             | PART NO 169735                       |
| REF:                                     | 1                                    |

10/2/2009




VIEW B

TRIM-SIDEWALL INNER

SEAL-SLIDEOUT



TRIM-SIDEWALL,SLIDEOUT,OUTER



VIEW C  
BOTH ENDS

RETAINER (3)  
169305-01-000  
(USED ON 169749 TABS 22 THRU 35)

RETAINER-SIDEWALL  
169801-21-01A  
(USED ON 169749 TABS 01 THRU 21)



- NOTES:
1. APPLY SCREW THROUGH SEAL SO THAT IT HOLDS THE SEAL IN PLACE ON THE INNER TRIM.
  2. APPLY SCREWS AT EACH END AND ONE IN THE MIDDLE OF THE OUTER TRIM.
  3. LOCATE CLIPS AT EACH END AND SPACED EQUALLY ALONG THE INNER TRIM.
  4. TOLERANCE ON THE CLIP SPACING IS  $\pm 100.0$  mm.
  5. OUTER TRIM MUST BE CENTERED ON THE INNER TRIM WITHIN  $\pm 3.0$ .
  6. CENTER EXTRUSION ACROSS SPLICE IN TOP TRIM, DRILL FOUR 3.28 MM(.129 INCH) HOLES AS REQUIRED AND RIVET TOGETHER

|                                  |                   |                                              |           |
|----------------------------------|-------------------|----------------------------------------------|-----------|
| WINNEBAGO INDUSTRIES             |                   | COPYRIGHT 2009<br>WINNEBAGO INDUSTRIES, INC. |           |
| DFTR                             | ORIG. DATE        | ALL DIMENSIONS ARE<br>IN MILLIMETERS         |           |
| CHRR                             |                   |                                              |           |
| P.E.                             |                   |                                              |           |
| M.E.                             | FIRST USED        |                                              |           |
| DSNR                             | 10 MH             |                                              |           |
| UNSPECIFIED TOLERANCES ARE:      |                   | MATERIAL:                                    |           |
| WHOLE DIM (X)                    | : 3               |                                              |           |
| ONE-PLACE (X.X)                  | : 1.5             |                                              |           |
| TWO-PLACE (X.XX)                 | : 0.50            |                                              |           |
| ANGLE                            | : 1°              |                                              |           |
| THIRD ANGLE<br>PROJECTION        |                   |                                              |           |
| DO NOT SCALE DRAWING             |                   |                                              |           |
| TITLE:<br>TRIM ASM-SLIDEOUT, TOP |                   |                                              |           |
| SHEET 1 OF 1                     | PART NO<br>169749 | REV                                          |           |
| REF:                             |                   | 1                                            | 10/2/2009 |