


R-SERIES

ACCESSORY AIR LINE
FROM CHASSIS RESERVOIR
PRESSURE PROTECTION VALVE

03 P-SERIES		
DO NOT SCALE DRAWING		
TITLE: AIR HORN/SUPPLY INSTL		
SHEET 2	PART NO 143049	REV



HORN-AIR

COUPLER-QUICK,AIR
142595-01-000

VALVE-BALL,AIR
142597-01-000

FITTING-BULKHEAD
071374-03-000

GUAGE-AIR PRESSURE
142609-01-000

SCREW-PAN,HEAD
000G39-10-10T(3)

BOLT
000C12-06-12U(2)
WASHER
000E13-17-00U(2)

TUBING
071390-07-000
(216 MM)

TEE-MALE
142570-01-000 (2)


TUBING
071390-07-000
(220 MM)

COUPLING-FEMALE
075155-03-000

SOLENOID-VALVE
077497-11-000

BOLT
000C12-04-16B(2)
WASHER
000E13-14-00B(2)

VIEW D



TUBING
071390-04-000
(1230 MM)

VIEW F

HORN-AIR,BLACK,TWIN,SHORT
077497-08-000

CONNECTOR
071386-06-000

VIEW E

AIRSYS-MANIFOLD &
ELBOW (BOTH SUPPLIED
WITH CHASSIS)

TUBING
071390-07-000
(1100 MM)

CONNECTOR-MALE
142571-01-000


VALVE-AIR
086241-01-000

VIEW G


(UP TO 12-20-09)

R-SERIES

FIRST USED		
03 P-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
AIR HORN/SUPPLY INSTL		
SHEET3A	PART NO	REV
	143049	



VIEW D




VIEW F

HORN-AIR,BLACK,TWIN,SHORT 077497-08-000

CONNECTOR 071386-06-000

VIEW E



VIEW G

(AFTER 12-21-09)

R-SERIES


FIRST USED		
03 P-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
AIR HORN/SUPPLY INSTL		
SHEET3B	PART NO 143049	REV

D


C

B


A



SECTION D-D






SECTION C-C




SECTION A-A

FIRST USED		
10 R-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
AWNING INSTL R-SERIES		
SHEET 2	PART NO 169227	REV



FIRST USED			10 R42AD
TITLE:			DO NOT SCALE DRAWING
TITLE:			AWNING INSTL R-SERIES
SHEET 4	PART NO	169227	REV



ITA

ITASCA ONLY

WIN

WINNEBAGO ONLY

WINNEBAGO

INDUSTRIES

COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DFT-ORIG

CHGR

P.E.

M.E.

DSNR

UNSPECIFIED TOLERANCES ARE:

WHOLE DIM (X) ±

ONE-PLACE (X.X) ±

TWO-PLACE (X.XX) ±

ANGLE ±

THIRD ANGLE
PROJECTION

ORIG. DATE

ALL DIMENSIONS ARE
IN MILLIMETERS

FIRST USED

10 R-SERIES

MATERIAL:

DO NOT SCALE DRAWING

TITLE:
BODY INSTL-SECTIONS



SHEET 1 OF 6

PART NO
169674

REV


REF:

1




VIEW AJ


HANDLE-ASSIST
165309-05-CHT (WIN)
165309-03-CHT (ITA)
SCREW
G6008-24-390 (8) (2)




SECTION BA-BA



SECTION BD-BD




VIEW AK




40E POWER LOCK-REMOTE/TOUCH PAD
ITA ITASCA ONLY
WIN WINNEBAGO ONLY


FIRST USED		
10 R-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
BODY INSTL-SECTIONS		
SHEET 2	PART NO	REV
	169674	




VIEW BB-BB



SECTION BC-BC









VIEW BE-BE




SECTION BF-BF


FIRST USED		
10 R-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
BODY INSTL-SECTIONS		
SHEET 3	PART NO	REV
	169674	




FIRST USED		
10 R-SERIES		
DO NOT SCALE DRAWING		
TITLE: BODY INSTL-SECTIONS		
SHEET 4	PART NO 169674	REV




SECTION BP-BP



SECTION BN-BN




SECTION BR-BR




SECTION BS-BS (ROTATED)


FIRST USED		
10 R-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
BODY INSTL-SECTIONS		
SHEET 5	PART NO	REV
	169674	




SECTION BW-BW




DETAIL BT



SECTION BX-BX



VIEW DA



SECTION DB-DB

FIRST USED		
10 R-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
BODY INSTL-SECTIONS		
SHEET 6	PART NO	REV
	169674	

COWL ASM-WINDSHIELD, RH
156708-03-XXX
SCREW
000G55-08-12B (2)
WASHER
000E13-18-00B
NUT
000D29-05-00B

COWL ASM-WINDSHIELD, CENTER
156705-02-XXX
WASHER
000E13-18-00B (3)
NUT
000D29-05-00B (3)

PANEL-TRIM,FRONT
152685-01-01A
GASKET
155091-01-01A
ZEE-ACCESS PANEL,HEADLAMP
152687-01-02B
WASHER
000E13-14-00B (2)
NUT
0MD54U-06-000 (2)

BRACKET ASM-BUMPER
128455-01-02B (2)
SPACER-BUMPER
116617-02-02B (2)
BOLT
000C12-08-24B (2)
WASHER
000E13-22-00B (4)
NUT
000D29-08-00B (4)

HOOD COMPL-FRONT
160635-01-XXX

BRACKET ASM-BUMPER
128455-02-02B (2)
SPACER-BUMPER
116617-02-02B (2)
BOLT
000C12-08-24B (2)
WASHER
000E13-22-00B (4)
NUT
000D29-08-00B (4)

DAMPER
154973-01-000 (2)(UP TO 05-10-10)
154973-02-000 (2)(AFTER 05-11-10)
CLIP
154991-01-01A (4)(UP TO 05-10-10)

BRACKET-BALL STUD
154981-01-02B (2)
SCREW
000G11-10-12B (6)
BALL-STUD-13MM BALL
154990-01-01A (2)(UP TO 04-26-10)
057460-02-000 (2)(AFTER 04-27-10)
NUT
000D29-05-00B (2)

BOLT-HOOD ADJUSTING
058786-04-000 (2)
NUT
000D39-05-00B (4)

BRACKET-STRIKER,HOOD
144209-01-02B (2)
STIKER-DOOR,LUGGAGE
130053-01-01A (2)
WASHER
000E13-10-00B (8)
SCREW
000G19-10-10B (8)
NUT
000D24-10-00B (8)

CABLE ASM-DOOR
155143-02-01A
NUT
000D27-10-00B
SCREW
000G18-06-10B
WASHER
000E13-08-00B

COWL ASM-WINDSHIELD, LH
156708-04-XXX
SCREW
000G55-08-12B (2)
WASHER
000E13-18-00B
NUT
000D29-05-00B

TRIM-PANEL,FIBERGLASS
140447-01-CHT
140447-07-CHT (R42AD)
SCREW
000G60-08-16B (3)

PANEL ASM-FRONT,LOWER
140447-01-CHT
160621-03-CHT (R42AD)


SCREW
000G39-08-08B (4)

GASKET
155091-02-01A

PANEL-TRIM,FRONT
152685-02-01A
GASKET
155091-02-01A
ZEE-ACCESS PANEL,HEADLAMP
152687-01-02B
WASHER
000E13-14-00B (2)
NUT
0MD54U-06-000 (2)

BOLT
000C12-08-56B (2)
WASHER
000E13-21-00B (8)
NUT
000D36-08-00B (2)


FIRST USED		10 R-SERIES,W	
DO NOT SCALE DRAWING			
TITLE: BODY PANEL INSTL-FRONT			
SHEET 1	PART NO	160634	REV



TRIM-PANEL,FIBERGLASS
140447-02-CHT
SCREW
000G60-08-16B (5)

ANGLE-MOUNT,FRONT END
147498-01-02B
SCREW
000G39-08-08B (2)

STRAP-ATTACHMENT
147496-01-CHT
RIVET
000H16-06-06R (3)



SCREW
000G42-04-12B (6)


BOLT
000C26-04-10B (4)

SCREW
000G42-04-12B (2)


ANGLE-SUPPORT,MIRROR
120842-02-02B (2)

VIEW FB


FIRST USED		
10 R-SERIES,W		
DO NOT SCALE DRAWING		
TITLE: BODY PANEL INSTL-FRONT		
SHEET 2	PART NO 160634	REV



WINNEBAGO INDUSTRIES		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFTD	ORIG. DATE	ALL DIMENSIONS ARE IN MILLIMETERS	
CHRR			
P.E.			
M.E.	FIRST USED		
DSNR		08 R-SERIES,I	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X)	: 3		
ONE-PLACE (X.X)	: 1.5		
TWO-PLACE (X.XX)	: 0.50		
ANGLE	: 1°		
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
TITLE: BODY PANEL INSTL-FRONT			
SHEET 1 OF 3	PART NO	161062	REV
REF:		1	



DETAIL BA



CA

CA

578

1392

DETAIL BC

74C 74L

TRIM-PANEL
140447-02-CHT
SCREW
G60-08-16U (5)

STEP ASM-ENT


RIVET
H15-06-03R (3)

STRAP-ATTACHMENT
147496-01-CHT

ANGLE-MOUNT,FRONT END
147498-01-CHT
SCREW
G39-08-08U (2)

PANEL ASM-FRONT

SECTION BB-BB
(W/O VIDEO CAMERA)




BOLT
C26-04-10U (13)

ANGLE-SUPPORT,MIRROR
120842-02-CHT (2)

SCREW
G42-04-12U (2)

SCREW
G42-04-12U (6)

DETAIL BA



TRIM-PANEL,FIBERGLASS
140447-04-CHT
SCREW
G60-08-16U (3)

CAMERA

TRIM-PANEL,FIBERGLASS
140447-05-CHT
SCREW
G60-08-16U (2)

DETAIL BC 74C 74L

74C VIDEO CAMERA SYSTEM
74L VIDEO CAMERA SYS W/COLOR MON

FIRST USED		
08 R-SERIES,I		
DO NOT SCALE DRAWING		
TITLE: BODY PANEL INSTL-FRONT		
SHEET 2	PART NO 161062	REV

DAMPER
154973-01-000 (2)
MOUNT,DAMPER
154981-01-CHT (2)
BALL STUD
154990-01-CHT (2)(UP TO 04-26-10)
057460-02-000 (2)(AFTER 04-27-10)
NUT
D29-05-00U (2)
CLIP-SAFETY
154991-01-CHT (4)

SCREW
G55-08-12U (2)

BRACKET ASM-ADJUSTMENT,LH
152738-02-CHT
BOLT
C26-06-12U (2)

SUPPORT ASM-HEADLAMP,LH
152682-02-CHT
SCREW
G11-10-08B (3)

STRAP-BRACE,LH
155900-02-CHT
WASHER
E13-18-00U
NUT
D29-06-00U

SPRING-HEADLAMP ADJUSTING
49359-01-000 (2)

BOLT
C12-05-12U (2)
WASHER
E13-16-00U (2)
WASHER
E13-20-00U (2)

BOLT
144904-01-CHT (2)
WASHER
E13-16-00U

STRIKER-DOOR,LUGGAGE
130053-01-CHT (2)
SCREW
G19-10-10B (4)
NUT
D24-10-00B (4)
WASHER
E13-10-00U (8)

NUT
D29-05-00U (3)
WASHER
E13-16-00U (3)

SCREW
G18-08-10U
NUT
D27-08-00U
WASHER
E13-08-00U

NUT
D29-05-00U (2)
WASHER
E13-20-00U (2)

NUT-SPEED-U
40921-03-000 (6)
SCREW
G11-10-12U (6)

STRAP-BRACE,RH
155900-01-CHT
WASHER
E13-18-00U
NUT
D29-06-00U

BRACKET ASM-ADJUSTMENT,RH
152738-01-CHT
BOLT
C26-06-12U (2)

SUPPORT ASM-HEADLAMP,RH
152682-01-CHT
SCREW
G11-10-08B (3)

BOLT
C26-07-20U (2)
WASHER
E13-20-00U (2)
NUT
D29-07-00U (2)

ANGLE-SUPPORT,DOOR
155917-01-CHT (2)
WASHER
E13-22-00U (2)
NUT
D29-08-00U (2)
SPACER-BUMPER
116617-02-CHT (2)


STRICKER-DOOR,HOOD
144209-01-CHT (2)
SCREW
G19-10-10B (4)
WASHER
E13-10-00U (4)

SECTION CA-CA


SECTION CC-CC

SECTION CB-CB

FIRST USED		
08 R-SERIES,I		
DO NOT SCALE DRAWING		
TITLE: BODY PANEL INSTL-FRONT		
SHEET 3	PART NO 161062	REV





SECTION D-D



DETAIL B
2 PLCS

DRILL $\varnothing$ 7.0 HOLE TO ALIGN WITH
HOLE IN STEEL (4 PLCS)



SECTION A-A

19	15638201CHT	ANGLE-DOOR,	1
18	000G500416U	SCREW-MACH	4
17	000D290400U	NUT	4
16	15493601CHT	BRACKET-CAB	2
15	15514301CHT	CABLE ASM-D	1
14	15499001CHT	BALL STUD-1	2
13	000D290500U	NUT	2
12	000G390808U	SCREW-PAN,H	14
11	11390802000	PLUNGER ASM	2
10	000G500412U	SCREW	2
9	08723401000	NUT-JACK	2
8	000C260508U	BOLT	4
7	15319901CHT	STRAP-ATTAC	1
6	15319902CHT	STRAP-ATTAC	1
5	10276751011	EXTR-TUBE	2
4	000G420412U	BOLT	34
3	15319801CHT	STRAP-ATTAC	1
2	15319802CHT	STRAP-ATTAC	1
1	15236502XXX	PANEL-DOOR,	1
ITEM	PART NUMBER	DESCRIPTION	QTY

WINNEBAGO

INDUSTRIES

COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DFT-ORIG

ORIG. DATE

CHGR

ALL DIMENSIONS ARE
IN MILLIMETERS

P.E.

FIRST USED

M.E.

06 R-ITASCA

DSNR

UNSPECIFIED TOLERANCES ARE:

MATERIAL:

WHOLE DIM (X) : 3

ONE-PLACE (X.X) :

TWO-PLACE (X.XX) :

ANGLE :

THIRD ANGLE
PROJECTION

DO NOT SCALE DRAWING

TITLE:
DOOR COMPL-GENERATOR

SHEET1 OF 1

PART NO
154937






REV

REF:

1


1. LUBRICATE WITH WHITE LITHIUM GREASE.


NOTES:






17	15178006XXX	PANEL ASM-FR	1
16	15178008XXX	PANEL ASM-FR	1
15	16061901XXX	SUPPORT ASM	1
14	000C130720B	BOLT - HEX	4
13	000C120416U	BOLT	4
12	000E131400U	WASHER	4
11	000E131900U	WASHER (NARR	4
10	15267001CHT	BRACKET-HING	2
9	000C120824U	BOLT	4
8	000D390800U	NUT	4
7	000E132200U	WASHER	4
6	12845404CHT	ANGLE-BUMPER	2
5	000D610700A	NUT	4
4	16021004CHT	LATCH-HOOD,F	2
3	000G390806U	SCREW-PAN,HE	18
2	15260602CHT	SUPPORT ASM	1
1	16094502XXX	PANEL CENTER	1
ITEM	PART NUMBER	DESCRIPTION	QTY

FIRST USED 08 G39WL			
DO NOT SCALE DRAWING			
TITLE: PANEL ASM-FRONT,LOWER			
SHEET 1	PART NO 160621	REV	




WINNEBAGO® INDUSTRIES		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFTD		ORIG. DATE	
CHKD		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		08 R-SERIES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3		WEIGHT: 59.5 LBS	
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			
THIRD ANGLE PROJECTION		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
			
DO NOT SCALE DRAWING			
TITLE:		HOOD COMPL-FRONT	
SHEET 1 OF 1		PART NO	REV
		160635	




DETAIL B
(2 PLCS)

SECTION A-A
(2 PLCS)



SECTION D-D (2 PLCS)

- NOTES:
1. LUBRICATE WITH LITHIUM GREASE.
 2. TIGHTEN NUT UNTIL PIVOT ASM WILL STILL MOVE FREELY.



RELEASE		REV	DATE	DWG	NO	161031
REV	ZONE	REVISION RECORD			DATE	DFT-ORIG




18	15266803XXX	SUPPORT ASM	1
17	15287404XXX	PANEL-CENTE	1
16	15236306XXX	PANEL ASM-F	1
15	15309801CHT	SUPPORT ASM	1
14	000D290700U	NUT	4
13	000C260720U	BOLT	4
12	000E132000U	WASHER	4
11	000G390806U	SCREW-PAN, H	18
10	15309802CHT	SUPPORT ASM	1
9	15320301CHT	CONNECTOR A	1
8	15323702CHT	SUPPORT ASM	1
7	000D390800U	NUT	4
6	000C120824U	BOLT	4
5	000E132200U	WASHER	4
4	12845404CHT	ANGLE-BUMPE	2
3	000C260612U	BOLT	8
2	15323701CHT	SUPPORT ASM	1
1	15236303XXX	PANEL ASM-F	1
ITEM	PART NUMBER	DESCRIPTION	QTY

WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFT-ORIG		ORIG. DATE	
CHK-OR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.		FIRST USED	
M.E.		08 R-SERIES, I	
DSNR		UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X) ± 1.5		MATERIAL:	
ONE-PLACE (X.X) ±		THIRD ANGLE PROJECTION	
TWO-PLACE (X.XX) ±		DO NOT SCALE DRAWING	
ANGLE ±		TITLE: PANEL ASM-FRONT, LOWER	

SHEET 1 OF 1		PART NO	161031	REV	
REF:		1			

8		7			
DWG NO	UNIT	A	B	C	D
170911-01	R40CD	676	724	2546	2546
170911-02	R40WD	.	.	.	.
170911-03	R42AD	.	.	.	.
170911-04	R40BD	670	680	1850	1960

1		2		3		4		5		6		7		8	
RELEASE	REV	DATE	DWG NO	170911	1	2	3	4	5	6	7	8	9	10	11
REV	ZONE	REVISION RECORD	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE



- (24P) MASK FRONT EXT PROTECTIVE
- (27A) EXT FULL BODY PAINT PKG #1
- (92A) EXT FULL BODY PAINT PKG #2
- (24C) EXT FULL BODY PAINT PKG #3
- (24B) EXT FULL BODY PAINT PKG #4
- (24H) EXT FULL BODY PAINT PKG #5
- (24L) EXT FULL BODY PAINT PKG #6

										COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.									
										ORIG. DATE 08/07/08									
										FIRST USED 10 R ELLIPSE									
										MATERIAL:									
SPECIFICATION PRINT DO NOT SCALE																			
TITLE:																			
GRAPHICS INSTL - FBP																			
SHEET 1 OF 3					PART NO					REV					170911				

8

7

6

5

4

3

2

1

DWG
NO 170911

D

D

WHITE
#45289-4SILVER FROST MET
#75385BLACK MIST MET
#75377IRON GRAY
#75401

LOGOS CARRYOVER FROM 2009

C

C

→

←

B

B

A

A

REV. C 10/21/08

(27A) 2010 ELLIPSE - BLACK KNIGHT

REV. C 10/21/08

(92A) 2010 ELLIPSE - MINERAL

BRONZED GRAY MET
#75400DP. MAHOGANY MET.
#75404AMBER FIRE PRL MET
#57771-1LT. ALMOND PRL MET
#75226

LOGOS CARRYOVER FROM 2009

REV. E 03/30/09

(24C) 2010 ELLIPSE - MAHOGANY

FIRST USED		
2010 R-SERIES (ELLIPSE)		
SPECIFICATION PRINT DO NOT SCALE		
TITLE:		
GRAPHICS INSTL - FBP		
SHEET	2	PART NO
		170911
		REV

8

7

6

5

4

3

2

1





REV. C 10/21/08
(24B) 2010 ELLIPSE - SILVER SKY



REV. C 10/21/08
(24H) 2010 ELLIPSE - MAPLE



REV. C 10/21/08
(24L) 2010 ELLIPSE - VERMILLION

FIRST USED		
2010 R-SERIES (ELLIPSE)		
SPECIFICATION PRINT DO NOT SCALE		
TITLE: GRAPHICS INSTL - FBP		
SHEET 3	PART NO 170911	REV

8		7			
DWG NO	UNIT	A	B	C	D
170912-01	R40WD	.	.	.	.
170912-02	R40BD	280	90	1840	2800
170912-03	R42AD	195	285	1700	2010
170912-04	---	---	---	---	---
170912-05	R40CD	575	65	730	860

RELEASE		REV	DATE	DWG NO	170912
REV	ZONE	REVISION RECORD		DATE	DATE-ORG

A (PASSENGER SIDE)
B (DRIVER SIDE)

DECAL-LOGO TOUR SML
154229-02-01A

DECAL/BEZEL DOMED
151687-01-01A

DECAL-LOGO W
120700-12-01A (2)
DECAL-LOGO TOUR DOMED LG
154229-01-01A (2) 

DECAL/BEZEL DOMED
151687-01-01A

DECAL-HORSEPOWER 400 FLEXSCRIPT
158621-03-01A

DECAL-LOGO MAXUM CHASSIS
164596-01-01A

DECAL-LOGO DOMED
132664-02-01A (2)

500 (PASSENGER SIDE)
195 (DRIVER SIDE)

20 (2)
PLATE-FREIGHTLINER SML
(CHASSIS SUPPLIED)

175 (PASSENGER SIDE)
80 (DRIVER SIDE)

DECAL-LOGO TOUR DOMED LG
154229-01-01A 

PLATE-FREIGHTLINER LG
(CHASSIS SUPPLIED)

(1LU) FRTL 34,320 400HP 8.9L 6 SPD
(1LE) FRTL 44,320 400 6SPD IFS TAG
(24P) MASK FRONT EXT PROTECTIVE
(27A) EXT FULL BODY PAINT PKG #1
(92A) EXT FULL BODY PAINT PKG #2
(24C) EXT FULL BODY PAINT PKG #3
(24B) EXT FULL BODY PAINT PKG #4
(24H) EXT FULL BODY PAINT PKG #5
(24L) EXT FULL BODY PAINT PKG #6

		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
		ORIG. DATE 08/07/08	
		FIRST USED 10 R TOUR	
		MATERIAL:	
SPECIFICATION PRINT DO NOT SCALE			
TITLE:			
GRAPHICS INSTL - FBP			
SHEET 1 OF 3		PART NO 170912	
		REV	

BLACK MIST MET
#75377

WHITE DIAMOND PRL
#64003-5

GUNMETAL MET
#33936-1

SANDSTONE BEIGE MET
#43482-3

AMBER FIRE PRL
#57771-1

MOJAVE MIST MET
#64139-1

BRT. PLATINUM MET
#48823-3

SEDONA BRONZE MET
#75399

LOGOS CARRY OVER FROM 2009

LOGOS CARRY OVER FROM 2009

(27A) 2010 TOUR - SILVER STREAK

(92A) 2010 TOUR - BRONZE

SILVER SKY MET
#62444

VERMILLION
#39068


MED. PLATINUM MET
#44094




DK. GRAY MICA
#59271-4

LOGOS CARRY OVER FROM 2009

(24C) 2010 TOUR - DK. GRAY MICA

FIRST USED		
2010 R-SERIES (TOUR)		
SPECIFICATION PRINT DO NOT SCALE		
TITLE:		
GRAPHICS INSTL - FBP		
SHEET	2	PART NO
		170912
		REV





LADDER ASM-LOWER
161990-03-CHT

COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DFTR	ORIG. DATE
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	
DSNR	FIRST USED
08 R-SERIES	
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	: 3
ONE-PLACE (X.X)	: 1.5
TWO-PLACE (X.XX)	: 0.50
ANGLE	: 1°
THIRD ANGLE PROJECTION	WEIGHT: 15.7 LBS
DO NOT SCALE DRAWING	
TITLE:	
LADDER INSTL	
SHEET 1 OF 1	PART NO 162049

8

7

6

5

4

3


2

1

REF:

1

131431-08-02A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	106015-16-700	EA GLASS/FLAT-W/HEAT ELEMENT	709450
	106015-18-700	EA GLASS/CONVEX	709650
	106015-18-701	EA ACTUATOR - CONVEX GLASS	7475410
	106015-18-702	EA MOTOR - FLAT GLASS	7471180
	106015-18-703	EA GLASS/CONVEX-ACT/HOUSING	709651 KIT
	106015-19-700	EA GLASS/FLAT-W/BEZEL/HEAT/ANTI	709645
	131431-03-700	EA LIGHT/TURN SIGNAL - AMBER	7475510
	131431-07-700	EA KIT(SCREW CVR BLK)ROUND/OVAL	748344
	131431-08-700	EA CAP/BASE - BLK - 1 PKG OF 2	Q7095150




DWG
NO 140923

140923-02
200 SERIES
300 SERIES
P SERIES
R SERIES

4	01751605000	MUD FLAP-BL	1
3	000C260512U	BOLT	4
2	000D390500U	NUT	4
1	14092201CHT	PLATE-MUDFL	1
ITEM	PART NUMBER	DESCRIPTION	QTY

FIRST USED			02 MOTORHOMES
DO NOT SCALE DRAWING			
TITLE:			MUD FLAP COMPL
SHEET 2	PART NO	140923	REV





DWG NO 140923


140923-07
500 SERIES
P SERIES
R SERIES

4	01751609000	MUD FLAP-BL	1
3	000C260512U	BOLT	4
2	000D390500U	NUT	4
1	14092201CHT	PLATE-MUDFL	1
ITEM	PART NUMBER	DESCRIPTION	QTY
FIRST USED			
04 S-SERIES			
DO NOT SCALE DRAWING			
TITLE:			
MUD FLAP COMPL			
SHEET 5	PART NO 140923	REV	

KEY	PART NUMBER	U/M	DESCRIPTION	142721-01-02A, 142721-02-02A
				VENDOR NO.
	106015-16-700	EA	GLASS/FLAT-W/HEAT ELEMENT	709450
	106015-18-700	EA	GLASS/CONVEX	709650
	106015-18-701	EA	ACTUATOR - CONVEX GLASS	7475410
	106015-18-702	EA	MOTOR - FLAT GLASS	7471180
	106015-18-703	EA	GLASS/CONVEX-ACT/HOUSING	709651 KIT
	131431-03-700	EA	LIGHT/TURN SIGNAL - AMBER	7475510
	142721-01-700	EA	COVER/CAP - BOTTOM	Q709678
	142721-01-701	EA	CAP - RECTANGULAR (VELVAC)	709557
	142721-01-702	EA	BRACKET/MOUNT - MIRROR	7096800
	142721-01-703	EA	GASKET/MOUNT - MIRROR	7097400
	142721-01-704	EA	SET SCREW - 5/16"-18 X 1.25"	4082140












SECTION BA-BA




SECTION BB-BB

FIRST USED		10 R40BD	
DO NOT SCALE DRAWING			
TITLE:			
BACKWALL ASM			
SHEET 1	PART NO	170902	REV






FIRST USED			
08 R-SERIES			
DO NOT SCALE DRAWING			
TITLE:			
REAR CAP INSTL			
SHEET 2	PART NO	159627	REV



DWG NO 159627

FIRST USED			08 R-SERIES		
			DO NOT SCALE DRAWING		
TITLE:			REAR CAP INSTL		
SHEET 3		PART NO	159627	REV	



18. ADJUST THE INBOARD RAM MOUNT TO ACHIEVE 6mm $\pm$ 2 OF FALL IN THE RAM ARM WHEN EXTENDED.
17. USE SCREW G39-10-12T TO HOLD PANEL EDGES.
16. THE VALVES ON THE HYDRAULIC PUMP MUST BE OPEN TO MANUALLY RETRACT ROOM.
15. FOR MANUAL RETRACT REMOVE SET SCREW AND TURN ROD WITH WRENCH 143738-01-000 CLOCKWISE ON EACH ARM EVENLY UNTIL ROOM IS FULLY RETRACTED. ROD MUST BE FULLY UNSCREWED TO ALLOW ROOM TO OPERATE. WRENCH IS LOCATED IN THE INFO CASE.

14. CLAMP OR WIRE TIE ALL HOSES AT 900mm INTERVALS MAX. & WHERE NECESSARY TO PREVENT HOSES FROM CONTACTING MOVING PARTS OR HEAT PRODUCING ITEMS.
13. ALL HOSES MUST HAVE A 50mm MIN. RADIUS TO AVOID KINKS OR FLOW RESTRICTIONS. COVER ALL HOSES FULL LENGTH BELOW COACH FLOOR WITH CONDUIT 41953-09-000

12. TORQUE ALL BOLTS PER ES0018 UNLESS OTHERWISE SPECIFIED. (SEE TABLE BELOW)

SIZE	TORQUE VALUE (FT-LBS)
1/4 - 20 (.250)	76 (IN-LBS)
5/16 - 18 (.3125)	13 (FT-LBS)
3/8 - 16 (.375)	23 (FT-LBS)
7/16 - 14 (.4375)	37 (FT-LBS)
1/2 - 13 (.500)	57 (FT-LBS)

11. USE POLY-CLEAR 47034-07-000 AND ATTACH IT USING WASHER 44533-01-000 TO PROTECT THE SLIDEOUT FLOOR.

9. SCREWS CANNOT BE REUSED. ANY TIME A SCREW IS REMOVED IT MUST BE DISCARDED AND REPLACED WITH A NEW SCREW TO INSURE THE THREADS SEAL.

8. USE SCREW G39-08-08S TO HOLD EACH END OF TRIM.

7. SEE SEALANT MANUAL.

6. LOOSEN BOLTS TO ALLOW ROOM TO MOVE SIDE TO SIDE ON THE MOUNTING BRACKETS UNTIL IT IS CENTERED IN THE OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.

5. LOOSEN JAM NUTS AND ADJUST BOLT TO MOVE ROOM UP OR DOWN TO BE CENTERED IN THE SIDEWALL OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.

4. THIS IS A NOMINAL DIMENSION; THE PARTS SHOULD BE ADJUSTED AS REQUIRED FROM THERE.

3. THE RETRACTED LENGTH IS ADJUSTED BY THREADING THE STOP BOLT IN OR OUT UNTIL THE OUTSIDE WALL OF THE ROOM SEALS AGAINST THE SIDEWALL.

2. THE EXTENDED LENGTH IS ADJUSTED BY TURNING THE LOCK NUTS ON THE PISTON RODS IN OR OUT UNTIL THE SLIDEOUT ROOM SEALS AGAINST THE SIDEWALL.

1. FOR ADDITIONAL INFORMATION SEE WIRE INSTALLATION FRONT END AND THE LEVELING JACK INSTALLATION DRAWINGS.

NOTES:

SEAT BELT INSTL
159417-55-XXX

COVER ASM
138077-32-UN4 (2)
TAPE-FOAM,DBL COATED
123816-03-000
TAPE-DBL SIDED 1/2
123816-03-000
COVER-RAM BLACK
138077-05-10A
TAPE-FOAM DBL COATED
076322-22-000
BRACKET-MOUNT,COVER
161231-01-02B (2)
BRACKET-COVER
161304-01-02B (2)
PLATE ASM
136995-08-02B (4)

SYNC CYLINDER
163102-01-000
HARDWARE KIT
163324-01-000
HOSE KIT
100536-42-000
155476-02-000

ROOM ASM-SLIDEOUT
171403-11-XXX
171403-12-XXX


SLIDEOUT-HYDRAULIC
161740-01-000

SLIDEOUT-HYDRAULIC
161740-02-000

RELEASE	REV A	DATE	DWG NO 171403
REV	ZONE	REVISION RECORD	DATE DFT-ORIG


094 WINDOWS - SE-GI

WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFT-ORIG		ORIG. DATE	
CHGR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.		FIRST USED	
M.E.		10 R42AD	
DSNR		MATERIAL:	
UNSPECIFIED TOLERANCES ARE:		THIRD ANGLE PROJECTION	
WHOLE DIM (X) : 3		DO NOT SCALE DRAWING	
ONE-PLACE (X.X) :		TITLE: SLIDEOUT COMPL-FRT,RH	
TWO-PLACE (X.XX) :		SHEET 1 OF 4	
ANGLE :		PART NO 171403	
REF:		REV	








- 094 WINDOWS - SE-GI
- 93A EXTERIOR PAINT-CDI
- 55A FLOOR-GALLEY/BATH/CAB


ROOM ASM-SLIDEOUT 171403-11-XXX 171403-12-XXX (094)		
FIRST USED 10 R42AD		
DO NOT SCALE DRAWING		
TITLE: SLIDEOUT COMPL-FRT,RH		
SHEET 2	PART NO 171403	REV



FIRST USED			10 R42AD		
DO NOT SCALE DRAWING					
TITLE: SLIDEOUT COMPL-FRT,RH					
SHEET 3		PART NO 171403		REV	



FIRST USED		10 R42AD	
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-FRT,RH			
SHEET 4	PART NO	171403	REV



19. TRIM PLASTIC CORNERS SO THAT THEY ARE HIDDEN UNDER CARPET.
18. SCREW BULB SEAL TO BOTTOM OF FLOOR ASM-UPPER THRU REAR LEG OF SEAL.
17. LOCATE FOAM OVER DRAIN HOLES IN EXTRUSION.
16. THE VALVES ON THE HYDRAULIC PUMP MUST BE OPEN TO MANUALLY RETRACT ROOM.
15. FOR MANUAL RETRACT REMOVE SET SCREW AND TURN ROD WITH WRENCH 143738-01-000 CLOCKWISE ON EACH ARM EVENLY UNTIL ROOM IS FULLY RETRACTED. ROD MUST BE FULLY UNSCREWED TO ALLOW ROOM TO OPERATE. WRENCH IS LOCATED IN THE INFO CASE.
14. CLAMP OR WIRE TIE ALL HOSEES AT 900mm INTERVALS MAX. & WHERE NECESSARY TO PREVENT HOSES FROM CONTACTING MOVING PARTS OR HEAT PRODUCING ITEMS.
13. ALL HOSES MUST HAVE A 50mm MIN. RADIUS TO AVOID KINKS OR FLOW RESTRICTIONS. COVER ALL HOSES FULL LENGTH BELOW COACH FLOOR WITH CONDUIT 41953-09-000

12. TORQUE ALL BOLTS PER ES0018 UNLESS OTHERWISE SPECIFIED. (SEE TABLE BELOW)

SIZE	TORQUE VALUE (FT-LBS)
1/4 - 20 (.250)	76 (IN-LBS)
5/16 - 18 (.3125)	13 (FT-LBS)
3/8 - 16 (.375)	23 (FT-LBS)
7/16 - 14 (.4375)	37 (FT-LBS)
1/2 - 13 (.500)	57 (FT-LBS)

11. USE POLY-CLEAR 47034-07-000 AND ATTACH IT USING WASHER 44533-01-000 TO PROTECT THE SLIDEOUT FLOOR.
10. POSITION SEAL FLUSH WITH LOWER TRIM AND TIGHT AGAINST INNER TRIM.
9. SCREWS CANNOT BE REUSED. ANY TIME A SCREW IS REMOVED IT MUST BE DISCARDED AND REPLACED WITH A NEW SCREW TO INSURE THE THREADS SEAL.
8. USE SCREW 000G39-08-08S TO HOLD EACH END OF TRIM.
7. SEE SEALANT MANUAL.
6. LOOSEN BOLTS TO ALLOW ROOM TO MOVE SIDE TO SIDE ON THE MOUNTING BRACKETS UNTIL IT IS CENTERED IN THE OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.
5. LOOSEN JAM NUTS AND ADJSUT BOLT TO MOVE ROOM UP OR DOWN TO BE CENTERED IN THE SIDEWALL OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.
4. THIS IS A NOMINAL DIMENSION; THE PARTS SHOULD BE ADJUSTED AS REQUIRED FROM THERE.
3. THE RETRACTED LENGTH IS ADJUSTED BY THREADING THE STOP BOLT IN OR OUT UNTIL THE OUTSIDE WALL OF THE ROOM SEALS AGAINST THE SIDEWALL.
2. THE EXTENDED LENGTH IS ADJUSTED BY TURNING THE LOCK NUTS ON THE PISTON RODS IN OR OUT UNTIL THE SLIDEOUT ROOM SEALS AGAINST THE SIDEWALL.
1. FOR ADDITIONAL INFORMATION SEE WIRE INSTALLATION FRONT END AND THE LEVELING JACK INSTALLATION DRAWINGS.

NOTES:

ROOM ASM-SLIDEOUT
171412-11-XXX
171412-12-XXX
094

COVER ASM
138077-24-WK0
TAPE-FOAM DBL COATED
076322-22-000
TAPE-DBL SIDED 1/2
123816-03-000
SCREW
000G39-08-08U (4)
WASHER
077071-01-000 (4)
BRACKET ASM
161304-01-02B
PLATE ASM
136995-08-02B (2)
NUT
000D39-04-00B (4)

SEAT BELT INSTL
159417-01-XXX
159417-23-XXX
41F 436 434
42Z 41L

COVER ASM
138077-18-WH4
TAPE-FOAM DBL COATED
076322-22-000
TAPE-DBL SIDED
123816-03-000
SCREW
000G39-08-08U (4)
WASHER
077071-01-000 (4)
BRACKET ASM
161304-01-02B
PLATE ASM
136995-08-02B (2)
NUT
000D39-04-00B (4)

BRACKET-SLIDEOUT ARM
152741-04-02B (2)
BOLT
000C12-04-12B (8)
NUT
000D39-04-00B (8)


SLIDEOUT-HYDRAULIC
161743-02-000
WRENCH-RATCHET
143738-01-000

SLIDEOUT-HYDRAULIC
161743-02-000










RELEASE	REV DATE	DWG NO	171412
REV ZONE	REVISION RECORD	DATE	01/10/2010

- 434 REST EASY SGL ULTRALE
- 094 WINDOWS - SE-GI
- 14F LOUNGE CHAIRS (2)-WITH TABLE
- 42Z LOUNGE SEATING-THEATER STYLE
- 436 RESTEASY SGL UL LH 70X75
- 41L RESTEASY DUAL CTL ULTRALE LH
- 41F REST EASY MULTI POS LOUNGE


WINNEBAGO INDUSTRIES		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFTF	ORIG. DATE	ALL DIMENSIONS ARE IN MILLIMETERS	
CHRR			
P.E.			
M.E.	FIRST USED		
DSNR		10 R42AD	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 3			
ONE-PLACE (X.X) :			
TWO-PLACE (X.XX) :			
ANGLE :			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-FRT,LH			
SHEET 1 OF 6	PART NO	171412	REV
REF: 1			




FIRST USED		
10 R42AD		
DO NOT SCALE DRAWING		
TITLE:		
SLIDEOUT COMPL-FRT,LH		
SHEET 2	PART NO	REV
	171412	




FIRST USED			10 R42AD
DO NOT SCALE DRAWING			
TITLE:			SLIDEOUT COMPL-FRT,LH
SHEET 3	PART NO	171412	REV






SECTION EA-EA




SECTION EC-EC




SECTION ED-ED


HOSE FROM ROD END OF CYLINDER CONNECT FROM
SYNCHRONIZING CYLINDER, HOSES FROM CAP END
OF CYLINDER CONNECT TO TEE PROVIDED WITH KIT.




SECTION EB-EB



FIRST USED		
10 R42AD		
DO NOT SCALE DRAWING		
TITLE: SLIDEOUT COMPL-FRT,LH		
SHEET 5	PART NO 171412	REV



FIRST USED		
10 R42AD		
DO NOT SCALE DRAWING		
TITLE:		
SLIDEOUT COMPL-FRT,LH		
SHEET 6	PART NO 171412	REV



11. SCREWS CAN NOT BE REUSED. ANY TIME A SCREW IS REMOVED IT MUST BE DISCARDED AND REPLACED WITH A NEW SCREW TO INSURE THE THREADS SEAL.
10. CLAMP OR WIRE TIE ALL HOSES AT 900mm INTERVALL MAX. & WHERE NECESSARY TO PREVENT HOSES FORM CONTACTING MOVING PARTS OR HEAT PRODUCING ITEMS.
9. ALL HOSES CAN HAVE A 50 MIN. RADIUS TO AVOID KINKS OR FLOW RESTRICTIONS. COVER ALL HOSES FULL LENGTH BELOW COACH FLOOR WITH CONDUIT 041953-09-000.
8. USE SCREW 000G39-08-08U TO HOLD EACH END OF TRIM.
7. TORQUE TO 9.5-12.2 Nm (7-9 FT/lb).
6. ALL BOLTS TO BE TORQUED TO MECHANISM MANUFACTURERS SPECIFICATIONS.
5. THE RETRACTED LENGTH IS ADJUSTED UNTIL THE OUTSIDE TRIM OF THE ROOM SEALS AGAINST THE SIDEWALL.
4. THE EXTENDED LENGTH IS ADJUSTED UNTIL THE INSIDE TRIM OF THE ROOM SEALS AGAINST THE SIDEWALL.
3. CLEAN AND APPLY ADHESIVE PROMOTER BEFORE APPLYING SEALS.
2. SEE SEALANT MANUAL.
1. FOR ADDITIONAL INFORMATION SEE THE WIRING INSTALLATION FRONT END.

094 WINDOWS - SE-GI

WINNEBAGO

INDUSTRIES

COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DFT-ORIG	ORIG. DATE
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	10 R42AD

UNSPECIFIED TOLERANCES ARE:

WHOLE DIM (X) ± 3

ONE-PLACE (X.X) ±

TWO-PLACE (X.XX) ±

ANGLE ±

MATERIAL:

THIRD ANGLE
PROJECTION

DO NOT SCALE DRAWING

TITLE:
SLIDEOUT COMPL-REAR,RH


SHEET 1 OF 5


PART NO
171420

REV


REF:
1

12/29/2009








FIRST USED		10 R42AD	
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-REAR,RH			
SHEET 3	PART NO	171420	REV




SECTION DA-DA



SECTION DB-DB




FIRST USED		
10 R42AD		
DO NOT SCALE DRAWING		
TITLE:		
SLIDEOUT COMPL-REAR,RH		
SHEET 4	PART NO 171420	REV



HOSES FROM ARMS DROP THRU NOTCH
IN FLOOR. BLOCK WITH MALE QUICK-CONNECT
WILL CONNECT WITH FEMALE CONNECTION OF
HOSE KIT AND VICE VERSA FOR BLOCK WITH
FEMALE QUICK-CONNECT.

HOSE KIT
150707-03-000

FIRST USED			10 R42AD
TITLE:			DO NOT SCALE DRAWING
TITLE:			SLIDEOUT COMPL-REAR,RH
SHEET 5	PART NO	171420	REV



14. ADJUST BUMPER HEIGHT SO THAT BED WILL OPERATE SMOOTHLY
13. ADJUST SO THAT BED FRAME IS FLAT.
12. TORQUE ALL BOLTS PER ES0018 UNLESS OTHERWISE SPECIFIED. (SEE TABLE BELOW)
- | SIZE | TORQUE VALUE (FT-LBS) |
|-------------------|-----------------------|
| 1/4 - 20 (.250) | 76 (IN-LBS) |
| 5/16 - 18 (.3125) | 13 (FT-LBS) |
| 3/8 - 16 (.375) | 23 (FT-LBS) |
| 7/16 - 14 (.4375) | 37 (FT-LBS) |
| 1/2 - 13 (.500) | 57 (FT-LBS) |
11. USE POLY-CLEAR 047034-07-000 AND ATTACH IT USING WASHER 044533-01-000 TO PROTECT THE SLIDEOUT FLOOR.
10. POSITION SEAL FLUSH WITH LOWER TRIM AND TIGHT AGAINST INNER TRIM.
9. SCREWS CANNOT BE REUSED. ANY TIME A SCREW IS REMOVED IT MUST BE DISCARDED AND REPLACED WITH A NEW SCREW TO INSURE THE THREADS SEAL.
8. USE SCREW 000G39-08-08S TO HOLD EACH END OF TRIM.
7. SEE SEALANT MANUAL.
6. LOOSEN BOLTS TO ALLOW ROOM TO MOVE SIDE TO SIDE ON THE MOUNTING BRACKETS UNTIL IT IS CENTERED IN THE OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.
5. ADJUST BOLT TO MOVE ROOM UP OR DOWN TO BE CENTERED IN THE SIDEWALL OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.
4. THIS IS A NOMINAL DIMENSION; THE PARTS SHOULD BE ADJUSTED AS REQUIRED FROM THERE.
3. THE RETRACTED LENGTH IS ADJUSTED UNTIL THE OUTSIDE TRIM OF THE ROOM SEALS AGAINST THE OUTSIDE OF THE SIDEWALL.
2. THE EXTENDED LENGTH IS ADJUSTED UNTIL THE INSIDE TRIM OF THE ROOM SEALS AGAINST THE INSIDE OF THE SIDEWALL.
1. FOR ADDITIONAL INFORMATION SEE WIRE INSTALLATION FRONT END AND THE LEVELING JACK INSTALLATION DRAWINGS.

RELEASE		REV	DATE	DWG NO	171996
REV	ZONE	REVISION RECORD		DATE	DFTR-ORIG

COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

DFTR	ORIG. DATE
CHRR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	10 R42AD
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	± 3
ONE-PLACE (X.X)	±
TWO-PLACE (X.XX)	±
ANGLE	±
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: SLIDEOUT COMPL-REAR,LH	
SHEET 1 OF 4	PART NO 171996
REF:	1

12/29/2009

094 WINDOWS - SE-GI

TRIM-SEAL,INNER
169060-04-02A
SCREW
000G62-08-12B (10)

ROOF ASM-SLIDEOUT
169204-01-XXX
SCREW
000G62-08-12B (9)

TRIM-FEATURE,UPPER
158375-04-02A (2)
SCREW
154938-02-02A (8)



CD
CD

PANEL ASM-SLIDEOUT
162978-09-XXX
162978-31-XXX
SCREW
000G62-08-12B (18)

094

TRIM-SEAL,INNER
139624-51-02A
SCREW
000G62-08-12B (7)

CB CB

CA

CA

TRIM KIT EXTERIOR
169233-01-AA1
SCREW
154938-05-03A (36)
INSERT
105312-01-13A (8682)
SCREW
154938-02-02B(28)



8



9

SLUG ASM-SLIDEOUT
170360-12-XXX

CF

CF

COVER-CORNER
156151-01-01A (4)
CORNER-KEY
160421-01-01A (4)

PLUG-PLASTIC BLACK
119845-01-01A(2)
TAPE-DOUBLE SIDED
123816-01-000(76MM)(2)
(WRAP TAPE AROUND PLUG TO SECUREIT)

ANGLE-W/HOLES
136002-01-01A(2)(UP TO 08-23-09)
SCREW
000G39-10-10B(16)(UP TO 08-23-09)

FLOOR ASM-SLIDEOUT
169205-01-XXX

LUMBER-RADIUS
163342-00-294(2)
SCREW
000G39-10-16U(8)







ROOM ASM-SLIDEOUT
171996-11-XXX
171996-12-XXX

094



094 WINDOWS - SE-GI

93A EXTERIOR PAINT-CDI


FIRST USED		
10 R42AD		
DO NOT SCALE DRAWING		
TITLE: SLIDEOUT COMPL-REAR,LH		
SHEET 2	PART NO 171996	REV





FIRST USED		10 R42AD	
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-REAR,LH			
SHEET 8	PART NO	171996	REV





(UP TO 08-23-09)



FIRST USED		10 R42AD	
DO NOT SCALE DRAWING			
TITLE:			
SLIDEOUT COMPL-REAR, LH			
SHEET 4 A		PART NO 171996	REV G



(AFTER 08-24-09)



FIRST USED			10 R42AD
DO NOT SCALE DRAWING			
TITLE: SLIDEOUT COMPL-REAR,LH			
SHEET4B	PART NO	171996	REV

KEY	PART NUMBER	U/M DESCRIPTION
	100536-14-701	EA HOSE-HYDRAULIC - 1/4"X 108"
	131360-01-701	EA HOSE-HYDRAULIC-1/4" X 125"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-09-700	EA HOSE-HYDRAULIC-324"
	100536-27-700	EA HOSE/HYDRAULIC - 1/4" X 332"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-36-701	EA HOSE-HYDRAULIC-156"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-42-700	EA HOSE-HYDRAULIC - 1/4" X 180"
	100536-42-701	EA HOSE-HYDRAULIC - 1/4" X 175"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-31-701	EA HOSE-HYDRAULIC - 1/4" X 96"
	100536-47-700	EA HOSE-HYDRAULIC - 1/4" X 416"
	100536-47-701	EA HOSE-HYDRAULIC - 1/4" X 378"
	115767-01-704	EA HOSE-HYDRAULIC - 1/4" X 146"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-51-700	EA HOSE - HYDRAULIC 1/4" X 444"
	100536-51-701	EA HOSE - HYDRAULIC 1/4" X 456"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-14-702	EA HOSE-HYDRAULIC-264"
	100536-35-701	EA HOSE - HYDRAULIC 1/4" X 252"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-09-700	EA HOSE-HYDRAULIC-324"
	100536-26-700	EA HOSE - HYDRAULIC-1/4" X 100"
	115767-01-705	EA HOSE-HYDRAULIC - 1/4" X 60"
	135250-02-700	EA HOSE-HYDRAULIC - 1/4" X 300"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-58-700	EA HOSE - HYD. 1/4" X 86"
	100536-58-701	EA HOSE - HYDRAULIC 1/4" X 74"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-27-700	EA HOSE/HYDRAULIC - 1/4" X 332"
	100536-37-701	EA HOSE/HYDRAULIC - 1/4" X 336"

KEY	PART NUMBER	U/M DESCRIPTION
	100536-09-701	EA HOSE-HYDRAULIC-1/4" X 60"
	100536-25-700	EA HOSE-HYDRAULIC-1/4" X 306"
	100536-26-700	EA HOSE - HYDRAULIC-1/4" X 100"
	100536-29-700	EA HOSE-HYDRAULIC-1/4" X 280"

100536-15-000
VENDOR NO.
 RAP4074
 RAP91473/AP4906

100536-27-000
VENDOR NO.
 RAP91489/AP2464
 RAP91491/AP8985

100536-38-000
VENDOR NO.
 RAP90078

100536-42-000
VENDOR NO.
 RAP90120/AP5965
 RAP90350/AP7358

100536-47-000
VENDOR NO.
 RAP5352/AP5352
 RAP91507
 RAP91501
 RAP90004/AP2443

100536-51-000
VENDOR NO.
 RAP91509
 RAP6217

100536-54-000
VENDOR NO.
 RAP6216/AP6216
 RAP90121/AP7385

100536-57-000
VENDOR NO.
 RAP91489/AP2464
 RAP90077/AP7832
 RAP4073/AP4073
 RAP90806/AP4064




100536-58-000
VENDOR NO.
 RAP91470/AP4665
 RAP91467/AP5616

100536-59-000
VENDOR NO.
 RAP91491/AP8985
 RAP5561



100536-60-000
VENDOR NO.
 RAP4073/AP4073
 RAP91487/AP4904
 RAP90077/AP7832
 RAP91485/AP4729

KEY	PART NUMBER	U/M DESCRIPTION
	154706-01-701	EA CYLINDER - LH OR RH

150707-01-000
VENDOR NO.
RAP91351/AP34768



FABWELL SDW





VIEW B

FABWELL SDW


TRIM ASM-SLIDEOUT,SIDE

1 2 151763

4/27/2010



VIEW C



FABWELL SDW

TRIM ASM-SLIDEOUT,SIDE

153651-02-01A			
KEY	PART NUMBER	U/M	DESCRIPTION
	153651-01-701	EA	LIMIT - SWITCH
	153651-01-702	EA	COVER/BOOT - SEAL
	153651-02-700	EA	MOTOR/LH - F/TRAVEL LOCK
	153651-02-701	EA	BRACKET/MOUNTING - MOTOR
VENDOR NO.			
			1812996
			1612011
			1820131
			1102223

153651-04-01A			
KEY	PART NUMBER	U/M	DESCRIPTION
	153651-01-701	EA	LIMIT SWITCH
	153651-02-700	EA	MOTOR "R" - F/LH TRAVEL LOCK
	153651-02-701	EA	BRACKET/MOUNTING - MOTOR
	153651-04-700	EA	COVER/BOOT - SEAL
	153651-04-701	EA	BEZEL F/MAIN HOUSING
VENDOR NO.			
			1812996
			1820131
			1102223
			1612012
			1612567

D

D

C




C

B




B

A

A




FIRST USED		
FABWELL SDW		
DO NOT SCALE DRAWING		
TITLE:		
TRIM ASM-SLIDEOUT,SIDE		
SHEET 1	PART NO 156194	REV



FIRST USED		
FABWELL SDW		
DO NOT SCALE DRAWING		
TITLE:		
TRIM ASM-SLIDEOUT,SIDE		
SHEET 2	PART NO 156194	REV

			155476-01-000
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	128599-06-700	EA HOSE/HYDRAULIC -1/8" X 72"	RAP91424/AP24635
	155476-01-700	EA HOSE - HYDRAULIC 1/4" X 66"	RAP90356/AP5351
			155476-02-000
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	100536-10-701	EA HOSE-HYDRAULIC - 1/4" X 116"	RAP90349/AP5384
	137196-01-700	EA HOSE-HYDRAULIC - 1/8" X 120"	RAP90428/AP24642
			155476-03-000
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	100536-42-701	EA HOSE-HYDRAULIC - 1/4" X 175"	RAP90350/AP7358
	122359-01-701	EA HOSE - HYDRAULIC 1/8" X 180"	RAP90322/AP24651





SEAT BELT
160167-01-CHT 2 X 102" BLACK
160167-02-CHT 2 X 90" BLACK


FIRST USED		
07 MOTORHOMES		
DO NOT SCALE DRAWING		
TITLE:		
SEAT BELT INSTL		
SHEET 1	PART NO	REV
	159417	

KEY	PART NUMBER	U/M DESCRIPTION	161743-02-000 VENDOR NO.
	161743-02-700	EA TUBE/FLUID RETURN 1/4" X 36"	RAP90658

KEY	PART NUMBER	U/M	DESCRIPTION	163102-03-000	VENDOR NO.
	163102-03-700	EA	SYNCRONIZING CYLINDER		RAP92128/AP39279



DETAIL A
(TOP TRIM)
(VIEWED FROM THE BACKSIDE OF THE TRIM)



DETAIL B
(ALL MITER CUT VERTICAL TRIM)
(VIEWED FROM THE BACKSIDE OF THE TRIM)


VERTICAL RETAINER TRIM

VERTICAL RETAINER TRIM


VERTICAL TRIM

SEAL
(REF)



DETAIL C
(ALL STRAIGHT CUT VERTICAL TRIM)
(VIEWED FROM THE BACKSIDE OF THE TRIM)



DETAIL D
(BOTTOM TRIM)
VIEWED FROM THE BACKSIDE OF THE TRIM



FIRST USED		
2010 MOTORHOMES		
DO NOT SCALE DRAWING		
TITLE: TRIM KIT-EXTERIOR,SLIDEOUT		
SHEET 1	PART NO 169233	REV



FIRST USED		
2010 MOTORHOMES		
DO NOT SCALE DRAWING		
TITLE:		
TRIM KIT-EXTERIOR,SLIDEOUT		
SHEET 4	PART NO 169233	REV

D

C

B



A

D

C

B

A







VIEW C

- NOTES:
- 6 LENGTHS SHOULD BE IN 150 mm INCREMENTS PER STANDARD SLIDEOUT ROOM LENGTHS DEFINED IN ES0080.
 - 5 OUTER TRIM MUST BE CENTERED ON THE INNER TRIM WITHIN ± 3.0 .
 - 4 TOLERANCE ON THE CLIP SPACING IS ± 100.0 MM.
 - 3 LOCATE CLIPS AT EACH END AND SPACED EQUALLY ALONG THE INNER TRIM.
 - 2 APPLY SCREWS AT EACH END AND ONE IN THE MIDDLE OF THE OUTER TRIM.
 - 1 APPLY SCREW THROUGH SEAL SO THAT IT HOLDS THE SEAL IN PLACE ON THE INNER TRIM.

COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.



DFT-ORIG	ORIG. DATE
CHKD	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	10 SLIDEOUTS
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	± 1.5
ONE-PLACE (X.X)	± 1.5
TWO-PLACE (X.XX)	± 1.5
ANGLE	± 1.5
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: TRIM ASM-SLIDEOUT, TOP, DBL WIPE	
SHEET 1 OF 1	PART NO 169735




RETAINER-SIDEWALL
169801-21-01A
(USED ON 169749 TABS 01 THRU 21)

RETAINER (3)
169305-01-000
(USED ON 169749 TABS 22 THRU 35)

- NOTES:
1. APPLY SCREW THROUGH SEAL SO THAT IT HOLDS THE SEAL IN PLACE ON THE INNER TRIM.
 2. APPLY SCREWS AT EACH END AND ONE IN THE MIDDLE OF THE OUTER TRIM.
 3. LOCATE CLIPS AT EACH END AND SPACED EQUALLY ALONG THE INNER TRIM.
 4. TOLERANCE ON THE CLIP SPACING IS ± 100.0 mm.
 5. OUTER TRIM MUST BE CENTERED ON THE INNER TRIM WITHIN ± 3.0 .
 6. CENTER EXTRUSION ACROSS SPLICE IN TOP TRIM, DRILL FOUR 3.28 MM(.129 INCH) HOLES AS REQUIRED AND RIVET TOGETHER



WINNEBAGO® INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTF		ORIG. DATE	
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.			
DSNR		FIRST USED	
		10 MH	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			
THIRD ANGLE PROJECTION		DO NOT SCALE DRAWING	
TITLE:			
TRIM ASM-SLIDEOUT, TOP			
SHEET 1 OF 1	PART NO	169749	REV